


# 3/0 AWG Catalog

Compression Connectors / One hole 90°

CATEGORY EDITION

# 3/0 AWG

Compression Connectors / One hole 90° / 3/0 AWG




## Installation Information

Manufacturer	Tools	Color	Code
T&B	TBM5 TBM8	Orange	50
Panduit	CT-720 CT-920	Orange	P50
Burndy	MY29 Y644M	Orange	14

#	Cat.No	Wire Size		Dimension (in.)				
		Code	Flex Class G,H,I,K,M	Bolt Size	B	C	D	H
1	DA3010A-251	3/0 AWG	450/24 3/0 Weld	#10	0.54	1.06	0.14	0.57
2	DA3010A-261	3/0 AWG	450/24/ 3/0 Weld	#10	0.52	1.03	0.14	0.56
3	DA3012A	3/0 AWG	150 Navy 2/0 Weld 325/24 = 131 kcmil 133/.0316 259/.0227 427/.0177	1/2	1.25	0.92	0.13	0.51
4	DA3012A-250	3/0 AWG	150 Navy 2/0 Weld 325/24 = 131 kcmil 133/.0316 259/.0227 427/.0177	1/2	1.09	0.96	0.13	0.51
5	DA3012A-251	3/0 AWG	450/24 3/0 Weld	1/2	1.09	1.06	0.14	0.57
6	DA3012A-252	3/0 AWG	150 Navy 2/0 Weld 325/24 = 131 kcmil 133/.0316 259/.0227 427/.0177	1/2	1.09	0.96	0.13	0.51
7	DA3012A-260	3/0 AWG	150 Navy 2/0 Weld 325/24 = 131 kcmil 133/.0316 259/.0227 427/.0177	1/2	1.08	0.91	0.13	0.50
8	DA3012A-261	3/0 AWG	450/24/ 3/0 Weld	1/2	1.08	1.03	0.14	0.56
9	DA3014A	3/0 AWG	150 Navy 2/0 Weld 325/24 = 131 kcmil 133/.0316 259/.0227 427/.0177	1/4	0.65	0.92	0.13	0.51
10	DA3014A-250	3/0 AWG	150 Navy 2/0 Weld 325/24 = 131 kcmil 133/.0316 259/.0227 427/.0177	1/4	0.78	0.96	0.13	0.51
11	DA3014A-251	3/0 AWG	450/24 3/0 Weld	1/4	0.78	1.06	0.14	0.57
12	DA3014A-252	3/0 AWG	150 Navy 2/0 Weld 325/24 = 131 kcmil 133/.0316 259/.0227 427/.0177	1/4	0.78	0.96	0.13	0.51
13	DA3014A-260	3/0 AWG	150 Navy 2/0 Weld 325/24 = 131 kcmil 133/.0316 259/.0227 427/.0177	1/4	0.64	1.00	0.13	0.50
14	DA3014A-261	3/0 AWG	450/24/ 3/0 Weld	1/4	0.64	1.03	0.14	0.56
15	DA3038A	3/0 AWG	150 Navy 2/0 Weld 325/24 = 131 kcmil 133/.0316 259/.0227 427/.0177	3/8	0.93	0.92	0.13	0.51
16	DA3038A-019	3/0 AWG	450/24/ 3/0 Weld	3/8	0.83	1.03	0.14	0.56
17	DA3038A-250	3/0 AWG	150 Navy 2/0 Weld 325/24 = 131 kcmil 133/.0316 259/.0227 427/.0177	3/8	0.84	0.96	0.13	0.51
18	DA3038A-251	3/0 AWG	450/24 3/0 Weld	3/8	0.86	1.06	0.14	0.57
19	DA3038A-252	3/0 AWG	150 Navy 2/0 Weld 325/24 = 131 kcmil 133/.0316 259/.0227 427/.0177	3/8	0.84	0.96	0.13	0.51
20	DA3038A-260	3/0 AWG	150 Navy 2/0 Weld 325/24 = 131 kcmil 133/.0316 259/.0227 427/.0177	3/8	0.83	0.91	0.13	0.50
21	DA3056A	3/0 AWG	150 Navy 2/0 Weld 325/24 = 131 kcmil 133/.0316 259/.0227 427/.0177	5/16	0.88	0.92	0.13	0.51
22	DA3056A-250	3/0 AWG	150 Navy 2/0 Weld 325/24 = 131 kcmil 133/.0316 259/.0227 427/.0177	5/16	0.78	0.96	0.13	0.51
23	DA3056A-251	3/0 AWG	450/24 3/0 Weld	5/16	0.79	1.06	0.14	0.57
24	DA3056A-252	3/0 AWG	150 Navy 2/0 Weld 325/24 = 131 kcmil 133/.0316 259/.0227 427/.0177	5/16	0.78	0.96	0.13	0.51
25	DA3056A-260	3/0 AWG	150 Navy 2/0 Weld 325/24 = 131 kcmil 133/.0316 259/.0227 427/.0177	5/16	0.70	0.91	0.13	0.50
26	DA3056A-261	3/0 AWG	450/24/ 3/0 Weld	5/16	0.70	1.03	0.14	0.56
27	LA3012A	3/0 AWG	150 Navy 2/0 Weld 325/24 = 131 kcmil 133/.0316 259/.0227 427/.0177	1/2	1.25	0.92	0.13	0.51
28	LA3012A-250	3/0 AWG	150 Navy 2/0 Weld 325/24 = 131 kcmil 133/.0316 259/.0227 427/.0177	1/2	1.09	0.96	0.13	0.51
29	LA3012A-260	3/0 AWG	150 Navy 2/0 Weld 325/24 = 131 kcmil 133/.0316 259/.0227 427/.0177	1/2	1.08	0.91	0.13	0.50
30	LA3012AP-260	3/0 AWG	150 Navy 2/0 Weld 325/24 = 131 kcmil 133/.0316 259/.0227 427/.0177	1/2	1.08	0.91	0.12	0.50

# 3/0 AWG

Compression Connectors / One hole 90° / 3/0 AWG



## Installation Information

Manufacturer	Tools	Color	Code
T&B	TBM5 TBM8	Orange	50
Panduit	CT-720 CT-920	Orange	P50
Burndy	MY29 Y644M	Orange	14

#	Cat.No	Wire Size				Dimension (in.)				
		Code	Flex Class G,H,I,K,M			Bolt Size	B	C	D	H
31	LA3038A-250	3/0 AWG 150 Navy 2/0 Weld 325/24 = 131 kcmil	133/.0316	259/.0227	427/.0177	3/8	0.84	0.96	0.13	0.51
32	LA3038AP-251	3/0 AWG 450/24/ 3/0 Weld				3/8	0.86	1.06	0.14	0.57
33	LA3038AP-260	3/0 AWG 150 Navy 2/0 Weld 325/24 = 131 kcmil	133/.0316	259/.0227	427/.0177	3/8	0.83	0.90	0.12	0.50
34	LA3038AP-261	3/0 AWG 450/24/ 3/0 Weld				3/8	0.83	1.03	0.14	0.56
35	WP3038A-019	3/0 AWG 150 Navy 2/0 Weld 325/24 = 131 kcmil	133/.0316	259/.0227	427/.0177	3/8	0.81	0.93	0.12	0.50