


4/0 AWG Catalog

Compression Connectors / One hole 90°

CATEGORY EDITION

4/0 AWG

Compression Connectors / One hole 90° / 4/0 AWG




Installation Information

Manufacturer	Tools	Color	Code
T&B	TBM5 TBM8	Purple	54
Panduit	CT-720 CT-920	Purple	P54
Burndy	MY29 Y644M	Purple	15

#	Cat.No	Wire Size		Dimension (in.)				
		Code	Flex Class G,H,I,K,M	Bolt Size	B	C	D	H
1	DA2514A	250 kcmil	250 Navy 262.6 kcmil	1/4	0.65	1.13	0.14	0.63
2	DA2556A	250 kcmil	250 Navy 262.6 kcmil	5/16	0.88	1.13	0.14	0.63
3	DA4012A	4/0 AWG	200 Navy 3/0 Weld 450/24 = 182 kcmil 703/.0154	1/2	1.25	1.03	0.14	0.56
4	DA4012A-250	4/0 AWG	200 Navy 3/0 Weld 450/24 = 182 kcmil 703/.0154	1/2	1.09	1.06	0.14	0.57
5	DA4012A-251	4/0 AWG	550/24 = 222 kcmil 4/0 Weld	1/2	1.12	1.19	0.16	0.65
6	DA4012A-252	4/0 AWG	200 Navy 3/0 Weld 450/24 = 182 kcmil 703/.0154	1/2	1.09	1.06	0.14	0.57
7	DA4012A-260	4/0 AWG	200 Navy 3/0 Weld 450/24 = 182 kcmil 703/.0154	1/2	1.08	1.02	0.14	0.56
8	DA4012A-261	4/0 AWG	550/24 = 222 kcmil 4/0 Weld	1/2	1.08	1.14	0.15	0.64
9	DA4014A	4/0 AWG	200 Navy 3/0 Weld 450/24 = 182 kcmil 703/.0154	1/4	0.65	1.03	0.14	0.56
10	DA4014A-250	4/0 AWG	200 Navy 3/0 Weld 450/24 = 182 kcmil 703/.0154	1/4	0.78	1.06	0.14	0.57
11	DA4014A-251	4/0 AWG	550/24 = 222 kcmil 4/0 Weld	1/4	0.78	1.19	0.16	0.65
12	DA4014A-252	4/0 AWG	200 Navy 3/0 Weld 450/24 = 182 kcmil 703/.0154	1/4	0.78	1.06	0.14	0.57
13	DA4014A-260	4/0 AWG	200 Navy 3/0 Weld 450/24 = 182 kcmil 703/.0154	1/4	0.64	1.02	0.14	0.56
14	DA4014A-261	4/0 AWG	550/24 = 222 kcmil 4/0 Weld	1/4	0.64	1.14	0.15	0.64
15	DA4034A-251	4/0 AWG	550/24 = 222 kcmil 4/0 Weld	3/4	1.52	1.19	0.16	0.65
16	DA4034A-260	4/0 AWG	200 Navy 3/0 Weld 450/24 = 182 kcmil 703/.0154	3/4	1.52	1.05	0.13	0.56
17	DA4034A-261	4/0 AWG	550/24 = 222 kcmil 4/0 Weld	3/4	1.52	1.14	0.15	0.64
18	DA4038A	4/0 AWG	200 Navy 3/0 Weld 450/24 = 182 kcmil 703/.0154	3/8	0.93	1.03	0.14	0.56
19	DA4038A-250	4/0 AWG	200 Navy 3/0 Weld 450/24 = 182 kcmil 703/.0154	3/8	0.86	1.06	0.14	0.57
20	DA4038A-251	4/0 AWG	550/24 = 222 kcmil 4/0 Weld	3/8	1.01	1.19	0.16	0.65
21	DA4038A-252	4/0 AWG	200 Navy 3/0 Weld 450/24 = 182 kcmil 703/.0154	3/8	0.86	1.06	0.14	0.57
22	DA4038A-260	4/0 AWG	200 Navy 3/0 Weld 450/24 = 182 kcmil 703/.0154	3/8	0.83	1.02	0.14	0.56
23	DA4038A-261	4/0 AWG	550/24 = 222 kcmil 4/0 Weld	3/8	0.83	1.14	0.15	0.64
24	DA4056A	4/0 AWG	200 Navy 3/0 Weld 450/24 = 182 kcmil 703/.0154	5/16	0.87	1.03	0.14	0.56
25	DA4056A-250	4/0 AWG	200 Navy 3/0 Weld 450/24 = 182 kcmil 703/.0154	5/16	0.79	1.06	0.14	0.57
26	DA4056A-251	4/0 AWG	550/24 = 222 kcmil 4/0 Weld	5/16	1.01	1.19	0.16	0.65
27	DA4056A-252	4/0 AWG	200 Navy 3/0 Weld 450/24 = 182 kcmil 703/.0154	5/16	0.79	1.06	0.14	0.57
28	DA4056A-260	4/0 AWG	200 Navy 3/0 Weld 450/24 = 182 kcmil 703/.0154	5/16	0.70	1.02	0.14	0.56
29	DA4056A-261	4/0 AWG	550/24 = 222 kcmil 4/0 Weld	5/16	0.70	1.14	0.15	0.64
30	DA4058A-251	4/0 AWG	550/24 = 222 kcmil 4/0 Weld	5/8	1.33	1.19	0.16	0.65

4/0 AWG

Compression Connectors / One hole 90° / 4/0 AWG



Installation Information

Manufacturer	Tools	Color	Code
T&B	TBM5 TBM8	Purple	54
Panduit	CT-720 CT-920	Purple	P54
Burndy	MY29 Y644M	Purple	15

#	Cat.No	Wire Size			Dimension (in.)				
		Code	Flex Class G,H,I,K,M	Bolt Size	B	C	D	H	
31	DA4058A-260	4/0 AWG	200 Navy 3/0 Weld 450/24 = 182 kcmil 703/.0154	5/8	1.33	1.02	0.14	0.56	
32	DA4058A-261	4/0 AWG	550/24 = 222 kcmil 4/0 Weld	5/8	1.33	1.14	0.15	0.64	
33	LA4012-250	4/0 AWG	200 Navy 3/0 Weld 450/24 = 182 kcmil 703/.0154	1/2	1.09	1.06	0.14	0.57	
34	LA4012A	4/0 AWG	200 Navy 3/0 Weld 450/24 = 182 kcmil 703/.0154	1/2	1.25	1.03	0.14	0.56	
35	LA4012A-260	4/0 AWG	200 Navy 3/0 Weld 450/24 = 182 kcmil 703/.0154	1/2	1.08	1.02	0.14	0.56	
36	LA4012AP-251	4/0 AWG	550/24 = 222 kcmil 4/0 Weld	1/2	1.12	1.19	0.16	0.65	
37	LA4012AP-260	4/0 AWG	200 Navy 3/0 Weld 450/24 = 182 kcmil 703/.0154	1/2	1.08	1.02	0.14	0.56	
38	LA4012AP-261	4/0 AWG	550/24 = 222 kcmil 4/0 Weld	1/2	1.08	1.14	0.14	0.64	
39	LA4014A	4/0 AWG	200 Navy 3/0 Weld 450/24 = 182 kcmil 703/.0154	1/4	1.00	1.03	0.14	0.56	
40	LA4038A	4/0 AWG	200 Navy 3/0 Weld 450/24 = 182 kcmil 703/.0154	3/8	1.13	1.03	0.14	0.56	
41	LA4038A-250	4/0 AWG	200 Navy 3/0 Weld 450/24 = 182 kcmil 703/.0154	3/8	0.90	1.06	0.14	0.57	
42	LA4038A-260	4/0 AWG	200 Navy 3/0 Weld 450/24 = 182 kcmil 703/.0154	3/8	0.93	1.02	0.14	0.56	
43	LA4038AP-251	4/0 AWG	550/24 = 222 kcmil 4/0 Weld	3/8	1.01	1.19	0.16	0.65	
44	LA4038AP-260	4/0 AWG	200 Navy 3/0 Weld 450/24 = 182 kcmil 703/.0154	3/8	0.83	1.02	0.14	0.56	
45	LA4038AP-261	4/0 AWG	550/24 = 222 kcmil 4/0 Weld	3/8	0.83	1.14	0.14	0.64	
46	WP4038A-030	4/0 AWG	200 Navy 3/0 Weld 450/24 = 182 kcmil 703/.0154	3/8	0.80	1.00	0.14	0.56	