


#2 AWG Catalog

Compression Connectors / Two hole 0°

CATEGORY EDITION

#2 AWG

Compression Connectors / Two hole 0° / #2 AWG




Installation Information

Manufacturer	Tools	Color	Code
T&B	TBM5 TBM8	Brown	33
Panduit	CT-720 CT-1700	Brown	P33
Burndy	Y1MR MY29	Brown	10

#	Cat.No	Wire Size			Dimension (in.)						
		Code	Flex Class G,H,I,K,M	Bolt Size	A	B	C	D	G	H	
1	DB021243	#2 AWG	60 Navy #4 Weld 125/24 = 50.5 kcmil	1/2	3.73	2.88	0.75	0.09	1.75	0.36	
2	DB021243-250	#2 AWG	60 Navy #4 Weld 125/24 = 50.5 kcmil	1/2	4.14	3.01	0.75	0.08	1.75	0.37	
3	DB021243-251	#2 AWG	150/24 #2 Weld	1/2	3.85	2.80	0.75	0.09	1.75	0.42	
4	DB021243-260	#2 AWG	60 Navy #4 Weld 125/24 = 50.5 kcmil	1/2	3.96	2.83	0.83	0.11	1.75	0.36	
5	DB021243-261	#2 AWG	150/24 #2 Weld	1/2	3.71	2.83	0.83	0.08	1.75	0.41	
6	DB021401	#2 AWG	60 Navy #4 Weld 125/24 = 50.5 kcmil	1/4	2.38	1.53	0.59	0.11	1.00	0.36	
7	DB021401-250	#2 AWG	60 Navy #4 Weld 125/24 = 50.5 kcmil	1/4	2.76	1.63	0.60	0.10	1.00	0.37	
8	DB021401-251	#2 AWG	150/24 #2 Weld	1/4	2.47	1.8	0.70	0.11	1.00	0.42	
9	DB021401-260	#2 AWG	60 Navy #4 Weld 125/24 = 50.5 kcmil	1/4	2.77	1.64	0.60	0.11	1.00	0.36	
10	DB021401-261	#2 AWG	150/24 #2 Weld	1/4	2.52	1.64	0.68	0.10	1.00	0.41	
11	DB021434	#2 AWG	60 Navy #4 Weld 125/24 = 50.5 kcmil	1/4	2.16	1.31	0.59	0.13	0.75	0.36	
12	DB021434-250	#2 AWG	60 Navy #4 Weld 125/24 = 50.5 kcmil	1/4	2.51	1.38	0.60	0.10	0.75	0.37	
13	DB021434-251	#2 AWG	150/24 #2 Weld	1/4	2.22	1.55	0.70	0.11	0.75	0.42	
14	DB021434-260	#2 AWG	60 Navy #4 Weld 125/24 = 50.5 kcmil	1/4	2.52	1.39	0.60	0.11	0.75	0.36	
15	DB021434-261	#2 AWG	150/24 #2 Weld	1/4	2.27	1.39	0.68	0.10	0.75	0.41	
16	DB021458	#2 AWG	60 Navy #4 Weld 125/24 = 50.5 kcmil	1/4	2.13	1.28	0.59	0.11	0.63	0.36	
17	DB021458-250	#2 AWG	60 Navy #4 Weld 125/24 = 50.5 kcmil	1/4	2.39	1.26	0.60	0.10	0.63	0.37	
18	DB021458-251	#2 AWG	150/24 #2 Weld	1/4	2.10	1.43	0.70	0.11	0.63	0.42	
19	DB021458-260	#2 AWG	60 Navy #4 Weld 125/24 = 50.5 kcmil	1/4	2.40	1.27	0.60	0.11	0.625	0.36	
20	DB021458-261	#2 AWG	150/24 #2 Weld	1/4	2.15	1.27	0.68	0.10	0.625	0.41	
21	DB023801	#2 AWG	60 Navy #4 Weld 125/24 = 50.5 kcmil	3/8	2.66	1.81	0.60	0.10	1.00	0.36	
22	DB023801-250	#2 AWG	60 Navy #4 Weld 125/24 = 50.5 kcmil	3/8	2.99	1.86	0.66	0.10	1.00	0.37	
23	DB023801-251	#2 AWG	150/24 #2 Weld	3/8	2.67	1.89	0.70	0.11	1.00	0.42	
24	DB023801-260	#2 AWG	60 Navy #4 Weld 125/24 = 50.5 kcmil	3/8	2.96	1.83	0.60	0.11	1.00	0.36	
25	DB023801-261	#2 AWG	150/24 #2 Weld	3/8	2.71	1.83	0.68	0.10	1.00	0.41	
26	DB025601-251	#2 AWG	150/24 #2 Weld	5/16	2.60	1.86	0.70	0.11	1.00	0.42	
27	DB025601-260	#2 AWG	60 Navy #4 Weld 125/24 = 50.5 kcmil	5/16	2.83	1.70	0.60	0.11	1.00	0.36	
28	DB025601-261	#2 AWG	150/24 #2 Weld	5/16	2.58	1.70	0.68	0.10	1.00	0.41	
29	DB025634-250	#2 AWG	60 Navy #4 Weld 125/24 = 50.5 kcmil	5/16	2.64	1.51	0.66	0.10	0.75	0.37	
30	DB025634-260	#2 AWG	60 Navy #4 Weld 125/24 = 50.5 kcmil	5/16	2.58	1.45	0.60	0.11	0.75	0.36	

#2 AWG

Compression Connectors / Two hole 0° / #2 AWG




Installation Information

Manufacturer	Tools	Color	Code
T&B	TBM5 TBM8	Brown	33
Panduit	CT-720 CT-1700	Brown	P33
Burndy	Y1MR MY29	Brown	10

#	Cat.No	Wire Size			Dimension (in.)						
		Code	Flex Class G,H,I,K,M	Bolt Size	A	B	C	D	G	H	
31	LB021034P-250	#2 AWG	60 Navy #4 Weld 125/24 = 50.5 kcmil	#10	2.70	1.29	0.60	0.10	0.75	0.37	
32	LB021034P-260	#2 AWG	60 Navy #4 Weld 125/24 = 50.5 kcmil	#10	2.77	1.27	0.60	0.11	0.75	0.36	
33	LB021058P-250	#2 AWG	60 Navy #4 Weld 125/24 = 50.5 kcmil	#10	2.58	1.17	0.60	0.10	0.63	0.37	
34	LB021243	#2 AWG	60 Navy #4 Weld 125/24 = 50.5 kcmil	1/2	4.03	2.88	0.75	0.09	1.75	0.36	
35	LB021243-242	#2 AWG	60 Navy #4 Weld 125/24 = 50.5 kcmil	1/2	4.15	3	0.88	0.11	1.75	0.36	
36	LB021243-250	#2 AWG	60 Navy #4 Weld 125/24 = 50.5 kcmil	1/2	4.42	3.01	0.75	0.08	1.75	0.37	
37	LB021243-260	#2 AWG	60 Navy #4 Weld 125/24 = 50.5 kcmil	1/2	4.33	2.83	0.81	0.12	1.75	0.36	
38	LB021243P-250	#2 AWG	60 Navy #4 Weld 125/24 = 50.5 kcmil	1/2	4.42	3.01	0.75	0.08	1.75	0.37	
39	LB021243P-251	#2 AWG	150/24 #2 Weld	1/2	4.62	3.01	0.75	0.09	1.75	0.42	
40	LB021243P-260	#2 AWG	60 Navy #4 Weld 125/24 = 50.5 kcmil	1/2	4.33	2.83	0.83	0.12	1.75	0.36	
41	LB021243P-261	#2 AWG	150/24 #2 Weld	1/2	4.46	2.83	0.83	0.10	1.75	0.41	
42	LB021401	#2 AWG	60 Navy #4 Weld 125/24 = 50.5 kcmil	1/4	3.03	1.88	0.67	0.09	1.00	0.36	
43	LB021401P-250	#2 AWG	60 Navy #4 Weld 125/24 = 50.5 kcmil	1/4	3.04	1.63	0.60	0.10	1.00	0.37	
44	LB021401P-260	#2 AWG	60 Navy #4 Weld 125/24 = 50.5 kcmil	1/4	3.14	1.64	0.60	0.11	1.00	0.36	
45	LB021434	#2 AWG	60 Navy #4 Weld 125/24 = 50.5 kcmil	1/4	2.50	1.35	0.68	0.11	0.75	0.36	
46	LB021434-250	#2 AWG	60 Navy #4 Weld 125/24 = 50.5 kcmil	1/4	2.79	1.38	0.60	0.10	0.75	0.37	
47	LB021434-260	#2 AWG	60 Navy #4 Weld 125/24 = 50.5 kcmil	1/4	2.89	1.39	0.60	0.11	0.75	0.36	
48	LB021434P-250	#2 AWG	60 Navy #4 Weld 125/24 = 50.5 kcmil	1/4	2.79	1.38	0.60	0.10	0.75	0.37	
49	LB021434P-251	#2 AWG	150/24 #2 Weld	1/4	2.99	1.38	0.70	0.11	0.75	0.42	
50	LB021434P-260	#2 AWG	60 Navy #4 Weld 125/24 = 50.5 kcmil	1/4	2.89	1.39	0.60	0.11	0.75	0.36	
51	LB021434P-261	#2 AWG	150/24 #2 Weld	1/4	3.02	1.39	0.68	0.10	0.75	0.41	
52	LB021458	#2 AWG	60 Navy #4 Weld 125/24 = 50.5 kcmil	1/4	2.43	1.28	0.59	0.11	0.625	0.36	
53	LB021458-250	#2 AWG	60 Navy #4 Weld 125/24 = 50.5 kcmil	1/4	2.67	1.26	0.60	0.10	0.625	0.37	
54	LB021458-260	#2 AWG	60 Navy #4 Weld 125/24 = 50.5 kcmil	1/4	2.77	1.27	0.60	0.11	0.63	0.36	
55	LB021458P-250	#2 AWG	60 Navy #4 Weld 125/24 = 50.5 kcmil	1/4	2.67	1.26	0.60	0.10	0.63	0.37	
56	LB021458P-251	#2 AWG	150/24 #2 Weld	1/4	2.87	1.26	0.70	0.11	0.63	0.42	
57	LB021458P-260	#2 AWG	60 Navy #4 Weld 125/24 = 50.5 kcmil	1/4	2.77	1.27	0.60	0.11	0.63	0.36	
58	LB021458P-261	#2 AWG	150/24 #2 Weld	1/4	2.90	1.27	0.68	0.10	0.63	0.41	
59	LB023801	#2 AWG	60 Navy #4 Weld 125/24 = 50.5 kcmil	3/8	3.09	1.94	0.59	0.11	1.00	0.36	
60	LB023801-250	#2 AWG	60 Navy #4 Weld 125/24 = 50.5 kcmil	3/8	3.24	1.83	0.66	0.10	1.00	0.37	

#2 AWG

Compression Connectors / Two hole 0° / #2 AWG



Installation Information

Manufacturer	Tools	Color	Code
T&B	TBM5 TBM8	Brown	33
Panduit	CT-720 CT-1700	Brown	P33
Burndy	Y1MR MY29	Brown	10

#	Cat.No	Wire Size			Dimension (in.)						
		Code	Flex Class G,H,I,K,M	Bolt Size	A	B	C	D	G	H	
61	LB023801-260	#2 AWG	60 Navy #4 Weld 125/24 = 50.5 kcmil	3/8	3.33	1.83	0.60	0.11	1.00	0.36	
62	LB023801P-250	#2 AWG	60 Navy #4 Weld 125/24 = 50.5 kcmil	3/8	3.24	1.83	0.66	0.10	1.00	0.37	
63	LB023801P-251	#2 AWG	150/24 #2 Weld	3/8	3.44	1.83	0.70	0.11	1.00	0.42	
64	LB023801P-260	#2 AWG	60 Navy #4 Weld 125/24 = 50.5 kcmil	3/8	3.33	1.83	0.60	0.11	1.00	0.36	
65	LB023801P-261	#2 AWG	150/24 #2 Weld	3/8	3.46	1.83	0.68	0.10	1.00	0.41	
66	LB023834-260	#2 AWG	60 Navy #4 Weld 125/24 = 50.5 kcmil	3/8	3.08	1.58	0.60	0.11	0.75	0.36	
67	LB023834P-250	#2 AWG	60 Navy #4 Weld 125/24 = 50.5 kcmil	3/8	2.99	1.58	0.66	0.10	0.75	0.37	
68	LB023834P-260	#2 AWG	60 Navy #4 Weld 125/24 = 50.5 kcmil	3/8	3.08	1.58	0.60	0.11	0.75	0.36	
69	LB023843	#2 AWG	60 Navy #4 Weld 125/24 = 50.5 kcmil	3/8	3.72	2.57	0.59	0.11	1.75	0.36	
70	LB023843-250	#2 AWG	60 Navy #4 Weld 125/24 = 50.5 kcmil	3/8	3.99	2.58	0.66	0.10	1.75	0.37	
71	LB023843-260	#2 AWG	60 Navy #4 Weld 125/24 = 50.5 kcmil	3/8	4.08	2.58	0.60	0.11	1.75	0.36	
72	LB023843P-250	#2 AWG	60 Navy #4 Weld 125/24 = 50.5 kcmil	3/8	3.99	2.58	0.66	0.10	1.75	0.37	
73	LB023843P-260	#2 AWG	60 Navy #4 Weld 125/24 = 50.5 kcmil	3/8	4.08	2.58	0.60	0.11	1.75	0.36	
74	LB023878-260	#2 AWG	60 Navy #4 Weld 125/24 = 50.5 kcmil	3/8	3.21	1.71	0.60	0.11	0.88	0.36	
75	LB023878P-250	#2 AWG	60 Navy #4 Weld 125/24 = 50.5 kcmil	3/8	3.12	1.71	0.66	0.10	0.88	0.37	
76	LB023878P-260	#2 AWG	60 Navy #4 Weld 125/24 = 50.5 kcmil	3/8	3.21	1.71	0.60	0.11	0.88	0.36	
77	LB025634	#2 AWG	60 Navy #4 Weld 125/24 = 50.5 kcmil	5/16	2.78	1.63	0.59	0.11	0.75	0.36	
78	LB025634-250	#2 AWG	60 Navy #4 Weld 125/24 = 50.5 kcmil	5/16	2.92	1.51	0.66	0.10	0.75	0.37	
79	LB025634-260	#2 AWG	60 Navy #4 Weld 125/24 = 50.5 kcmil	5/16	2.95	1.45	0.60	0.11	0.75	0.36	
80	LB025634P-250	#2 AWG	60 Navy #4 Weld 125/24 = 50.5 kcmil	5/16	2.92	1.51	0.66	0.10	0.75	0.37	
81	LB025634P-260	#2 AWG	60 Navy #4 Weld 125/24 = 50.5 kcmil	5/16	2.95	1.45	0.60	0.11	0.75	0.36	
82	LB025678-250	#2 AWG	60 Navy #4 Weld 125/24 = 50.5 kcmil	5/16	3.05	1.64	0.66	0.10	0.88	0.37	
83	LB025678P-250	#2 AWG	60 Navy #4 Weld 125/24 = 50.5 kcmil	5/16	3.05	1.64	0.66	0.10	0.88	0.37	
84	WP021434-122	#2 AWG	60 Navy #4 Weld 125/24 = 50.5 kcmil	1/4	2.25	1.15	0.59	0.11	0.75	0.36	
85	WP021458-054	#2 AWG	60 Navy #4 Weld 125/24 = 50.5 kcmil	1/4	2.25	1.15	0.59	0.11	0.625	0.36	
86	WP023801-121	#2 AWG	60 Navy #4 Weld 125/24 = 50.5 kcmil	3/8	2.60	1.71	0.59	0.11	1.00	0.36	