


# 2/0 AWG Catalog

Compression Connectors / Two hole 0°

CATEGORY EDITION

# 2/0 AWG

Compression Connectors / Two hole 0° / 2/0 AWG




## Installation Information

Manufacturer	Tools	Color	Code
T&B	TBM5 TBM8	Black	45
Panduit	CT-720 CT-920	Black	P45
Burndy	MY29 Y644M	Black	13

#	Cat.No	Wire Size		Dimension (in.)						
		Code	Flex Class G,H,I,K,M	Bolt Size	A	B	C	D	G	H
1	DB201201-251	2/0 AWG	325/24 2/0 Weld	1/2	3.22	2.17	0.96	0.13	1.00	0.58
2	DB201201-261	2/0 AWG	325/24 2/0 Weld	1/2	3.19	2.08	0.93	0.13	1.00	0.57
3	DB201243	2/0 AWG	125 Navy 1/0 Weld 275/24 = 111 kcmil 133/.0282	1/2	3.81	2.81	0.83	0.14	1.75	0.51
4	DB201243-250	2/0 AWG	125 Navy 1/0 Weld 275/24 = 111 kcmil 133/.0282	1/2	4.29	3.01	0.85	0.13	1.75	0.52
5	DB201243-251	2/0 AWG	325/24 2/0 Weld	1/2	4.14	2.96	0.96	0.13	1.75	0.58
6	DB201243-260	2/0 AWG	125 Navy 1/0 Weld 275/24 = 111 kcmil 133/.0282	1/2	4.07	2.83	0.83	0.12	1.75	0.50
7	DB201243-261	2/0 AWG	325/24 2/0 Weld	1/2	3.94	2.83	0.93	0.13	1.75	0.57
8	DB201401-260	2/0 AWG	125 Navy 1/0 Weld 275/24 = 111 kcmil 133/.0282	1/4	2.88	1.64	0.83	0.12	1.00	0.50
9	DB201434	2/0 AWG	125 Navy 1/0 Weld 275/24 = 111 kcmil 133/.0282	1/4	2.44	1.44	0.83	0.14	0.75	0.51
10	DB201434-250	2/0 AWG	125 Navy 1/0 Weld 275/24 = 111 kcmil 133/.0282	1/4	2.81	1.53	0.85	0.13	0.75	0.52
11	DB201434-251	2/0 AWG	325/24 2/0 Weld	1/4	2.66	1.76	0.96	0.13	0.75	0.58
12	DB201434-260	2/0 AWG	125 Navy 1/0 Weld 275/24 = 111 kcmil 133/.0282	1/4	2.63	1.39	0.83	0.12	0.75	0.50
13	DB201434-261	2/0 AWG	325/24 2/0 Weld	1/4	2.50	1.39	0.93	0.13	0.75	0.57
14	DB201458-250	2/0 AWG	125 Navy 1/0 Weld 275/24 = 111 kcmil 133/.0282	1/4	2.69	1.41	0.85	0.13	0.63	0.52
15	DB201458-251	2/0 AWG	325/24 2/0 Weld	1/4	2.54	1.64	0.96	0.13	0.63	0.58
16	DB201458-260	2/0 AWG	125 Navy 1/0 Weld 275/24 = 111 kcmil 133/.0282	1/4	2.51	1.27	0.83	0.12	0.63	0.50
17	DB201458-261	2/0 AWG	325/24 2/0 Weld	1/4	2.38	1.27	0.93	0.13	0.63	0.57
18	DB203801	2/0 AWG	125 Navy 1/0 Weld 275/24 = 111 kcmil 133/.0282	3/8	2.93	1.93	0.83	0.13	1.00	0.51
19	DB203801-250	2/0 AWG	125 Navy 1/0 Weld 275/24 = 111 kcmil 133/.0282	3/8	3.12	1.84	0.85	0.13	1.00	0.52
20	DB203801-251	2/0 AWG	325/24 2/0 Weld	3/8	2.97	2.03	0.96	0.13	1.00	0.58
21	DB203801-260	2/0 AWG	125 Navy 1/0 Weld 275/24 = 111 kcmil 133/.0282	3/8	3.07	1.83	0.83	0.12	1.00	0.50
22	DB203801-261	2/0 AWG	325/24 2/0 Weld	3/8	2.94	1.83	0.93	0.13	1.00	0.57
23	DB205601	2/0 AWG	125 Navy 1/0 Weld 275/24 = 111 kcmil 133/.0282	5/16	2.81	1.81	0.83	0.14	1.00	0.51
24	DB205601-251	2/0 AWG	325/24 2/0 Weld	5/16	2.91	2.01	0.96	0.13	1.00	0.58
25	DB205601-261	2/0 AWG	325/24 2/0 Weld	5/16	2.81	1.70	0.93	0.13	1.00	0.57
26	DB205678	2/0 AWG	125 Navy 1/0 Weld 275/24 = 111 kcmil 133/.0282	5/16	2.63	1.63	0.83	0.14	0.875	0.51
27	DB205678-250	2/0 AWG	125 Navy 1/0 Weld 275/24 = 111 kcmil 133/.0282	5/16	2.94	1.66	0.85	0.13	0.88	0.52
28	DB205678-260	2/0 AWG	125 Navy 1/0 Weld 275/24 = 111 kcmil 133/.0282	5/16	2.82	1.58	0.83	0.12	0.875	0.50
29	LB201201-250	2/0 AWG	125 Navy 1/0 Weld 275/24 = 111 kcmil 133/.0282	1/2	3.89	2.09	0.85	0.13	1.00	0.52
30	LB201201P-250	2/0 AWG	125 Navy 1/0 Weld 275/24 = 111 kcmil 133/.0282	1/2	3.89	2.09	0.85	0.13	1.00	0.52

# 2/0 AWG

Compression Connectors / Two hole 0° / 2/0 AWG




## Installation Information

Manufacturer	Tools	Color	Code
T&B	TBM5 TBM8	Black	45
Panduit	CT-720 CT-920	Black	P45
Burndy	MY29 Y644M	Black	13

#	Cat.No	Wire Size		Dimension (in.)						
		Code	Flex Class G,H,I,K,M	Bolt Size	A	B	C	D	G	H
31	LB201243	2/0 AWG	125 Navy 1/0 Weld 275/24 = 111 kcmil 133/.0282	1/2	4.16	2.81	0.83	0.13	1.75	0.51
32	LB201243-250	2/0 AWG	125 Navy 1/0 Weld 275/24 = 111 kcmil 133/.0282	1/2	4.81	3.01	0.85	0.13	1.75	0.52
33	LB201243-260	2/0 AWG	125 Navy 1/0 Weld 275/24 = 111 kcmil 133/.0282	1/2	4.63	2.83	0.83	0.12	1.75	0.50
34	LB201243P-250	2/0 AWG	125 Navy 1/0 Weld 275/24 = 111 kcmil 133/.0282	1/2	4.81	3.01	0.85	0.13	1.75	0.52
35	LB201243P-251	2/0 AWG	325/24 2/0 Weld	1/2	4.81	3.01	0.96	0.13	1.75	0.58
36	LB201243P-260	2/0 AWG	125 Navy 1/0 Weld 275/24 = 111 kcmil 133/.0282	1/2	4.63	2.83	0.83	0.12	1.75	0.50
37	LB201243P-261	2/0 AWG	325/24 2/0 Weld	1/2	4.63	2.83	0.93	0.13	1.75	0.57
38	LB201434	2/0 AWG	125 Navy 1/0 Weld 275/24 = 111 kcmil 133/.0282	1/4	2.66	1.31	0.81	0.13	0.75	0.51
39	LB201434-250	2/0 AWG	125 Navy 1/0 Weld 275/24 = 111 kcmil 133/.0282	1/4	3.33	1.53	0.85	0.13	0.75	0.52
40	LB201434-260	2/0 AWG	125 Navy 1/0 Weld 275/24 = 111 kcmil 133/.0282	1/4	3.19	1.39	0.83	0.12	0.75	0.50
41	LB201434P-250	2/0 AWG	125 Navy 1/0 Weld 275/24 = 111 kcmil 133/.0282	1/4	3.33	1.53	0.85	0.13	0.75	0.52
42	LB201434P-251	2/0 AWG	325/24 2/0 Weld	1/4	3.33	1.53	0.96	0.13	0.75	0.58
43	LB201434P-260	2/0 AWG	125 Navy 1/0 Weld 275/24 = 111 kcmil 133/.0282	1/4	3.19	1.39	0.83	0.12	0.75	0.50
44	LB201434P-261	2/0 AWG	325/24 2/0 Weld	1/4	3.19	1.39	0.93	0.13	0.75	0.57
45	LB201458	2/0 AWG	125 Navy 1/0 Weld 275/24 = 111 kcmil 133/.0282	1/4	2.60	1.25	0.83	0.13	0.63	0.51
46	LB201458-250	2/0 AWG	125 Navy 1/0 Weld 275/24 = 111 kcmil 133/.0282	1/4	3.21	1.41	0.85	0.13	0.63	0.52
47	LB201458-260	2/0 AWG	125 Navy 1/0 Weld 275/24 = 111 kcmil 133/.0282	1/4	3.07	1.27	0.83	0.12	0.63	0.50
48	LB201458P-250	2/0 AWG	125 Navy 1/0 Weld 275/24 = 111 kcmil 133/.0282	1/4	3.21	1.41	0.85	0.13	0.63	0.52
49	LB201458P-251	2/0 AWG	325/24 2/0 Weld	1/4	3.21	1.41	0.96	0.13	0.63	0.58
50	LB201458P-260	2/0 AWG	125 Navy 1/0 Weld 275/24 = 111 kcmil 133/.0282	1/4	3.07	1.27	0.83	0.12	0.63	0.50
51	LB201458P-261	2/0 AWG	325/24 2/0 Weld	1/4	3.07	1.27	0.93	0.13	0.63	0.57
52	LB203801	2/0 AWG	125 Navy 1/0 Weld 275/24 = 111 kcmil 133/.0282	3/8	3.16	1.81	0.83	0.13	1.00	0.51
53	LB203801-250	2/0 AWG	125 Navy 1/0 Weld 275/24 = 111 kcmil 133/.0282	3/8	3.64	1.84	0.85	0.13	1.00	0.52
54	LB203801-260	2/0 AWG	125 Navy 1/0 Weld 275/24 = 111 kcmil 133/.0282	3/8	3.63	1.83	0.83	0.12	1.00	0.50
55	LB203801P	2/0 AWG	125 Navy 1/0 Weld 275/24 = 111 kcmil 133/.0282	3/8	3.16	1.81	0.83	0.13	1.00	0.51
56	LB203801P-250	2/0 AWG	125 Navy 1/0 Weld 275/24 = 111 kcmil 133/.0282	3/8	3.64	1.84	0.85	0.13	1.00	0.52
57	LB203801P-251	2/0 AWG	325/24 2/0 Weld	3/8	3.64	1.84	0.96	0.13	1.00	0.58
58	LB203801P-260	2/0 AWG	125 Navy 1/0 Weld 275/24 = 111 kcmil 133/.0282	3/8	3.63	1.83	0.83	0.12	1.00	0.50
59	LB203801P-261	2/0 AWG	325/24 2/0 Weld	3/8	3.63	1.83	0.93	0.13	1.00	0.57
60	LB205601-250	2/0 AWG	125 Navy 1/0 Weld 275/24 = 111 kcmil 133/.0282	5/16	3.58	1.78	0.85	0.13	1.00	0.52

# 2/0 AWG

Compression Connectors / Two hole 0° / 2/0 AWG



## Installation Information

Manufacturer	Tools	Color	Code
T&B	TBM5 TBM8	Black	45
Panduit	CT-720 CT-920	Black	P45
Burndy	MY29 Y644M	Black	13

#	Cat.No	Wire Size			Dimension (in.)						
		Code	Flex Class G,H,I,K,M	Bolt Size	A	B	C	D	G	H	
61	LB205601P-250	2/0 AWG	125 Navy 1/0 Weld 275/24 = 111 kcmil 133/.0282	5/16	3.58	1.78	0.85	0.13	1.00	0.52	
62	WP201201-142	2/0 AWG	125 Navy 1/0 Weld 275/24 = 111 kcmil 133/.0282	1/2	3.07	1.81	0.83	0.12	1.00	0.50	
63	WP201243-143	2/0 AWG	125 Navy 1/0 Weld 275/24 = 111 kcmil 133/.0282	1/2	3.82	2.56	0.83	0.12	1.75	0.50	
64	WP201434-130	2/0 AWG	125 Navy 1/0 Weld 275/24 = 111 kcmil 133/.0282	1/4	2.77	1.56	0.83	0.12	0.75	0.50	
65	WP201458-180	2/0 AWG	125 Navy 1/0 Weld 275/24 = 111 kcmil 133/.0282	1/4	2.65	1.44	0.83	0.12	0.63	0.50	
66	WP203801-057	2/0 AWG	125 Navy 1/0 Weld 275/24 = 111 kcmil 133/.0282	3/8	3.02	1.81	0.83	0.12	1.00	0.50	
67	WP205601-013	2/0 AWG	125 Navy 1/0 Weld 275/24 = 111 kcmil 133/.0282	5/16	3.02	1.81	0.83	0.12	1.00	0.50	
68	WP205678-173	2/0 AWG	125 Navy 1/0 Weld 275/24 = 111 kcmil 133/.0282	5/16	2.93	1.63	0.83	0.12	0.88	0.50	