


# 350 kcmil Catalog

Compression Connectors / Two hole 0°

CATEGORY EDITION

# 350 kcmil

Compression Connectors / Two hole 0° / 350 kcmil




## Installation Information

Manufacturer	Tools	Color	Code
T&B	TBM6 TBM8	Red	71
Panduit	CT-720 CT-920	Red	P71
Burndy	Y35 Y45	Red	18

#	Cat.No	Wire Size			Dimension (in.)					
		Code	Flex Class G,H,I,K,M	Bolt Size	A	B	C	D	G	H
1	DB351241-250	350 kcmil	350 Navy	1/2	4.31	2.37	1.28	0.17	1.25	0.79
2	DB351241-251	350 kcmil	373.7 kcmil 925/24 350 kcmil	1/2	4.16	2.82	1.54	0.22	1.25	0.95
3	DB351241-260	350 kcmil	350 Navy	1/2	3.89	2.33	1.29	0.18	1.25	0.79
4	DB351241-261	350 kcmil	373.7 kcmil 925/24 350 kcmil	1/2	4.20	2.33	1.52	0.23	1.25	0.95
5	DB351243	350 kcmil	350 Navy	1/2	4.55	3	1.36	0.18	1.75	0.84
6	DB351243-250	350 kcmil	350 Navy	1/2	4.95	3.01	1.28	0.17	1.75	0.79
7	DB351243-251	350 kcmil	373.7 kcmil 925/24 350 kcmil	1/2	4.80	3.33	1.54	0.22	1.75	0.95
8	DB351243-260	350 kcmil	350 Navy	1/2	4.39	2.83	1.29	0.18	1.75	0.79
9	DB351243-261	350 kcmil	373.7 kcmil 925/24 350 kcmil	1/2	4.70	2.83	1.52	0.23	1.75	0.95
10	DB351434	350 kcmil	350 Navy	1/4	3.36	1.81	1.36	0.18	0.75	0.84
11	DB351434-250	350 kcmil	350 Navy	1/4	3.28	1.34	1.28	0.17	0.75	0.79
12	DB351434-260	350 kcmil	350 Navy	1/4	2.95	1.39	1.29	0.18	0.75	0.79
13	DB353801	350 kcmil	350 Navy	3/8	3.48	1.93	1.36	0.18	1.00	0.84
14	DB353801-250	350 kcmil	350 Navy	3/8	3.76	1.82	1.28	0.17	1.00	0.79
15	DB353801-251	350 kcmil	373.7 kcmil 925/24 350 kcmil	3/8	3.61	2.39	1.54	0.22	1.00	0.95
16	DB353801-260	350 kcmil	350 Navy	3/8	3.39	1.83	1.29	0.18	1.00	0.79
17	DB353801-261	350 kcmil	373.7 kcmil 925/24 350 kcmil	3/8	3.70	1.83	1.52	0.23	1.00	0.95
18	DB353843-251	350 kcmil	373.7 kcmil 925/24 350 kcmil	3/8	4.36	3.14	1.54	0.22	1.75	0.95
19	DB353843-261	350 kcmil	373.7 kcmil 925/24 350 kcmil	3/8	4.45	2.58	1.55	0.23	1.75	0.95
20	DB355601-251	350 kcmil	373.7 kcmil 925/24 350 kcmil	5/16	3.54	2.35	1.54	0.22	1.00	0.95
21	DB355601-261	350 kcmil	373.7 kcmil 925/24 350 kcmil	5/16	3.57	1.70	1.55	0.23	1.00	0.95
22	DB355643	350 kcmil	350 Navy	5/16	4.18	2.63	1.36	0.18	1.75	0.84
23	DB355643-260	350 kcmil	350 Navy	5/16	4.01	2.45	1.29	0.18	1.75	0.79
24	LB351243	350 kcmil	350 Navy	1/2	5.35	3.00	1.36	0.18	1.75	0.84
25	LB351243-250	350 kcmil	350 Navy	1/2	5.74	3.01	1.28	0.17	1.75	0.79
26	LB351243-260	350 kcmil	350 Navy	1/2	5.33	2.83	1.29	0.18	1.75	0.79
27	LB351243P-250	350 kcmil	350 Navy	1/2	5.75	3.01	1.28	0.17	1.75	0.79
28	LB351243P-251	350 kcmil	373.7 kcmil 925/24 350 kcmil	1/2	6.01	3.01	1.54	0.22	1.75	0.95
29	LB351243P-260	350 kcmil	350 Navy	1/2	5.33	2.83	1.29	0.18	1.75	0.79
30	LB351243P-261	350 kcmil	373.7 kcmil 925/24 350 kcmil	1/2	5.58	2.83	1.55	0.23	1.75	0.95

# 350 kcmil

Compression Connectors / Two hole 0° / 350 kcmil



## Installation Information

Manufacturer	Tools	Color	Code
T&B	TBM6 TBM8	Red	71
Panduit	CT-720 CT-920	Red	P71
Burndy	Y35 Y45	Red	18

#	Cat.No	Wire Size			Dimension (in.)					
		Code	Flex Class G,H,I,K,M	Bolt Size	A	B	C	D	G	H
31	LB351434	350 kcmil	350 Navy	1/4	4.28	1.93	1.36	0.18	0.75	0.84
32	LB351434-250	350 kcmil	350 Navy	1/4	4.07	1.34	1.28	0.17	0.75	0.79
33	LB351434-260	350 kcmil	350 Navy	1/4	3.89	1.39	1.29	0.18	0.75	0.79
34	LB351434P-250	350 kcmil	350 Navy	1/4	4.08	1.34	1.28	0.17	0.75	0.79
35	LB351434P-251	350 kcmil	373.7 kcmil 925/24 350 kcmil	1/4	4.34	1.34	1.54	0.22	0.75	0.95
36	LB351434P-260	350 kcmil	350 Navy	1/4	3.89	1.39	1.29	0.18	0.75	0.79
37	LB351434P-261	350 kcmil	373.7 kcmil 925/24 350 kcmil	1/4	4.14	1.39	1.55	0.23	0.75	0.95
38	LB353801	350 kcmil	350 Navy	3/8	4.28	1.93	1.36	0.18	1.00	0.84
39	LB353801-250	350 kcmil	350 Navy	3/8	4.55	1.82	1.28	0.17	1.00	0.79
40	LB353801-260	350 kcmil	350 Navy	3/8	4.33	1.83	1.29	0.18	1.00	0.79
41	LB353801P	350 kcmil	350 Navy	3/8	4.28	1.93	1.36	0.18	1.00	0.84
42	LB353801P-250	350 kcmil	350 Navy	3/8	4.56	1.82	1.28	0.17	1.00	0.79
43	LB353801P-251	350 kcmil	373.7 kcmil 925/24 350 kcmil	3/8	4.82	1.82	1.54	0.22	1.00	0.95
44	LB353801P-260	350 kcmil	350 Navy	3/8	4.33	1.83	1.29	0.18	1.00	0.79
45	LB353801P-261	350 kcmil	373.7 kcmil 925/24 350 kcmil	3/8	4.58	1.83	1.55	0.23	1.00	0.95
46	WP351243-081	350 kcmil	350 Navy	1/2	4.08	2.30	1.29	0.18	1.25	0.80
47	WP351434-133	350 kcmil	350 Navy	1/4	3.52	1.79	1.29	0.18	0.75	0.80
48	WP353801-061	350 kcmil	350 Navy	3/8	3.52	1.79	1.29	0.18	1.00	0.80
49	WP353801-186	350 kcmil	350 Navy	3/8	3.52	1.82	1.29	0.18	1.00	0.80