


# #8 AWG Catalog

Compression Connectors / Two hole 90°

CATEGORY EDITION

# #8 AWG

Compression Connectors / Two hole 90° / #8 AWG




## Installation Information

Manufacturer	Tools	Color	Code
T&B	TBM5 TBM8	Red	21
Panduit	CT-720 CT-920	Red	P21
Burndy	Y1MR Y2MR	Red	49

#	Cat.No	Wire Size			Dimension (in.)				
		Code	Flex Class G,H,I,K,M	Bolt Size	B	C	D	G	H
1	DB081034A-260	#8 AWG	#8 Weld 37/24 = 14.9 kcmil	#10	1.27	0.41	0.08	0.75	0.23
2	DB081058-34A	#8 AWG	#8 Weld 37/24 = 14.9 kcmil	#10	1.19	0.41	0.06	0.63-0.75	0.22
3	DB081058A	#8 AWG	#8 Weld 37/24 = 14.9 kcmil	#10	1.25	0.42	0.08	0.63	0.22
4	DB081058A-250	#8 AWG	#8 Weld 37/24 = 14.9 kcmil	#10	1.16	0.41	0.08	0.63	0.23
5	DB081058A-251	#8 AWG	#8 Weld 37/24 = 14.9 kcmil	#10	1.16	0.41	0.08	0.63	0.23
6	DB081058A-260	#8 AWG	#8 Weld 37/24 = 14.9 kcmil	#10	1.15	0.41	0.08	0.62	0.23
7	DB081058A-261	#8 AWG	#8 Weld 37/24 = 14.9 kcmil	#10	1.15	0.41	0.08	0.62	0.23
8	DB081243A-260	#8 AWG	#8 Weld 37/24 = 14.9 kcmil	1/2	2.83	0.83	0.12	1.75	0.23
9	DB081401A-250	#8 AWG	#8 Weld 37/24 = 14.9 kcmil	1/4	1.62	0.48	0.07	1.00	0.23
10	DB081401A-251	#8 AWG	#8 Weld 37/24 = 14.9 kcmil	1/4	1.62	0.48	0.07	1.00	0.23
11	DB081401A-260	#8 AWG	#8 Weld 37/24 = 14.9 kcmil	1/4	1.64	0.41	0.08	1.00	0.23
12	DB081401A-261	#8 AWG	#8 Weld 37/24 = 14.9 kcmil	1/4	1.64	0.44	0.08	1.00	0.23
13	DB081434A-250	#8 AWG	#8 Weld 37/24 = 14.9 kcmil	1/4	1.37	0.48	0.07	0.75	0.23
14	DB081434A-251	#8 AWG	#8 Weld 37/24 = 14.9 kcmil	1/4	1.37	0.48	0.07	0.75	0.23
15	DB081434A-260	#8 AWG	#8 Weld 37/24 = 14.9 kcmil	1/4	1.39	0.41	0.08	0.75	0.23
16	DB081434A-261	#8 AWG	#8 Weld 37/24 = 14.9 kcmil	1/4	1.39	0.44	0.08	0.75	0.23
17	DB081458A-250	#8 AWG	#8 Weld 37/24 = 14.9 kcmil	1/4	1.25	0.48	0.07	0.63	0.23
18	DB081458A-251	#8 AWG	#8 Weld 37/24 = 14.9 kcmil	1/4	1.25	0.48	0.07	0.63	0.23
19	DB081458A-260	#8 AWG	#8 Weld 37/24 = 14.9 kcmil	1/4	1.26	0.41	0.08	0.62	0.23
20	DB081458A-261	#8 AWG	#8 Weld 37/24 = 14.9 kcmil	1/4	1.26	0.44	0.08	0.62	0.23
21	DB083801A-250	#8 AWG	#8 Weld 37/24 = 14.9 kcmil	3/8	1.84	0.63	0.05	1.00	0.23
22	DB083801A-251	#8 AWG	#8 Weld 37/24 = 14.9 kcmil	3/8	1.84	0.63	0.05	1.00	0.23
23	DB083801A-260	#8 AWG	#8 Weld 37/24 = 14.9 kcmil	3/8	1.83	0.57	0.06	1.00	0.23
24	DB083801A-261	#8 AWG	#8 Weld 37/24 = 14.9 kcmil	3/8	1.83	0.58	0.06	1.00	0.23
25	LB081034AP-250	#8 AWG	#8 Weld 37/24 = 14.9 kcmil	#10	1.28	0.41	0.08	0.75	0.23
26	LB081034AP-251	#8 AWG	#8 Weld 37/24 = 14.9 kcmil	#10	1.28	0.41	0.08	0.75	0.23
27	LB081034AP-260	#8 AWG	#8 Weld 37/24 = 14.9 kcmil	#10	1.27	0.41	0.08	0.75	0.23
28	LB081034AP-261	#8 AWG	#8 Weld 37/24 = 14.9 kcmil	#10	1.27	0.41	0.08	0.75	0.23
29	LB081058A-250	#8 AWG	#8 Weld 37/24 = 14.9 kcmil	#10	1.16	0.41	0.08	0.63	0.23
30	LB081058AP-250	#8 AWG	#8 Weld 37/24 = 14.9 kcmil	#10	1.16	0.41	0.08	0.63	0.23

# #8 AWG

Compression Connectors / Two hole 90° / #8 AWG



## Installation Information

Manufacturer	Tools	Color	Code
T&B	TBM5 TBM8	Red	21
Panduit	CT-720 CT-920	Red	P21
Burndy	Y1MR Y2MR	Red	49

#	Cat.No	Wire Size			Dimension (in.)				
		Code	Flex Class G,H,I,K,M	Bolt Size	B	C	D	G	H
31	LB081058AP-251	#8 AWG	#8 Weld 37/24 = 14.9 kcmil	#10	1.16	0.41	0.08	0.63	0.23
32	LB081058AP-260	#8 AWG	#8 Weld 37/24 = 14.9 kcmil	#10	1.15	0.41	0.08	0.62	0.23
33	LB081058AP-261	#8 AWG	#8 Weld 37/24 = 14.9 kcmil	#10	1.15	0.41	0.08	0.63	0.23
34	LB081401A-250	#8 AWG	#8 Weld 37/24 = 14.9 kcmil	1/4	1.62	0.48	0.07	1.00	0.23
35	LB081401AP-250	#8 AWG	#8 Weld 37/24 = 14.9 kcmil	1/4	1.62	0.48	0.07	1.00	0.23
36	LB081401AP-251	#8 AWG	#8 Weld 37/24 = 14.9 kcmil	1/4	1.62	0.48	0.07	1.00	0.23
37	LB081401AP-260	#8 AWG	#8 Weld 37/24 = 14.9 kcmil	1/4	1.73	0.44	0.08	1.00	0.23
38	LB081401AP-261	#8 AWG	#8 Weld 37/24 = 14.9 kcmil	1/4	1.64	0.44	0.08	1.00	0.23
39	LB081434A	#8 AWG	#8 Weld 37/24 = 14.9 kcmil	1/4	1.29	0.47	0.06	0.75	0.22
40	LB081434A-250	#8 AWG	#8 Weld 37/24 = 14.9 kcmil	1/4	1.37	0.48	0.07	0.75	0.23
41	LB081434A-260	#8 AWG	#8 Weld 37/24 = 14.9 kcmil	1/4	1.39	0.41	0.08	0.75	0.23
42	LB081434AP-250	#8 AWG	#8 Weld 37/24 = 14.9 kcmil	1/4	1.37	0.48	0.07	0.75	0.23
43	LB081434AP-251	#8 AWG	#8 Weld 37/24 = 14.9 kcmil	1/4	1.37	0.48	0.07	0.75	0.23
44	LB081434AP-260	#8 AWG	#8 Weld 37/24 = 14.9 kcmil	1/4	1.39	0.44	0.08	0.75	0.23
45	LB081434AP-261	#8 AWG	#8 Weld 37/24 = 14.9 kcmil	1/4	1.39	0.44	0.08	0.75	0.23
46	LB081458A	#8 AWG	#8 Weld 37/24 = 14.9 kcmil	1/4	1.89	0.42	0.07	0.62	0.22
47	LB081458A-250	#8 AWG	#8 Weld 37/24 = 14.9 kcmil	1/4	1.25	0.48	0.07	0.63	0.23
48	LB081458A-260	#8 AWG	#8 Weld 37/24 = 14.9 kcmil	1/4	1.26	0.41	0.08	0.62	0.23
49	LB081458AP-250	#8 AWG	#8 Weld 37/24 = 14.9 kcmil	1/4	1.25	0.48	0.07	0.63	0.23
50	LB081458AP-251	#8 AWG	#8 Weld 37/24 = 14.9 kcmil	1/4	1.25	0.48	0.07	0.63	0.23
51	LB081458AP-260	#8 AWG	#8 Weld 37/24 = 14.9 kcmil	1/4	1.26	0.44	0.08	0.62	0.23
52	LB083801A	#8 AWG	#8 Weld 37/24 = 14.9 kcmil	3/8	2.10	0.56	0.06	1.00	0.22
53	LB083801A-250	#8 AWG	#8 Weld 37/24 = 14.9 kcmil	3/8	1.84	0.60	0.05	1.00	0.23
54	LB083801A-260	#8 AWG	#8 Weld 37/24 = 14.9 kcmil	3/8	1.83	0.73	0.06	1.00	0.23
55	LB083801AP-250	#8 AWG	#8 Weld 37/24 = 14.9 kcmil	3/8	1.84	0.60	0.05	1.00	0.23
56	LB083801AP-251	#8 AWG	#8 Weld 37/24 = 14.9 kcmil	3/8	1.84	0.60	0.05	1.00	0.23
57	LB083801AP-260	#8 AWG	#8 Weld 37/24 = 14.9 kcmil	3/8	1.83	0.58	0.06	1.00	0.23
58	LB083801AP-261	#8 AWG	#8 Weld 37/24 = 14.9 kcmil	3/8	1.83	0.58	0.06	1.00	0.23