


# 2/0 AWG Catalog

Compression Connectors / Two hole 90°

CATEGORY EDITION

# 2/0 AWG

Compression Connectors / Two hole 90° / 2/0 AWG




## Installation Information

Manufacturer	Tools	Color	Code
T&B	TBM5 TBM8	Black	45
Panduit	CT-720 CT-920	Black	P45
Burndy	MY29 Y644M	Black	13

#	Cat.No	Wire Size		Dimension (in.)						
		Code	Flex Class G,H,I,K,M	Bolt Size	B	C	D	G	H	
1	DB201201A	2/0 AWG	125 NavyN 1/0 Weld 275/24 = 111 kcmil 133/.0282	1/2	2.81	0.83	0.14	1.00	0.51	
2	DB201201A-251	2/0 AWG	325/24 2/0 Weld	1/2	2.09	0.96	0.13	1.00	0.58	
3	DB201201A-261	2/0 AWG	325/24 2/0 Weld	1/2	2.08	0.93	0.13	1.00	0.57	
4	DB201243A-250	2/0 AWG	125 NavyN 1/0 Weld 275/24 = 111 kcmil 133/.0282	1/2	3.00	0.85	0.13	1.75	0.52	
5	DB201243A-251	2/0 AWG	325/24 2/0 Weld	1/2	3.00	0.96	0.13	1.75	0.58	
6	DB201243A-260	2/0 AWG	125 NavyN 1/0 Weld 275/24 = 111 kcmil 133/.0282	1/2	2.83	0.83	0.12	1.75	0.50	
7	DB201243A-261	2/0 AWG	325/24 2/0 Weld	1/2	2.83	0.93	0.13	1.75	0.57	
8	DB201401A-260	2/0 AWG	125 NavyN 1/0 Weld 275/24 = 111 kcmil 133/.0282	1/4	1.64	0.83	0.12	1.00	0.50	
9	DB201434A-250	2/0 AWG	125 NavyN 1/0 Weld 275/24 = 111 kcmil 133/.0282	1/4	1.53	0.85	0.13	0.75	0.52	
10	DB201434A-251	2/0 AWG	325/24 2/0 Weld	1/4	1.53	0.96	0.13	0.75	0.58	
11	DB201434A-260	2/0 AWG	125 NavyN 1/0 Weld 275/24 = 111 kcmil 133/.0282	1/4	1.39	0.83	0.12	0.75	0.50	
12	DB201434A-261	2/0 AWG	325/24 2/0 Weld	1/4	1.39	0.93	0.13	0.75	0.57	
13	DB201458A-250	2/0 AWG	125 NavyN 1/0 Weld 275/24 = 111 kcmil 133/.0282	1/4	1.40	0.85	0.13	0.63	0.52	
14	DB201458A-251	2/0 AWG	325/24 2/0 Weld	1/4	1.40	0.96	0.13	0.62	0.58	
15	DB201458A-260	2/0 AWG	125 NavyN 1/0 Weld 275/24 = 111 kcmil 133/.0282	1/4	1.26	0.83	0.12	0.62	0.50	
16	DB201458A-261	2/0 AWG	325/24 2/0 Weld	1/4	1.26	0.93	0.13	0.62	0.57	
17	DB203801A	2/0 AWG	125 NavyN 1/0 Weld 275/24 = 111 kcmil 133/.0282	3/8	1.93	0.83	0.13	1.00	0.51	
18	DB203801A-250	2/0 AWG	125 NavyN 1/0 Weld 275/24 = 111 kcmil 133/.0282	3/8	1.84	0.85	0.13	1.00	0.52	
19	DB203801A-251	2/0 AWG	325/24 2/0 Weld	3/8	1.84	0.96	0.13	1.00	0.58	
20	DB203801A-260	2/0 AWG	125 NavyN 1/0 Weld 275/24 = 111 kcmil 133/.0282	3/8	1.83	0.83	0.12	1.00	0.50	
21	DB203801A-261	2/0 AWG	325/24 2/0 Weld	3/8	1.83	0.93	0.13	1.00	0.57	
22	DB205601A-251	2/0 AWG	325/24 2/0 Weld	5/16	1.78	0.96	0.13	1.00	0.58	
23	DB205601A-261	2/0 AWG	325/24 2/0 Weld	5/16	1.70	0.93	0.13	1.00	0.57	
24	DB205678A	2/0 AWG	125 NavyN 1/0 Weld 275/24 = 111 kcmil 133/.0282	5/16	1.63	0.83	0.14	0.88	0.51	
25	DB205678A-250	2/0 AWG	125 NavyN 1/0 Weld 275/24 = 111 kcmil 133/.0282	5/16	1.65	0.85	0.13	0.88	0.52	
26	DB205678A-260	2/0 AWG	125 NavyN 1/0 Weld 275/24 = 111 kcmil 133/.0282	5/16	1.57	0.83	0.12	0.88	0.50	
27	LB201201A-250	2/0 AWG	125 Navy 1/0 Weld 275/24 = 111 kcmil 133/.0282	1/2	2.09	0.85	0.13	1.00	0.52	
28	LB201201AP-250	2/0 AWG	125 Navy 1/0 Weld 275/24 = 111 kcmil 133/.0282	1/2	2.09	0.85	0.13	1.00	0.52	
29	LB201243A	2/0 AWG	125 Navy 1/0 Weld 275/24 = 111 kcmil 133/.0282	1/2	2.81	0.83	0.13	1.75	0.51	
30	LB201243A-250	2/0 AWG	125 Navy 1/0 Weld 275/24 = 111 kcmil 133/.0282	1/2	3.00	0.85	0.13	1.75	0.52	

# 2/0 AWG

Compression Connectors / Two hole 90° / 2/0 AWG



## Installation Information

Manufacturer	Tools	Color	Code
T&B	TBM5 TBM8	Black	45
Panduit	CT-720 CT-920	Black	P45
Burndy	MY29 Y644M	Black	13

#	Cat.No	Wire Size			Dimension (in.)					
		Code	Flex Class G,H,I,K,M	Bolt Size	B	C	D	G	H	
31	LB201243A-260	2/0 AWG	125 Navy 1/0 Weld 275/24 = 111 kcmil 133/.0282	1/2	2.83	0.83	0.12	1.75	0.50	
32	LB201243AP-250	2/0 AWG	125 Navy 1/0 Weld 275/24 = 111 kcmil 133/.0282	1/2	3.00	0.85	0.13	1.75	0.52	
33	LB201243AP-251	2/0 AWG	325/24 2/0 Weld	1/2	3.00	0.96	0.13	1.75	0.58	
34	LB201243AP-260	2/0 AWG	125 Navy 1/0 Weld 275/24 = 111 kcmil 133/.0282	1/2	2.83	0.83	0.12	1.75	0.50	
35	LB201243AP-261	2/0 AWG	325/24 2/0 Weld	1/2	2.83	0.93	0.13	1.75	0.57	
36	LB201434A	2/0 AWG	125 Navy 1/0 Weld 275/24 = 111 kcmil 133/.0282	1/4	1.31	0.81	0.13	0.75	0.51	
37	LB201434A-250	2/0 AWG	125 Navy 1/0 Weld 275/24 = 111 kcmil 133/.0282	1/4	1.53	0.85	0.13	0.75	0.52	
38	LB201434A-260	2/0 AWG	125 Navy 1/0 Weld 275/24 = 111 kcmil 133/.0282	1/4	1.39	0.83	0.12	0.75	0.50	
39	LB201434AP-250	2/0 AWG	125 Navy 1/0 Weld 275/24 = 111 kcmil 133/.0282	1/4	1.53	0.85	0.13	0.75	0.52	
40	LB201434AP-251	2/0 AWG	325/24 2/0 Weld	1/4	1.53	0.96	0.13	0.75	0.58	
41	LB201434AP-260	2/0 AWG	125 Navy 1/0 Weld 275/24 = 111 kcmil 133/.0282	1/4	1.39	0.83	0.12	0.75	0.50	
42	LB201434AP-261	2/0 AWG	325/24 2/0 Weld	1/4	1.39	0.93	0.13	0.75	0.57	
43	LB201458A	2/0 AWG	125 Navy 1/0 Weld 275/24 = 111 kcmil 133/.0282	1/4	1.25	0.83	0.13	0.62	0.51	
44	LB201458A-250	2/0 AWG	125 Navy 1/0 Weld 275/24 = 111 kcmil 133/.0282	1/4	1.40	0.85	0.13	0.63	0.52	
45	LB201458A-260	2/0 AWG	125 Navy 1/0 Weld 275/24 = 111 kcmil 133/.0282	1/4	1.26	0.83	0.12	0.62	0.50	
46	LB201458AP-250	2/0 AWG	125 Navy 1/0 Weld 275/24 = 111 kcmil 133/.0282	1/4	1.40	0.85	0.13	0.63	0.52	
47	LB201458AP-251	2/0 AWG	325/24 2/0 Weld	1/4	1.40	0.96	0.13	0.63	0.58	
48	LB201458AP-260	2/0 AWG	125 Navy 1/0 Weld 275/24 = 111 kcmil 133/.0282	1/4	1.26	0.83	0.12	0.62	0.50	
49	LB201458AP-261	2/0 AWG	325/24 2/0 Weld	1/4	1.27	0.93	0.13	0.63	0.57	
50	LB203801A	2/0 AWG	125 Navy 1/0 Weld 275/24 = 111 kcmil 133/.0282	3/8	1.81	0.83	0.13	1.00	0.51	
51	LB203801A-250	2/0 AWG	125 Navy 1/0 Weld 275/24 = 111 kcmil 133/.0282	3/8	1.84	0.85	0.13	1.00	0.52	
52	LB203801A-260	2/0 AWG	125 Navy 1/0 Weld 275/24 = 111 kcmil 133/.0282	3/8	1.83	0.83	0.12	1.00	0.50	
53	LB203801AP	2/0 AWG	125 Navy 1/0 Weld 275/24 = 111 kcmil 133/.0282	3/8	1.81	0.83	0.13	1.00	0.51	
54	LB203801AP-250	2/0 AWG	125 Navy 1/0 Weld 275/24 = 111 kcmil 133/.0282	3/8	1.84	0.85	0.13	1.00	0.52	
55	LB203801AP-251	2/0 AWG	325/24 2/0 Weld	3/8	1.84	0.96	0.13	1.00	0.58	
56	LB203801AP-260	2/0 AWG	125 Navy 1/0 Weld 275/24 = 111 kcmil 133/.0282	3/8	1.83	0.83	0.12	1.00	0.50	
57	LB203801AP-261	2/0 AWG	325/24 2/0 Weld	3/8	1.83	0.93	0.13	1.00	0.57	
58	LB205601A-250	2/0 AWG	125 Navy 1/0 Weld 275/24 = 111 kcmil 133/.0282	5/16	1.78	0.85	0.13	1.00	0.52	
59	LB205601AP-250	2/0 AWG	125 Navy 1/0 Weld 275/24 = 111 kcmil 133/.0282	5/16	1.78	0.85	0.13	1.00	0.52	