

# AL - Two hole 0° Catalog

Compression Connectors

CATEGORY EDITION

# Table of Contents

Catalog structure and section page index

---


#2 AWG .....	3
1/0 AWG .....	5
2/0 AWG .....	7
3/0 AWG .....	9
4/0 AWG .....	11
250 kcmil .....	13
300 kcmil .....	15
350 kcmil .....	17
400 kcmil .....	19
500 kcmil .....	21
600 kcmil .....	23
700 kcmil .....	25
750 kcmil .....	27

## #2 AWG

Compression Connectors / AL - Two hole 0°

# #2 AWG

Compression Connectors / AL - Two hole 0° / #2 AWG



## Installation Information

Manufacturer	Tools	Color	Code
-			


#	Cat.No	Wire Size		Dimension (in.)							
		Code	Bolt Size	A	B	C	D	F	G	ID	H
1	AL021243-62	#2 AWG	1/2	4.53	3.11	0.85	0.18	0.63	1.75	0.31	1.12

# 1/0 AWG

Compression Connectors / AL - Two hole 0°

# 1/0 AWG

Compression Connectors / AL - Two hole 0° / 1/0 AWG



## Installation Information

Manufacturer	Tools	Color	Code
T&B	TBM8, TBM15BSCR	Tan	50
Panduit	CT-720, CT-920	Tan	P50
Burndy	Y39, Y45	Tan	296


#	Cat.No	Wire Size		Dimension (in.)							
		Code	Bolt Size	A	B	C	D	F	G	ID	H
1	AL101243-62	1/0 AWG	1/2	4.41	3.01	0.82	0.21	0.63	1.75	0.39	1.05
2	AL103801	1/0 AWG	3/8	3.40	1.90	0.88	0.20	0.38	1.00	0.41	1.15
3	AL103843-52	1/0 AWG	3/8	5.16	3.26	0.88	0.25	0.63	1.75	0.39	1.55
4	AL103843-62	1/0 AWG	3/8	3.64	2.24	0.82	0.21	0.63	1.00	0.39	1.05

## 2/0 AWG

Compression Connectors / AL - Two hole 0°

# 2/0 AWG

Compression Connectors / AL - Two hole 0° / 2/0 AWG



## Installation Information

Manufacturer	Tools	Color	Code
T&B	TBM8, TBM15BSCR	Olive	54
Panduit	CT-720, CT-920	Olive	P54
Burndy	Y39, Y45	Olive	297


#	Cat.No	Wire Size		Dimension (in.)							
		Code	Bolt Size	A	B	C	D	F	G	ID	H
1	AL201243	2/0 AWG	1/2	5.02	3.41	0.97	0.24	0.75	1.75	0.46	1.21
2	AL201243-52	2/0 AWG	1/2	5.21	3.26	0.94	0.25	0.63	1.75	0.44	1.55
3	AL201243-62	2/0 AWG	1/2	4.68	3.11	0.92	0.23	0.63	1.75	0.44	1.17
4	AL203801	2/0 AWG	3/8	3.51	1.90	0.97	0.24	0.38	1.00	0.46	1.21
5	AL203801-62	2/0 AWG	3/8	3.46	1.89	0.92	0.23	0.44	1.00	0.44	1.17

# 3/0 AWG

Compression Connectors / AL - Two hole 0°

# 3/0 AWG

Compression Connectors / AL - Two hole 0° / 3/0 AWG



## Installation Information

Manufacturer	Tools	Color	Code
T&B	TBM8, TBM15BSCR	Ruby	60
Panduit	CT-720, CT-920	Ruby	P60
Burndy	Y39, Y45	Ruby	467


#	Cat.No	Wire Size		Dimension (in.)							
		Code	Bolt Size	A	B	C	D	F	G	ID	H
1	AL301243	3/0 AWG	1/2	5.30	3.41	1.06	0.24	0.75	1.75	0.52	1.39
2	AL301243-52	3/0 AWG	1/2	5.31	3.26	1.03	0.27	0.63	1.75	0.48	1.55
3	AL301243-62	3/0 AWG	1/2	4.93	3.12	1.04	0.28	0.63	1.75	0.48	1.31
4	AL303801	3/0 AWG	3/8	3.79	1.90	1.06	0.24	0.38	1.00	0.52	1.39
5	AL303801-62	3/0 AWG	3/8	3.70	1.89	1.04	0.28	0.44	1.00	0.48	1.31

# 4/0 AWG

Compression Connectors / AL - Two hole 0°

# 4/0 AWG

Compression Connectors / AL - Two hole 0° / 4/0 AWG



## Installation Information

Manufacturer	Tools	Color	Code
T&B	TBM8, TBM15BSCR	White	66
Panduit	CT-720, CT-920	White	P66
Burndy	Y39, Y45	White	298


#	Cat.No	Wire Size		Dimension (in.)							
		Code	Bolt Size	A	B	C	D	F	G	ID	H
1	AL401243	4/0 AWG	1/2	5.37	3.00	1.21	0.25	0.50	1.75	0.60	1.77
2	AL401243-52	4/0 AWG	1/2	5.78	3.38	1.19	0.33	0.63	1.75	0.55	1.80
3	AL401243-62	4/0 AWG	1/2	5.10	3.11	1.17	0.30	0.63	1.75	0.55	1.39
4	AL403801	4/0 AWG	3/8	4.30	1.93	1.21	0.25	0.38	1.00	0.60	1.77
5	AL403801-62	4/0 AWG	3/8	3.88	1.89	1.17	0.30	0.44	1.00	0.55	1.39

250 kcmil

Compression Connectors / AL - Two hole 0°

# 250 kcmil

Compression Connectors / AL - Two hole 0° / 250 kcmil



## Installation Information

Manufacturer	Tools	Color	Code
T&B	TBM8, TBM15BSCR	Red	71
Panduit	CT-720, CT-920	Red	P71
Burndy	Y39, Y45	Red	324


#	Cat.No	Wire Size		Dimension (in.)							
		Code	Bolt Size	A	B	C	D	F	G	ID	H
1	AL251243	250 kcmil	1/2	5.53	3.00	1.29	0.27	0.50	1.75	0.65	1.93
2	AL251243-52	250 kcmil	1/2	5.78	3.38	1.25	0.31	0.63	1.75	0.59	1.80
3	AL251243-62	250 kcmil	1/2	5.16	3.11	1.26	0.33	0.63	1.75	0.59	1.45
4	AL253801	250 kcmil	3/8	4.46	1.93	1.29	0.27	0.38	1.00	0.65	1.93
5	AL253801-62	250 kcmil	3/8	3.94	1.89	1.26	0.33	0.44	1.00	0.59	1.45

# 300 kcmil

Compression Connectors / AL - Two hole 0°

# 300 kcmil

Compression Connectors / AL - Two hole 0° / 300 kcmil



## Installation Information

Manufacturer	Tools	Color	Code
T&B	TBM8, TBM15BSCR	Blue	76
Panduit	CT-720, CT-920	Blue	P76
Burndy	Y39, Y45	Blue	470


#	Cat.No	Wire Size		Dimension (in.)							
		Code	Bolt Size	A	B	C	D	F	G	ID	H
1	AL311243	300 kcmil	1/2	5.63	3.00	1.39	0.28	0.50	1.75	0.71	1.93
2	AL311243-52	300 kcmil	1/2	6.57	3.57	1.39	0.36	0.63	1.75	0.65	2.30
3	AL311243-62	300 kcmil	1/2	5.34	3.11	1.38	0.36	0.63	1.75	0.65	1.53
4	AL313801	300 kcmil	3/8	4.56	1.93	1.39	0.28	0.38	1.00	0.71	1.93
5	AL313801-62	300 kcmil	3/8	4.12	1.89	1.38	0.36	0.44	1.00	0.65	1.53

350 kcmil

Compression Connectors / AL - Two hole 0°

# 350 kcmil

Compression Connectors / AL - Two hole 0° / 350 kcmil



## Installation Information

Manufacturer	Tools	Color	Code
T&B	TBM8, TBM15BSCR	Brown	87
Panduit	CT-720, CT-920	Brown	P87
Burndy	Y39, Y45	Brown	299


#	Cat.No	Wire Size		Dimension (in.)							
		Code	Bolt Size	A	B	C	D	F	G	ID	H
1	AL351243	350 kcmil	1/2	6.32	3.00	1.52	0.34	0.50	1.75	0.75	2.62
2	AL351243-52	350 kcmil	1/2	6.57	3.57	1.52	0.39	0.63	1.75	0.72	2.30
3	AL351243-62	350 kcmil	1/2	5.66	3.11	1.52	0.39	0.63	1.75	0.72	1.85
4	AL353801	350 kcmil	3/8	5.25	1.93	1.52	0.34	0.38	1.00	0.75	2.62
5	AL353801-62	350 kcmil	3/8	4.44	1.89	1.52	0.39	0.44	1.00	0.72	1.85

400 kcmil

Compression Connectors / AL - Two hole 0°

# 400 kcmil

Compression Connectors / AL - Two hole 0° / 400 kcmil



## Installation Information

Manufacturer	Tools	Color	Code
T&B	TBM15, TBM15BSCR	Green	94
Panduit	CT-920, CT-930	Green	P94
Burndy	Y39, Y45	Green	472


#	Cat.No	Wire Size		Dimension (in.)							
		Code	Bolt Size	A	B	C	D	F	G	ID	H
1	AL411243	400 kcmil	1/2	6.47	3.00	1.65	0.37	0.50	1.75	0.81	2.66
2	AL411243-52	400 kcmil	1/2	6.94	3.58	1.62	0.43	0.63	1.75	0.76	2.55
3	AL411243-62	400 kcmil	1/2	6.18	3.11	1.62	0.43	0.63	1.75	0.76	2.26
4	AL413801	400 kcmil	3/8	5.40	1.93	1.65	0.37	0.38	1.00	0.81	2.66
5	AL413801-62	400 kcmil	3/8	4.96	1.89	1.62	0.43	0.44	1.00	0.76	2.26

# 500 kcmil

Compression Connectors / AL - Two hole 0°

# 500 kcmil

Compression Connectors / AL - Two hole 0° / 500 kcmil



## Installation Information

Manufacturer	Tools	Color	Code
T&B	TBM15, TBM15BSCR	Pink	99
Panduit	CT-920, CT-930	Pink	P99
Burndy	Y39, Y45	Pink	300


#	Cat.No	Wire Size		Dimension (in.)							
		Code	Bolt Size	A	B	C	D	F	G	ID	H
1	AL511243	500 kcmil	1/2	6.59	3.00	1.79	0.38	0.50	1.75	0.90	2.66
2	AL511243-52	500 kcmil	1/2	7.55	3.57	1.80	0.48	0.63	1.75	0.84	3.05
3	AL511243-62	500 kcmil	1/2	6.42	3.15	1.80	0.48	0.63	1.75	0.84	2.34
4	AL513801	500 kcmil	3/8	5.52	1.93	1.79	0.38	0.38	1.00	0.90	2.66
5	AL513801-62	500 kcmil	3/8	5.16	1.89	1.80	0.48	0.44	1.00	0.84	2.34

# 600 kcmil

Compression Connectors / AL - Two hole 0°

# 600 kcmil

Compression Connectors / AL - Two hole 0° / 600 kcmil



## Installation Information

Manufacturer	Tools	Color	Code
T&B	TBM15, TBM15BSCR	Black	106
Panduit	CT-920, CT-930	Black	P106
Burndy	Y39, Y45	Black	473


#	Cat.No	Wire Size		Dimension (in.)							
		Code	Bolt Size	A	B	C	D	F	G	ID	H
1	AL611243	600 kcmil	1/2	6.49	3.00	1.92	0.37	0.50	1.75	0.99	2.56
2	AL611243-52	600 kcmil	1/2	7.61	3.63	1.96	0.52	0.63	1.75	0.92	3.05
3	AL611243-62	600 kcmil	1/2	6.55	3.15	1.96	0.52	0.63	1.75	0.92	2.47
4	AL613801	600 kcmil	3/8	5.42	1.93	1.92	0.37	0.38	1.00	0.99	2.56
5	AL613801-62	600 kcmil	3/8	5.29	1.89	1.96	0.52	0.44	1.00	0.92	2.47

700 kcmil

Compression Connectors / AL - Two hole 0°

# 700 kcmil

Compression Connectors / AL - Two hole 0° / 700 kcmil



## Installation Information

Manufacturer	Tools	Color	Code
-			


#	Cat.No	Wire Size		Dimension (in.)							
		Code	Bolt Size	A	B	C	D	F	G	ID	H
1	AL711243	700 kcmil	1/2	6.81	3.00	2.04	0.38	0.50	1.75	1.06	2.75
2	AL711243-62	700 kcmil	1/2	6.67	3.15	2.06	0.40	0.63	1.75	1.06	2.46
3	AL713801	700 kcmil	3/8	5.74	1.93	2.04	0.38	0.38	1.00	1.06	2.75
4	AL713801-62	700 kcmil	3/8	5.41	1.89	2.06	0.40	0.44	1.00	1.06	2.46

750 kcmil

Compression Connectors / AL - Two hole 0°

# 750 kcmil

Compression Connectors / AL - Two hole 0° / 750 kcmil



## Installation Information

Manufacturer	Tools	Color	Code
-			

#	Cat.No	Wire Size		Dimension (in.)							
		Code	Bolt Size	A	B	C	D	F	G	ID	H
1	AL751243	750 kcmil	1/2	6.96	3.00	2.13	0.40	0.50	1.75	1.10	2.90
2	AL751243-52	750 kcmil	1/2	8.11	3.63	2.18	0.56	0.63	1.75	1.03	3.42