


#8 AWG Catalog

Compression Connectors / One hole 0°

CATEGORY EDITION

#8 AWG

Compression Connectors / One hole 0° / #8 AWG




Installation Information

Manufacturer	Tools	Color	Code
T&B	TBM5 TBM8	Red	21
Panduit	CT-720 CT-920	Red	P21
Burndy	Y1MR Y2MR	Red	49

#	Cat.No	Wire Size			Dimension (in.)					
		Code	Flex Class G,H,I,K,M	Bolt Size	A	B	C	R	ID	
1	DA0810	8 AWG	23 Navy #8 Weld 37/24 = 14.9 kcmil #6 SOL	#10	1.17	0.50	0.39	0.68	0.18	
2	DA0810-250	8 AWG	23 Navy #8 Weld 37/24 = 14.9 kcmil #6 SOL	#10	1.27	0.54	0.41	0.74	0.18	
3	DA0810-251	8 AWG	23 Navy #8 Weld 37/24 = 14.9 kcmil #6 SOL	#10	1.13	0.54	0.41		0.18	
4	DA0810-252	8 AWG	23 Navy #8 Weld 37/24 = 14.9 kcmil #6 SOL	#10	1.13	0.54	0.41		0.18	
5	DA0810-260	8 AWG	23 Navy #8 Weld 37/24 = 14.9 kcmil #6 SOL	8-10	1.13	0.52	0.41	0.62	0.18	
6	DA0810-261	8 AWG	23 Navy #8 Weld 37/24 = 14.9 kcmil #6 SOL	8-10	1.13	0.52	0.41	0.62	0.18	
7	DA0812	8 AWG	23 Navy #8 Weld 37/24 = 14.9 kcmil #6 SOL	1/2	1.98	1.31	1.00	0.68	0.18	
8	DA0812-260	8 AWG	23 Navy #8 Weld 37/24 = 14.9 kcmil #6 SOL	1/2	1.69	1.08	0.71	0.62	0.18	
9	DA0812-261	8 AWG	23 Navy #8 Weld 37/24 = 14.9 kcmil #6 SOL	1/2	1.69	1.08	0.71	0.62	0.18	
10	DA0814	8 AWG	23 Navy #8 Weld 37/24 = 14.9 kcmil #6 SOL	1/4	1.28	0.61	0.45	0.68	0.18	
11	DA0814-250	8 AWG	23 Navy #8 Weld 37/24 = 14.9 kcmil #6 SOL	1/4	1.35	0.62	0.48	0.74	0.18	
12	DA0814-251	8 AWG	23 Navy #8 Weld 37/24 = 14.9 kcmil #6 SOL	1/4	1.21	0.62	0.48		0.18	
13	DA0814-252	8 AWG	23 Navy #8 Weld 37/24 = 14.9 kcmil #6 SOL	1/4	1.21	0.62	0.48		0.18	
14	DA0814-260	8 AWG	23 Navy #8 Weld 37/24 = 14.9 kcmil #6 SOL	1/4	1.25	0.64	0.44	0.62	0.18	
15	DA0814-261	8 AWG	23 Navy #8 Weld 37/24 = 14.9 kcmil #6 SOL	1/4	1.25	0.64	0.44	0.62	0.18	
16	DA0838	8 AWG	23 Navy #8 Weld 37/24 = 14.9 kcmil #6 SOL	3/8	1.31	0.64	0.56	0.68	0.18	
17	DA0838-250	8 AWG	23 Navy #8 Weld 37/24 = 14.9 kcmil #6 SOL	3/8	1.57	0.84	0.60		0.18	
18	DA0838-251	8 AWG	23 Navy #8 Weld 37/24 = 14.9 kcmil #6 SOL	3/8	1.43	0.84	0.60		0.18	
19	DA0838-252	8 AWG	23 Navy #8 Weld 37/24 = 14.9 kcmil #6 SOL	3/8	1.43	0.84	0.60		0.18	
20	DA0838-260	8 AWG	23 Navy #8 Weld 37/24 = 14.9 kcmil #6 SOL	3/8	1.44	0.83	0.58	0.62	0.18	
21	DA0838-261	8 AWG	23 Navy #8 Weld 37/24 = 14.9 kcmil #6 SOL	3/8	1.44	0.83	0.58	0.62	0.18	
22	DA0856	8 AWG	23 Navy #8 Weld 37/24 = 14.9 kcmil #6 SOL	5/16	1.31	0.64	0.56	0.68	0.18	
23	DA0856-250	8 AWG	23 Navy #8 Weld 37/24 = 14.9 kcmil #6 SOL	5/16	1.47	0.74	0.56		0.18	
24	DA0856-251	8 AWG	23 Navy #8 Weld 37/24 = 14.9 kcmil #6 SOL	5/16	1.33	0.74	0.56		0.18	
25	DA0856-252	8 AWG	23 Navy #8 Weld 37/24 = 14.9 kcmil #6 SOL	5/16	1.33	0.74	0.56		0.18	
26	DA0856-260	8 AWG	23 Navy #8 Weld 37/24 = 14.9 kcmil #6 SOL	5/16	1.31	0.70	0.52	0.62	0.18	
27	DA0856-261	8 AWG	23 Navy #8 Weld 37/24 = 14.9 kcmil #6 SOL	5/16	1.31	0.70	0.52	0.62	0.18	
28	LA0810	8 AWG	23 Navy #8 Weld 37/24 = 14.9 kcmil #6 SOL	#10	1.57	0.65	0.42	0.93	0.18	
29	LA0810-250	8 AWG	23 Navy #8 Weld 37/24 = 14.9 kcmil #6 SOL	#10	1.41	0.54	0.41	0.88	0.18	
30	LA0810-260	8 AWG	23 Navy #8 Weld 37/24 = 14.9 kcmil #6 SOL	#10	1.50	0.52	0.41	0.99	0.18	

#8 AWG

Compression Connectors / One hole 0° / #8 AWG



Installation Information

Manufacturer	Tools	Color	Code
T&B	TBM5 TBM8	Red	21
Panduit	CT-720 CT-920	Red	P21
Burndy	Y1MR Y2MR	Red	49

#	Cat.No	Wire Size			Dimension (in.)					
		Code	Flex Class G,H,I,K,M	Bolt Size	A	B	C	R	ID	
31	LA0810P-251	8 AWG	23 Navy #8 Weld 37/24 = 14.9 kcmil #6 SOL	#10	1.41	0.54	0.41	0.88	0.18	
32	LA0810P-260	8 AWG	23 Navy #8 Weld 37/24 = 14.9 kcmil #6 SOL	#10	1.50	0.52	0.41	0.99	0.18	
33	LA0810P-261	8 AWG	23 Navy #8 Weld 37/24 = 14.9 kcmil #6 SOL	#10	1.44	0.52	0.41	0.93	0.18	
34	LA0814	8 AWG	23 Navy #8 Weld 37/24 = 14.9 kcmil #6 SOL	1/4	1.57	0.65	0.42	0.93	0.18	
35	LA0814-250	8 AWG	23 Navy #8 Weld 37/24 = 14.9 kcmil #6 SOL	1/4	1.49	0.62	0.48	0.88	0.18	
36	LA0814-260	8 AWG	23 Navy #8 Weld 37/24 = 14.9 kcmil #6 SOL	1/4	1.62	0.64	0.41	0.99	0.18	
37	LA0814P-251	8 AWG	23 Navy #8 Weld 37/24 = 14.9 kcmil #6 SOL	1/4	1.49	0.62	0.48	0.88	0.18	
38	LA0814P-260	8 AWG	23 Navy #8 Weld 37/24 = 14.9 kcmil #6 SOL	1/4	1.62	0.64	0.41	0.99	0.18	
39	LA0814P-261	8 AWG	23 Navy #8 Weld 37/24 = 14.9 kcmil #6 SOL	1/4	1.56	0.64	0.44	0.93	0.18	
40	LA0838-250	8 AWG	23 Navy #8 Weld 37/24 = 14.9 kcmil #6 SOL	3/8	1.71	0.84	0.60	0.88	0.18	
41	LA0838-260	8 AWG	23 Navy #8 Weld 37/24 = 14.9 kcmil #6 SOL	3/8	1.81	0.83	0.60	0.99	0.18	
42	LA0838P-251	8 AWG	23 Navy #8 Weld 37/24 = 14.9 kcmil #6 SOL	3/8	1.71	0.84	0.60	0.88	0.18	
43	LA0838P-260	8 AWG	23 Navy #8 Weld 37/24 = 14.9 kcmil #6 SOL	3/8	1.75	0.83	0.60	0.99	0.18	
44	LA0838P-261	8 AWG	23 Navy #8 Weld 37/24 = 14.9 kcmil #6 SOL	3/8	1.75	0.83	0.60	0.93	0.18	
45	WP0808-098	8 AWG	23 Navy #8 Weld 37/24 = 14.9 kcmil #6 SOL	8	1.17	0.52	0.41	0.61	0.18	
46	WP0810-001	8 AWG	23 Navy #8 Weld 37/24 = 14.9 kcmil #6 SOL	#10	1.13	0.52	0.41	0.61	0.18	
47	WP0814-074	8 AWG	23 Navy #8 Weld 37/24 = 14.9 kcmil #6 SOL	1/4	1.17	0.56	0.41	0.61	0.18	
48	WP0838-105	8 AWG	23 Navy #8 Weld 37/24 = 14.9 kcmil #6 SOL	3/8	1.37	0.76	0.60	0.61	0.18	
49	WP0856-009	8 AWG	23 Navy #8 Weld 37/24 = 14.9 kcmil #6 SOL	5/16	1.19	0.49	0.45			