


#6 AWG Catalog

Compression Connectors / One hole 0°

CATEGORY EDITION

#6 AWG

Compression Connectors / One hole 0° / #6 AWG




Installation Information

Manufacturer	Tools	Color	Code
T&B	TBM5 TBM8	Blue	24
Panduit	CT-720 CT-1700	Blue	P24
Burndy	Y1MR MY29	Blue	7

#	Cat.No	Wire Size		Dimension (in.)					
		Code	Flex Class G,H,I,K,M	Bolt Size	A	B	C	R	ID
1	DA0610	6 AWG	30 Navy 6 Weld 133/.014 61/24 = 24.6 kcmil	#10	1.23	0.53	0.44	0.70	0.22
2	DA0610-250	6 AWG	30 Navy 6 Weld 133/.014 61/24 = 24.6 kcmil	#10	1.55	0.54	0.45	1.01	0.22
3	DA0610-251	6 AWG	30 Navy 6 Weld 133/.014 61/24 = 24.6 kcmil	#10	1.22	0.54	0.45	0.68	0.22
4	DA0610-252	6 AWG	30 Navy 6 Weld 133/.014 61/24 = 24.6 kcmil	#10	1.22	0.54	0.45	0.68	0.22
5	DA0610-260	6 AWG	30 Navy 6 Weld 133/.014 61/24 = 24.6 kcmil	8-10	1.53	0.52	0.41	1.01	0.22
6	DA0612	6 AWG	30 Navy 6 Weld 133/.014 61/24 = 24.6 kcmil	1/2	2.01	1.31	1.00	0.70	0.22
7	DA0612-260	6 AWG	30 Navy 6 Weld 133/.014 61/24 = 24.6 kcmil	1/2	2.09	1.08	0.75	1.01	0.22
8	DA0612-261	6 AWG	30 Navy 6 Weld 133/.014 61/24 = 24.6 kcmil	1/2	1.78	1.08	0.75	0.70	0.22
9	DA0614	6 AWG	30 Navy 6 Weld 133/.014 61/24 = 24.6 kcmil	1/4	1.23	0.53	0.44	0.70	0.22
10	DA0614-250	6 AWG	30 Navy 6 Weld 133/.014 61/24 = 24.6 kcmil	1/4	1.63	0.62	0.48	1.01	0.22
11	DA0614-251	6 AWG	30 Navy 6 Weld 133/.014 61/24 = 24.6 kcmil	1/4	1.30	0.62	0.48	0.68	0.22
12	DA0614-252	6 AWG	30 Navy 6 Weld 133/.014 61/24 = 24.6 kcmil	1/4	1.30	0.62	0.48	0.68	0.22
13	DA0614-260	6 AWG	30 Navy 6 Weld 133/.014 61/24 = 24.6 kcmil	1/4	1.65	0.64	0.45	1.01	0.22
14	DA0614-261	6 AWG	30 Navy 6 Weld 133/.014 61/24 = 24.6 kcmil	1/4	1.34	0.64	0.48	0.70	0.22
15	DA0621	6 AWG	30 Navy 6 Weld 133/.014 61/24 = 24.6 kcmil	#12	1.23	0.53	0.44	0.70	0.22
16	DA0634-261	6 AWG	30 Navy 6 Weld 133/.014 61/24 = 24.6 kcmil	3/4	2.22	1.52	1.05	0.70	0.22
17	DA0638	6 AWG	30 Navy 6 Weld 133/.014 61/24 = 24.6 kcmil	3/8	1.37	0.67	0.60	0.70	0.22
18	DA0638-242	6 AWG	30 Navy 6 Weld 133/.014 61/24 = 24.6 kcmil	3/8	1.45	0.75	0.56	0.70	0.22
19	DA0638-250	6 AWG	30 Navy 6 Weld 133/.014 61/24 = 24.6 kcmil	3/8	1.85	0.84	0.62	1.01	0.22
20	DA0638-251	6 AWG	30 Navy 6 Weld 133/.014 61/24 = 24.6 kcmil	3/8	1.52	0.84	0.62	0.68	0.22
21	DA0638-252	6 AWG	30 Navy 6 Weld 133/.014 61/24 = 24.6 kcmil	3/8	1.52	0.84	0.62	0.68	0.22
22	DA0638-260	6 AWG	30 Navy 6 Weld 133/.014 61/24 = 24.6 kcmil	3/8	1.84	0.83	0.63	1.01	0.22
23	DA0638-261	6 AWG	30 Navy 6 Weld 133/.014 61/24 = 24.6 kcmil	8-10	1.53	0.83	0.60	0.70	0.22
24	DA0638-261	6 AWG	30 Navy 6 Weld 133/.014 61/24 = 24.6 kcmil	3/8	1.53	0.83	0.60		
25	DA0656	6 AWG	30 Navy 6 Weld 133/.014 61/24 = 24.6 kcmil	5/16	1.37	0.67	0.60	0.70	0.22
26	DA0656-250	6 AWG	30 Navy 6 Weld 133/.014 61/24 = 24.6 kcmil	5/16	1.75	0.74	0.56	1.01	0.22
27	DA0656-251	6 AWG	30 Navy 6 Weld 133/.014 61/24 = 24.6 kcmil	5/16	1.42	0.74	0.56	0.68	0.22
28	DA0656-252	6 AWG	30 Navy 6 Weld 133/.014 61/24 = 24.6 kcmil	5/16	1.42	0.74	0.56	0.68	0.22
29	DA0656-260	6 AWG	30 Navy 6 Weld 133/.014 61/24 = 24.6 kcmil	5/16	1.71	0.70	0.52	1.01	0.22
30	DA0656-261	6 AWG	30 Navy 6 Weld 133/.014 61/24 = 24.6 kcmil	5/16	1.40	0.70	0.60	0.70	0.22

#6 AWG

Compression Connectors / One hole 0° / #6 AWG



Installation Information

Manufacturer	Tools	Color	Code
T&B	TBM5 TBM8	Blue	24
Panduit	CT-720 CT-1700	Blue	P24
Burndy	Y1MR MY29	Blue	7

#	Cat.No	Wire Size			Dimension (in.)				
		Code	Flex Class G,H,I,K,M	Bolt Size	A	B	C	R	ID
31	LA0610	6 AWG	30 Navy 6 Weld 133/.014 61/24 = 24.6 kcmil	#10	1.65	0.65	0.44	1.00	0.22
32	LA0610-250	6 AWG	30 Navy 6 Weld 133/.014 61/24 = 24.6 kcmil	#10	1.81	0.54	0.45	1.27	0.22
33	LA0610-260	6 AWG	30 Navy 6 Weld 133/.014 61/24 = 24.6 kcmil	#10	1.84	0.52	0.41	1.32	0.22
34	LA0612-260	6 AWG	30 Navy 6 Weld 133/.014 61/24 = 24.6 kcmil	1/2	2.40	1.08	0.83	1.32	0.22
35	LA0612P-260	6 AWG	30 Navy 6 Weld 133/.014 61/24 = 24.6 kcmil	1/2	2.40	1.08	0.83	1.32	0.22
36	LA0614	6 AWG	30 Navy 6 Weld 133/.014 61/24 = 24.6 kcmil	1/4	1.65	0.65	0.44	1.00	0.22
37	LA0614-250	6 AWG	30 Navy 6 Weld 133/.014 61/24 = 24.6 kcmil	1/4	1.89	0.62	0.48	1.27	0.22
38	LA0614-260	6 AWG	30 Navy 6 Weld 133/.014 61/24 = 24.6 kcmil	1/4	1.96	0.64	0.41	1.32	0.22
39	LA0614P-251	6 AWG	30 Navy 6 Weld 133/.014 61/24 = 24.6 kcmil	1/4	1.89	0.62	0.48	1.27	0.22
40	LA0614P-260	6 AWG	30 Navy 6 Weld 133/.014 61/24 = 24.6 kcmil	1/4	1.96	0.64	0.45	1.32	0.22
41	LA0614P-261	6 AWG	30 Navy 6 Weld 133/.014 61/24 = 24.6 kcmil	1/4	1.59	0.64	0.48	0.95	0.22
42	LA0638-250	6 AWG	30 Navy 6 Weld 133/.014 61/24 = 24.6 kcmil	3/8	2.11	0.84	0.62	1.27	0.22
43	LA0638P-251	6 AWG	30 Navy 6 Weld 133/.014 61/24 = 24.6 kcmil	3/8	2.11	0.84	0.62	1.27	0.22
44	LA0638P-260	6 AWG	30 Navy 6 Weld 133/.014 61/24 = 24.6 kcmil	3/8	2.15	0.83	0.58	1.32	0.22
45	LA0638P-261	6 AWG	30 Navy 6 Weld 133/.014 61/24 = 24.6 kcmil	3/8	1.78	0.83	0.58	0.95	0.22
46	WP0610-171	6 AWG	30 Navy 6 Weld 133/.014 61/24 = 24.6 kcmil	#10	1.16	0.51	0.44	0.65	0.23
47	WP0614-002	6 AWG	30 Navy 6 Weld 133/.014 61/24 = 24.6 kcmil	1/4	1.17	0.52	0.44	0.65	0.22
48	WP0638-107	6 AWG	30 Navy 6 Weld 133/.014 61/24 = 24.6 kcmil	3/8	1.17	0.52	0.59	0.65	0.22
49	WP0656-106	6 AWG	30 Navy 6 Weld 133/.014 61/24 = 24.6 kcmil	5/16	1.17	0.52	0.52	0.65	0.22