


# #2 AWG Catalog

Compression Connectors / One hole 0°

CATEGORY EDITION

# #2 AWG

Compression Connectors / One hole 0° / #2 AWG




## Installation Information

Manufacturer	Tools	Color	Code
T&B	TBM5 TBM8	Brown	33
Panduit	CT-720 CT-1700	Brown	P33
Burndy	Y1MR MY29	Brown	10

#	Cat.No	Wire Size			Dimension (in.)				
		Code	Flex Class G,H,I,K,M	Bolt Size	A	B	C	R	ID
1	DA0210-251	2 AWG	150/24 #2 Weld	#10	1.38	0.54	0.70	0.84	0.36
2	DA0210-261	2 AWG	150/24 #2 Weld	#10	1.40	0.52	0.68	0.88	0.36
3	DA0212	2 AWG	60 Navy #4 Weld 125/24 = 50.5 kcmil	1/2	1.93	1.08	0.75	0.85	0.30
4	DA0212-250	2 AWG	60 Navy #4 Weld 125/24 = 50.5 kcmil	1/2	2.20	1.07	0.75	1.13	0.31
5	DA0212-251	2 AWG	60 Navy #4 Weld 125/24 = 50.5 kcmil	1/2	1.91	1.07	0.75	0.84	0.36
6	DA0212-252	2 AWG	60 Navy #4 Weld 125/24 = 50.5 kcmil	1/2	1.89	1.07	0.75	0.82	0.31
7	DA0212-260	2 AWG	60 Navy #4 Weld 125/24 = 50.5 kcmil	1/2	2.21	1.08	0.73	1.13	0.30
8	DA0212-261	2 AWG	150/24 #2 Weld	1/2	1.96	1.08	0.77	0.88	0.36
9	DA0214	2 AWG	60 Navy #4 Weld 125/24 = 50.5 kcmil	1/4	1.50	0.65	0.59	0.85	0.30
10	DA0214-250	2 AWG	60 Navy #4 Weld 125/24 = 50.5 kcmil	1/4	1.76	0.63	0.60	1.13	0.31
11	DA0214-251	2 AWG	150/24 #2 Weld	1/4	1.47	0.63	0.70	0.84	0.36
12	DA0214-252	2 AWG	60 Navy #4 Weld 125/24 = 50.5 kcmil	1/4	1.45	0.63	0.60	0.82	0.31
13	DA0214-260	2 AWG	60 Navy #4 Weld 125/24 = 50.5 kcmil	1/4	1.77	0.64	0.61	1.13	0.30
14	DA0214-261	2 AWG	150/24 #2 Weld	1/4	1.52	0.64	0.68	0.88	0.36
15	DA0238	2 AWG	60 Navy #4 Weld 125/24 = 50.5 kcmil	3/8	1.65	0.80	0.59	0.85	0.30
16	DA0238-250	2 AWG	60 Navy #4 Weld 125/24 = 50.5 kcmil	3/8	1.96	0.83	0.66	1.13	0.31
17	DA0238-251	2 AWG	150/24 #2 Weld	3/8	1.67	0.83	0.70	0.84	0.36
18	DA0238-252	2 AWG	60 Navy #4 Weld 125/24 = 50.5 kcmil	3/8	1.65	0.83	0.66	0.82	0.31
19	DA0238-260	2 AWG	60 Navy #4 Weld 125/24 = 50.5 kcmil	3/8	1.96	0.83	0.61	1.13	0.30
20	DA0238-261	2 AWG	150/24 #2 Weld	3/8	1.71	0.83	0.68	0.88	0.36
21	DA0256	2 AWG	60 Navy #4 Weld 125/24 = 50.5 kcmil	5/16	1.73	0.88	0.59	0.85	0.30
22	DA0256-250	2 AWG	60 Navy #4 Weld 125/24 = 50.5 kcmil	5/16	1.89	0.76	0.66	1.13	0.31
23	DA0256-251	2 AWG	150/24 #2 Weld	5/16	1.60	0.76	0.70	0.84	0.36
24	DA0256-252	2 AWG	60 Navy #4 Weld 125/24 = 50.5 kcmil	5/16	1.58	0.76	0.66	0.82	0.31
25	DA0256-260	2 AWG	60 Navy #4 Weld 125/24 = 50.5 kcmil	5/16	1.83	0.70	0.61	1.13	0.30
26	DA0256-261	2 AWG	150/24 #2 Weld	5/16	1.58	0.70	0.68	0.88	0.36
27	LA0210	2 AWG	60 Navy #4 Weld 125/24 = 50.5 kcmil	#10	1.80	0.65	0.59	1.15	0.30
28	LA0210-250	2 AWG	60 Navy #4 Weld 125/24 = 50.5 kcmil	#10	1.97	0.56	0.60	1.41	0.31
29	LA0210-260	2 AWG	60 Navy #4 Weld 125/24 = 50.5 kcmil	#10	2.02	0.52	0.61	1.50	0.30
30	LA0212-260	2 AWG	60 Navy #4 Weld 125/24 = 50.5 kcmil	1/2	2.58	1.08	0.83	1.50	0.30

# #2 AWG

Compression Connectors / One hole 0° / #2 AWG



## Installation Information

Manufacturer	Tools	Color	Code
T&B	TBM5 TBM8	Brown	33
Panduit	CT-720 CT-1700	Brown	P33
Burndy	Y1MR MY29	Brown	10

#	Cat.No	Wire Size			Dimension (in.)				
		Code	Flex Class G,H,I,K,M	Bolt Size	A	B	C	R	ID
31	LA0212P-251	2 AWG	150/24 #2 Weld	1/2	2.68	1.07	0.75	1.61	0.36
32	LA0212P-260	2 AWG	60 Navy #4 Weld 125/24 = 50.5 kcmil	1/2	2.58	1.08	0.83	1.50	0.30
33	LA0212P-261	2 AWG	150/24 #2 Weld	1/2	2.71	1.08	0.83	1.63	0.36
34	LA0214-260	2 AWG	60 Navy #4 Weld 125/24 = 50.5 kcmil	1/4	2.14	0.64	0.60	1.50	0.30
35	LA0214P-251	2 AWG	150/24 #2 Weld	1/4	2.24	0.63	0.70	1.61	0.36
36	LA0214P-260	2 AWG	60 Navy #4 Weld 125/24 = 50.5 kcmil	1/4	2.14	0.64	0.60	1.50	0.30
37	LA0214P-261	2 AWG	150/24 #2 Weld	1/4	2.27	0.64	0.68	1.63	0.36
38	LA0238-250	2 AWG	60 Navy #4 Weld 125/24 = 50.5 kcmil	3/8	2.24	0.83	0.66	1.41	0.31
39	LA0238P-251	2 AWG	150/24 #2 Weld	3/8	2.44	0.83	0.70	1.61	0.36
40	LA0238P-260	2 AWG	60 Navy #4 Weld 125/24 = 50.5 kcmil	3/8	2.33	0.83	0.60	1.50	0.30
41	LA0238P-261	2 AWG	150/24 #2 Weld	3/8	2.46	0.83	0.68	1.63	0.36
42	LA0256	2 AWG	60 Navy #4 Weld 125/24 = 50.5 kcmil	5/16	2.03	0.88	0.59	1.15	0.30
43	LA0256-250	2 AWG	60 Navy #4 Weld 125/24 = 50.5 kcmil	5/16	2.17	0.76	0.66	1.41	0.31
44	LA0256-260	2 AWG	60 Navy #4 Weld 125/24 = 50.5 kcmil	5/16	2.20	0.70	0.61	1.50	0.30
45	WP0214-053	2 AWG	60 Navy #4 Weld 125/24 = 50.5 kcmil	1/4	1.69	0.55	0.59	0.84	0.30
46	WP0238-120	2 AWG	60 Navy #4 Weld 125/24 = 50.5 kcmil	3/8	1.81	0.55	0.59	0.84	0.30
47	WP0256-119	2 AWG	60 Navy #4 Weld 125/24 = 50.5 kcmil	5/16	1.69	0.55	0.59	0.84	0.30