


# 2/0 AWG Catalog

Compression Connectors / One hole 0°

CATEGORY EDITION

# 2/0 AWG

Compression Connectors / One hole 0° / 2/0 AWG




## Installation Information

Manufacturer	Tools	Color	Code
T&B	TBM5 TBM8	Black	45
Panduit	CT-720 CT-920	Black	P45
Burndy	MY29 Y644M	Black	13

#	Cat.No	Wire Size		Dimension (in.)					
		Code	Flex Class G,H,I,K,M	Bolt Size	A	B	C	R	ID
1	DA2010-251	2/0 AWG	325/24 2/0 Weld	#10	1.67	0.78	0.96	1.13	0.51
2	DA2010-261	2/0 AWG	325/24 2/0 Weld	#10	1.63	0.52	0.93	1.11	0.50
3	DA2012	2/0 AWG	125 Navy 1/0 Weld 275/24 = 111 kcmil 133/.0282	1/2	2.25	1.25	0.83	1.00	0.44
4	DA2012-250	2/0 AWG	125 Navy 1/0 Weld 275/24 = 111 kcmil 133/.0282	1/2	2.37	1.09	0.85	1.28	0.45
5	DA2012-251	2/0 AWG	325/24 2/0 Weld	1/2	2.22	1.09	0.96	1.13	0.51
6	DA2012-252	2/0 AWG	125 Navy 1/0 Weld 275/24 = 111 kcmil 133/.0282	1/2	2.11	1.09	0.85	1.02	0.45
7	DA2012-260	2/0 AWG	125 Navy 1/0 Weld 275/24 = 111 kcmil 133/.0282	1/2	2.32	1.08	0.83	1.24	0.44
8	DA2012-261	2/0 AWG	325/24 2/0 Weld	1/2	2.19	1.08	0.93	1.11	0.50
9	DA2014	2/0 AWG	125 Navy 1/0 Weld 275/24 = 111 kcmil 133/.0282	1/4	1.65	0.65	0.83	1.00	0.44
10	DA2014(N)	2/0 AWG	275/24	1/4	1.65	0.65	0.57		
11	DA2014-250	2/0 AWG	125 Navy 1/0 Weld 275/24 = 111 kcmil 133/.0282	1/4	2.06	0.78	0.85	1.28	0.45
12	DA2014-251	2/0 AWG	325/24 2/0 Weld	1/4	1.91	0.78	0.96	1.13	0.51
13	DA2014-252	2/0 AWG	125 Navy 1/0 Weld 275/24 = 111 kcmil 133/.0282	1/4	1.80	0.78	0.85	1.02	0.45
14	DA2014-260	2/0 AWG	125 Navy 1/0 Weld 275/24 = 111 kcmil 133/.0282	1/4	1.88	0.64	0.83	1.24	0.44
15	DA2014-261	2/0 AWG	325/24 2/0 Weld	1/4	1.75	0.64	0.93	1.11	0.50
16	DA2034-251	2/0 AWG	325/24 2/0 Weld	3/4	2.65	1.52	0.96	1.13	0.51
17	DA2034-260	2/0 AWG	125 Navy 1/0 Weld 275/24 = 111 kcmil 133/.0282	3/4	2.76	1.52	0.96	1.24	0.44
18	DA2034-261	2/0 AWG	325/24 2/0 Weld	3/4	2.63	1.52	1.10	1.11	0.50
19	DA2038	2/0 AWG	125 Navy 1/0 Weld 275/24 = 111 kcmil 133/.0282	3/8	1.93	0.93	0.83	1.00	0.44
20	DA2038-250	2/0 AWG	125 Navy 1/0 Weld 275/24 = 111 kcmil 133/.0282	3/8	2.12	0.84	0.85	1.28	0.45
21	DA2038-251	2/0 AWG	325/24 2/0 Weld	3/8	1.97	0.84	0.96	1.13	0.51
22	DA2038-252	2/0 AWG	125 Navy 1/0 Weld 275/24 = 111 kcmil 133/.0282	3/8	1.86	0.84	0.85	1.02	0.45
23	DA2038-260	2/0 AWG	125 Navy 1/0 Weld 275/24 = 111 kcmil 133/.0282	3/8	2.07	0.83	0.83	1.24	0.44
24	DA2038-261	2/0 AWG	325/24 2/0 Weld	3/8	1.94	0.83	0.93	1.11	0.50
25	DA2056	2/0 AWG	125 Navy 1/0 Weld 275/24 = 111 kcmil 133/.0282	5/16	1.88	0.88	0.83	1.00	0.44
26	DA2056-250	2/0 AWG	125 Navy 1/0 Weld 275/24 = 111 kcmil 133/.0282	5/16	2.06	0.78	0.85	1.28	0.45
27	DA2056-251	2/0 AWG	325/24 2/0 Weld	5/16	1.91	0.78	0.96	1.13	0.51
28	DA2056-252	2/0 AWG	125 Navy 1/0 Weld 275/24 = 111 kcmil 133/.0282	5/16	1.80	0.78	0.85	1.02	0.45
29	DA2056-260	2/0 AWG	125 Navy 1/0 Weld 275/24 = 111 kcmil 133/.0282	5/16	1.94	0.70	0.83	1.24	0.44
30	DA2056-261	2/0 AWG	325/24 2/0 Weld	5/16	1.81	0.70	0.93	1.11	0.50

# 2/0 AWG

Compression Connectors / One hole 0° / 2/0 AWG



## Installation Information

Manufacturer	Tools	Color	Code
T&B	TBM5 TBM8	Black	45
Panduit	CT-720 CT-920	Black	P45
Burndy	MY29 Y644M	Black	13

#	Cat.No	Wire Size			Dimension (in.)					
		Code	Flex Class G,H,I,K,M	Bolt Size	A	B	C	R	ID	
31	DA2056-262	2/0 AWG	125 Navy 1/0 Weld 275/24 = 111 kcmil 133/.0282	5/16	1.94	0.70	0.62	1.24	0.44	
32	DA2058	2/0 AWG	125 Navy 1/0 Weld 275/24 = 111 kcmil 133/.0282	5/8	2.50	1.50	0.83	1.00	0.44	
33	DA2058-251	2/0 AWG	325/24 2/0 Weld	5/8	2.46	1.33	0.96	1.13	0.51	
34	DA2058-260	2/0 AWG	125 Navy 1/0 Weld 275/24 = 111 kcmil 133/.0282	5/8	2.57	1.33	0.88	1.24	0.44	
35	DA2058-261	2/0 AWG	325/24 2/0 Weld	5/8	2.44	1.33	0.93	1.11	0.50	
36	LA2012	2/0 AWG	125 Navy 1/0 Weld 275/24 = 111 kcmil 133/.0282	1/2	2.60	1.25	0.83	1.35	0.44	
37	LA2012-250	2/0 AWG	125 Navy 1/0 Weld 275/24 = 111 kcmil 133/.0282	1/2	2.88	1.09	0.85	1.79	0.45	
38	LA2012-260	2/0 AWG	125 Navy 1/0 Weld 275/24 = 111 kcmil 133/.0282	1/2	2.88	1.08	0.83	1.80	0.44	
39	LA2012P-251	2/0 AWG	125 Navy 1/0 Weld 275/24 = 111 kcmil 133/.0282	1/2	2.89	1.09	0.96	1.80	0.51	
40	LA2012P-251	2/0 AWG	325/24 2/0 Weld	1/2	2.89	1.09	0.96			
41	LA2012P-261	2/0 AWG	325/24 2/0 Weld	1/2	2.88	1.08	0.93	1.80	0.50	
42	LA2014P-251	2/0 AWG	325/24 2/0 Weld	1/4	2.58	0.78	0.96	1.80	0.51	
43	LA2014P-260	2/0 AWG	125 Navy 1/0 Weld 275/24 = 111 kcmil 133/.0282	1/4	2.44	0.64	0.83	1.80	0.44	
44	LA2014P-261	2/0 AWG	325/24 2/0 Weld	1/4	2.44	0.64	0.93	1.80	0.50	
45	LA2038	2/0 AWG	125 Navy 1/0 Weld 275/24 = 111 kcmil 133/.0282	3/8	2.28	0.93	0.83	1.35	0.44	
46	LA2038-250	2/0 AWG	125 Navy 1/0 Weld 275/24 = 111 kcmil 133/.0282	3/8	2.63	0.84	0.85	1.79	0.45	
47	LA2038-260	2/0 AWG	125 Navy 1/0 Weld 275/24 = 111 kcmil 133/.0282	3/8	2.63	0.83	0.83	1.80	0.44	
48	LA2038P-251	2/0 AWG	325/24 2/0 Weld	3/8	2.64	0.84	0.96	1.80	0.51	
49	LA2038P-260	2/0 AWG	125 Navy 1/0 Weld 275/24 = 111 kcmil 133/.0282	3/8	2.63	0.83	0.83	1.80	0.44	
50	LA2038P-261	2/0 AWG	325/24 2/0 Weld	1/2	2.63	0.83	0.93	1.80	0.50	
51	WP2012-144	2/0 AWG	125 Navy 1/0 Weld 275/24 = 111 kcmil 133/.0282	1/2	2.06	0.81	0.83	1.00	0.44	
52	WP2014-188	2/0 AWG	125 Navy 1/0 Weld 275/24 = 111 kcmil 133/.0282	1/4	1.96	0.81	0.83	1.00	0.44	
53	WP2038-010	2/0 AWG	125 Navy 1/0 Weld 275/24 = 111 kcmil 133/.0282	3/8	1.96	0.81	0.83	1.00	0.44	
54	WP2056-129	2/0 AWG	125 Navy 1/0 Weld 275/24 = 111 kcmil 133/.0282	5/16	1.96	0.81	0.83	1.00	0.44	
55	WP2058-145	2/0 AWG	125 Navy 1/0 Weld 275/24 = 111 kcmil 133/.0282	#10	2.25	0.81	0.89	1.00	0.44	