

Two hole 0° Catalog

Metric Wire Connector

CATEGORY EDITION

Table of Contents

Catalog structure and section page index


6 mm ²	3
10 mm ²	5
16 mm ²	7
25 mm ²	9
35 mm ²	11
50 mm ²	13
70 mm ²	15
95 mm ²	17
120 mm ²	19
150 mm ²	21
185 mm ²	23
240 mm ²	25
300 mm ²	27
400 mm ²	29
500 mm ²	31
630 mm ²	33

6 mm²

Metric Wire Connector / Two hole 0°

6 mm²

Metric Wire Connector / Two hole 0° / 6 mm²



Installation Information

Manufacturer	Tools	Color	Code
T&B	TBM62	--	--
Panduit	CT-100 CT1701	--	P10
Burndy	Y10D Y10R4BY	--	--
Celestra	A45	--	--


#	Cat.No	Wire Size (mm ²)	Dimension (mm)						
			Bolt Size	A	B	C	G	R	ID
1	MC060525-250	6.00	M5	53.00	39.00	10.00	22.0 – 25.0	9.50	3.80
2	MC060525-251	6.00	M5	53.00	39.00	10.00	22.0-25.0	9.50	3.80

10 mm²

Metric Wire Connector / Two hole 0°

10 mm²

Metric Wire Connector / Two hole 0° / 10 mm²



Installation Information

Manufacturer	Tools	Color	Code
T&B	TBM62 BPLT14	--	2
Panduit	CT-2001 CT-930	--	P21
Burndy	PAT600 Y35	--	49
Celestra	A45	--	2


#	Cat.No	Wire Size (mm ²)	Dimension (mm)						
			Bolt Size	A	B	C	G	R	ID
1	MC100625-250	10.00	M6	57.00	40.80	11.00	22.0 – 25.0	11.00	4.50
2	MC100625-251	10.00	M6	58.50	41.80	13.00	22.0 – 25.0	11.50	5.50
3	MC100845-250	10.00	M8	77.50	61.00	13.00	44.50	11.50	4.50
4	MC100845-251	10.00	M8	78.00	61.30	13.00	44.50	11.50	5.50
5	MC100845-252	10.00	M8	90.00	61.00	13.00	44.50	24.00	4.50

16 mm²

Metric Wire Connector / Two hole 0°

16 mm²

Metric Wire Connector / Two hole 0° / 16 mm²



Installation Information

Manufacturer	Tools	Color	Code
T&B	TBM62 BPLT14	--	3
Panduit	CT-2001 CT-930	--	P24
Burndy	PAT600 Y35	--	7
Celestra	A45	--	3


#	Cat.No	Wire Size (mm ²)	Dimension (mm)						
			Bolt Size	A	B	C	G	R	ID
1	MC160625-250	16.00	M6	62.00	41.80	13.00	22.0 – 25.0	14.50	5.50
2	MC160625-251	16.00	M6	63.50	43.00	14.00	22.0 – 25.0	14.50	6.90
3	MC160845-250	16.00	M8	81.50	61.30	13.00	44.50	14.50	5.50
4	MC160845-251	16.00	M8	83.00	62.50	15.50	44.50	14.50	6.90
5	MC160845-252	16.00	M8	94.50	61.30	13.00	44.50	27.20	5.50

25 mm²

Metric Wire Connector / Two hole 0°

25 mm²

Metric Wire Connector / Two hole 0° / 25 mm²



Installation Information

Manufacturer	Tools	Color	Code
T&B	TBM62 BPLT14	--	5
Panduit	CT-2001 CT-930	--	P29
Burndy	PAT600 Y35	--	9
Celestra	A45	--	5


#	Cat.No	Wire Size (mm ²)	Dimension (mm)						
			Bolt Size	A	B	C	G	R	ID
1	MC250825-250	25.00	M8	65.00	43.00	15.50	22.0 – 25.0	15.00	6.90
2	MC250845-252	25.00	M8	96.50	62.50	15.50	44.50	26.70	6.90
3	MC251045-250	25.00	M10	84.50	62.50	15.50	44.50	15.00	6.90
4	MC251045-252	25.00	M10	96.50	62.50	15.50	44.50	26.70	6.90
5	MC251245-250	25.00	M12	92.50	70.50	18.00	44.50	15.00	6.90
6	MC251245-252	25.00	M12	104.50	70.50	19.00	44.50	26.70	7.10

35 mm²

Metric Wire Connector / Two hole 0°

35 mm²

Metric Wire Connector / Two hole 0° / 35 mm²



Installation Information

Manufacturer	Tools	Color	Code
T&B	TBM62 BPLT14	--	7
Panduit	CT-2001 CT-930	--	P29
Burndy	PAT600 Y35	--	10
Celestra	A45	--	7


#	Cat.No	Wire Size (mm ²)	Dimension (mm)						
			Bolt Size	A	B	C	G	R	ID
1	MC250825-251	35.00	M8	70.50	45.80	15.50	22.0 – 25.0	17.50	8.20
2	MC250845-251	35.00	M8	90.00	65.30	15.50	44.50	17.50	8.20
3	MC251045-251	35.00	M10	90.00	65.30	15.50	44.50	17.50	8.20
4	MC251245-251	35.00	M12	95.00	70.50	21.50	44.50	17.50	8.20
5	MC350825-250	35.00	M8	70.00	45.80	15.50	22.0 – 25.0	17.50	8.20
6	MC350825-251	35.00	M8	74.00	46.50	18.00	22.0 – 25.0	20.30	9.80
7	MC351045-250	35.00	M10	89.50	65.30	15.50	44.50	17.50	8.20
8	MC351045-251	35.00	M10	93.50	66.00	18.00	44.50	20.30	9.80
9	MC351045-252	35.00	M10	105.00	65.30	15.50	44.50	32.80	8.20
10	MC351245-250	35.00	M12	95.00	70.50	21.50	44.50	17.50	8.20
11	MC351245-251	35.00	M12	97.00	69.50	23.00	44.50	20.30	9.80
12	MC351245-252	35.00	M12	110.50	70.50	18.50	44.50	32.80	8.20

50 mm²

Metric Wire Connector / Two hole 0°

50 mm²

Metric Wire Connector / Two hole 0° / 50 mm²



Installation Information

Manufacturer	Tools	Color	Code
T&B	TBM62 BPLT14	--	10
Panduit	CT-2001 CT-930	--	P37
Burndy	PAT600 Y35	--	12
Celestra	A45	--	10


#	Cat.No	Wire Size (mm ²)	Dimension (mm)						
			Bolt Size	A	B	C	G	R	ID
1	MC501025-250	50.00	M10	74.00	46.50	18.00	22.0 – 25.0	20.30	9.80
2	MC501025-251	50.00	M10	81.50	51.00	20.50	22.0 – 25.0	23.30	11.50
3	MC501045-250	50.00	M10	93.50	66.00	18.00	44.50	20.30	9.80
4	MC501045-251	50.00	M10	101.00	70.50	20.80	44.50	23.30	11.50
5	MC501045-252	50.00	M10	109.50	66.00	21.00	44.50	36.60	9.80
6	MC501245-250	50.00	M12	97.00	69.50	23.00	44.50	20.30	9.80
7	MC501245-251	50.00	M12	101.00	70.50	20.80	44.50	23.30	11.50
8	MC501245-252	50.00	M12	113.00	69.50	21.00	44.50	36.60	9.80

70 mm²

Metric Wire Connector / Two hole 0°

70 mm²

Metric Wire Connector / Two hole 0° / 70 mm²



Installation Information

Manufacturer	Tools	Color	Code
T&B	TBM62 BPLT14	--	14
Panduit	CT-2001 CT-930	--	P45
Burndy	PAT600 Y35	--	13
Celestra	A45	--	14


#	Cat.No	Wire Size (mm ²)	Dimension (mm)						
			Bolt Size	A	B	C	G	R	ID
1	MC701025-250	70.00	M10	82.00	50.50	20.80	22.0 – 25.0	23.30	11.50
2	MC701025-251	70.00	M10	86.50	53.50	24.50	22.0 – 25.0	24.50	13.50
3	MC701045-250	70.00	M10	102.00	70.50	20.80	44.50	23.30	11.50
4	MC701045-251	70.00	M10	106.00	73.00	24.50	44.50	24.50	13.50
5	MC701045-252	70.00	M10	117.00	70.50	20.80	44.50	38.00	11.50
6	MC701240-230	70.00	M12	98.50	70.00	25.00	40.00	20.00	13.00
7	MC701245-250	70.00	M12	102.00	70.50	20.80	44.50	23.30	11.50
8	MC701245-251	70.00	M12	106.00	73.00	24.50	44.50	24.50	13.50
9	MC701245-252	70.00	M12	117.00	70.50	20.80	44.50	38.00	11.50

95 mm²

Metric Wire Connector / Two hole 0°

95 mm²

Metric Wire Connector / Two hole 0° / 95 mm²



Installation Information

Manufacturer	Tools	Color	Code
T&B	TBM62 BPLT14	--	19
Panduit	CT-2001 CT-930	--	P54
Burndy	MY29 Y644M	--	14
Celestra	A45	--	19


#	Cat.No	Wire Size (mm ²)	Dimension (mm)						
			Bolt Size	A	B	C	G	R	ID
1	MC951025-250	95.00	M10	86.50	53.00	24.50	22.0 – 25.0	24.50	13.50
2	MC951025-251	95.00	M10	88.50	55.00	27.50	22.0 – 25.0	24.50	15.20
3	MC951240-230	95.00	M12	102.00	70.00	29.00	40.00	23.00	15.00
4	MC951245-250	95.00	M12	106.50	73.00	24.50	44.50	24.50	13.50
5	MC951245-251	95.00	M12	108.00	74.50	27.50	44.50	24.50	15.20
6	MC951245-252	95.00	M12	125.00	73.00	24.50	44.50	43.00	13.50
7	MC951445-250	95.00	M14	106.50	73.00	24.50	44.50	24.50	13.50
8	MC951445-251	95.00	M14	108.00	74.50	27.50	44.50	24.50	15.20
9	MC951445-252	95.00	M14	125.00	73.00	24.50	44.50	43.00	13.50

120 mm²

Metric Wire Connector / Two hole 0°

120 mm²

Metric Wire Connector / Two hole 0° / 120 mm²



Installation Information

Manufacturer	Tools	Color	Code
T&B	TBM62 BPLT14	--	24
Panduit	CT-2001 CT-930	--	P62
Burndy	PAT600 Y35	--	15
Celestra	A45	--	24


#	Cat.No	Wire Size (mm ²)	Dimension (mm)						
			Bolt Size	A	B	C	G	R	ID
1	MC121025-250	120.00	M10	88.50	54.50	27.50	22.0 – 25.0	24.50	15.20
2	MC121025-251	120.00	M10	96.50	59.50	30.50	22.0 – 25.0	27.50	16.50
3	MC121240-230	120.00	M12	105.50	71.00	32.00	40.00	25.00	17.00
4	MC121245-250	120.00	M12	108.50	74.50	27.50	44.50	24.50	15.20
5	MC121245-251	120.00	M12	116.00	79.00	30.50	44.50	27.50	16.50
6	MC121245-252	120.00	M12	124.00	74.50	27.50	44.50	39.70	15.20
7	MC121445-250	120.00	M14	108.50	74.50	27.50	44.50	24.50	15.20
8	MC121445-251	120.00	M14	120.00	83.00	30.50	44.50	27.50	16.50
9	MC121445-252	120.00	M14	124.00	74.50	27.50	44.50	39.70	15.20

150 mm²

Metric Wire Connector / Two hole 0°

150 mm²

Metric Wire Connector / Two hole 0° / 150 mm²



Installation Information

Manufacturer	Tools	Color	Code
T&B	TBM62 BPLT14	--	30
Panduit	CT-2001 CT-930	--	P66
Burndy	PAT600 Y35	--	17
Celestra	A45	--	30


#	Cat.No	Wire Size (mm ²)	Dimension (mm)						
			Bolt Size	A	B	C	G	R	ID
1	MC151025-250	150.00	M10	97.50	59.00	30.50	22.0 – 25.0	27.50	16.50
2	MC151025-251	150.00	M10	102.00	63.00	33.50	22.0 – 25.0	28.20	18.60
3	MC151240-230	150.00	M12	112.00	71.00	36.00	40.00	30.00	19.00
4	MC151245-250	150.00	M12	117.00	79.00	30.50	44.50	27.50	16.50
5	MC151245-251	150.00	M12	122.00	83.00	33.50	44.50	28.20	18.60
6	MC151245-252	150.00	M12	147.00	79.00	30.50	44.50	57.00	16.50
7	MC151445-250	150.00	M14	121.50	83.00	30.50	44.50	27.50	16.50
8	MC151445-251	150.00	M14	122.00	83.00	33.50	44.50	28.20	18.60
9	MC151445-252	150.00	M14	151.00	83.00	30.50	44.50	57.00	16.50

185 mm²

Metric Wire Connector / Two hole 0°

185 mm²

Metric Wire Connector / Two hole 0° / 185 mm²



Installation Information

Manufacturer	Tools	Color	Code
T&B	TBM62 BPLT14	--	37
Panduit	CT-2001 CT-930	--	P76
Burndy	PAT600 Y35	--	18
Celestra	A45	--	37


#	Cat.No	Wire Size (mm ²)	Dimension (mm)						
			Bolt Size	A	B	C	G	R	ID
1	MC181025-250	185.00	M10	101.50	60.00	33.50	22.0 – 25.0	28.20	18.60
2	MC181025-251	185.00	M10	114.00	65.50	37.50	22.0 – 25.0	35.00	20.80
3	MC181240-230	185.00	M12	120.50	72.00	39.00	40.00	35.00	21.00
4	MC181245-250	185.00	M12	122.00	80.50	33.50	44.50	28.20	18.60
5	MC181245-251	185.00	M12	133.50	85.00	37.50	44.50	35.00	20.80
6	MC181245-252	185.00	M12	148.00	78.50	33.50	44.50	56.30	18.60
7	MC181445-250	185.00	M14	124.50	83.00	33.50	44.50	28.20	18.60
8	MC181445-251	185.00	M14	133.50	85.00	37.50	44.50	35.00	20.80
9	MC181445-252	185.00	M14	152.50	83.00	33.50	44.50	56.30	18.60

240 mm²

Metric Wire Connector / Two hole 0°

240 mm²

Metric Wire Connector / Two hole 0° / 240 mm²



Installation Information

Manufacturer	Tools	Color	Code
T&B	TBM62 BPLT14	--	48
Panduit	CT-2001 CT-930	--	P87
Burndy	PAT600 Y35	--	20
Celestra	A45	--	48


#	Cat.No	Wire Size (mm ²)	Dimension (mm)						
			Bolt Size	A	B	C	G	R	ID
1	MC241025-250	240.00	M10	116.00	65.00	37.50	22.0 – 25.0	35.00	20.80
2	MC241025-251	240.00	M10	123.00	67.00	42.50	22.0 – 25.0	40.30	23.50
3	MC241240-230	240.00	M12	124.00	73.00	42.00	40.00	35.00	22.50
4	MC241245-250	240.00	M12	136.00	85.00	37.50	44.50	35.00	20.80
5	MC241245-251	240.00	M12	142.50	86.50	42.50	44.50	40.30	23.50
6	MC241245-252	240.00	M12	164.50	85.00	37.50	44.50	63.50	20.80
7	MC241445-250	240.00	M14	136.00	85.00	37.50	44.50	35.00	20.80
8	MC241445-251	240.00	M14	142.50	86.50	42.50	44.50	40.30	23.50
9	MC241445-252	240.00	M14	164.50	85.00	37.50	44.50	63.50	20.80

300 mm²

Metric Wire Connector / Two hole 0°

300 mm²

Metric Wire Connector / Two hole 0° / 300 mm²



Installation Information

Manufacturer	Tools	Color	Code
T&B	BPLT14	--	60
Panduit	CT-930 CT-940	--	P94
Burndy	PAT750 Y35	--	22
Celestra	A45	--	60


#	Cat.No	Wire Size (mm ²)	Dimension (mm)						
			Bolt Size	A	B	C	G	R	ID
1	MC311240-230	300.00	M12	134.50	74.00	45.00	40.00	42.00	24.50
2	MC311245-250	300.00	M12	145.50	86.50	42.50	44.50	40.30	23.50
3	MC311245-251	300.00	M12	158.00	94.50	48.00	44.50	44.80	26.20
4	MC311245-252	300.00	M12	173.50	86.50	42.50	44.50	68.40	23.50
5	MC311445-250	300.00	M14	145.50	86.50	42.50	44.50	40.30	23.50
6	MC311445-251	300.00	M14	158.00	94.50	48.00	44.50	44.80	26.20
7	MC311445-252	300.00	M14	173.50	86.50	42.50	44.50	68.40	23.50
8	MCX311245-252	300.00	M12	187.50	94.50	48.00	44.50	73.00	26.20
9	MCX311445-252	300.00	M14	187.50	94.50	48.00	44.50	73.00	26.20

400 mm²

Metric Wire Connector / Two hole 0°

400 mm²

Metric Wire Connector / Two hole 0° / 400 mm²



Installation Information

Manufacturer	Tools	Color	Code
T&B	BPLT14 TBM26	--	80
Panduit	CT-930 CT-940	--	P106
Burndy	PAT750 Y35	--	24
Celestra	A45	--	80


#	Cat.No	Wire Size (mm ²)	Dimension (mm)						
			Bolt Size	A	B	C	G	R	ID
1	MC411240-230	400.00	M12	145.00	75.00	56.00	40.00	50.00	30.00
2	MC411245-250	400.00	M12	159.50	94.50	49.50	44.50	44.80	27.00
3	MC411445-250	400.00	M14	159.50	94.50	49.50	44.50	44.80	27.00
4	MC411645-250	400.00	M16	159.50	94.50	49.50	44.50	44.80	27.00
5	MCX411245-252	400.00	M12	180.00	94.50	49.50	44.50	65.20	27.00
6	MCX411445-252	400.00	M14	180.00	94.50	49.50	44.50	65.20	27.00
7	MCX411645-252	400.00	M16	180.00	94.50	49.50	44.50	65.20	27.00

500 mm²

Metric Wire Connector / Two hole 0°

500 mm²

Metric Wire Connector / Two hole 0° / 500 mm²



Installation Information

Manufacturer	Tools	Color	Code
T&B	TBM26 TBM60	--	100
Panduit	CT-930 CT-940	--	P125
Burndy	PAT750 Y35	--	L115
Celestra	A45	--	100


#	Cat.No	Wire Size (mm ²)	Dimension (mm)						
			Bolt Size	A	B	C	G	R	ID
1	MC511245-250	500.00	M12	166.00	98.50	57.50	44.50	46.50	31.00
2	MC511445-250	500.00	M14	166.00	98.50	57.50	44.50	46.50	31.00
3	MC511645-250	500.00	M16	166.00	98.50	57.50	44.50	46.50	31.00
4	MCX511245-252	500.00	M12	195.50	98.50	57.50	44.50	76.20	31.00
5	MCX511445-252	500.00	M14	195.50	98.50	57.50	44.50	76.20	31.00
6	MCX511645-252	500.00	M16	195.50	98.50	57.50	44.50	76.20	31.00

630 mm²

Metric Wire Connector / Two hole 0°

630 mm²

Metric Wire Connector / Two hole 0° / 630 mm²



Installation Information

Manufacturer	Tools	Color	Code
T&B	TBM26 TBM60	--	120
Panduit	CT-930 CT-940	--	P125
Burndy	PAT750 Y35	--	29
Celestra	A45	--	120

#	Cat.No	Wire Size (mm ²)	Dimension (mm)						
			Bolt Size	A	B	C	G	R	ID
1	MC631245-250	630.00	M12	181.00	100.50	63.50	44.50	56.20	34.50
2	MC631445-250	630.00	M14	181.00	100.50	63.50	44.50	56.20	34.50
3	MC631645-250	630.00	M16	181.00	100.50	63.50	44.50	56.20	34.50
4	MCX631245-252	630.00	M12	209.00	100.50	63.50	44.50	84.30	34.50
5	MCX631445-252	630.00	M14	209.00	100.50	63.50	44.50	84.30	34.50
6	MCX631645-252	630.00	M16	209.00	100.50	63.50	44.50	84.30	34.50