


4/0 AWG Catalog

Compression Connectors / One hole 0°

CATEGORY EDITION

4/0 AWG

Compression Connectors / One hole 0° / 4/0 AWG




Installation Information

Manufacturer	Tools	Color	Code
T&B	TBM5 TBM8	Purple	54
Panduit	CT-720 CT-920	Purple	P54
Burndy	MY29 Y644M	Purple	15

#	Cat.No	Wire Size			Dimension (in.)				
		Code	Flex Class G,H,I,K,M	Bolt Size	A	B	C	R	ID
1	DA4012	4/0 AWG	200 Navy 3/0 Weld 450/24 = 182 kcmil 703/.0154	1/2	2.52	1.25	1.03	1.27	0.56
2	DA4012-250	4/0 AWG	200 Navy 3/0 Weld 450/24 = 182 kcmil 703/.0154	1/2	2.60	1.09	1.06	1.51	0.57
3	DA4012-251	4/0 AWG	550/24 = 222 kcmil 4/0 Weld	1/2	2.47	1.12	1.19	1.35	0.65
4	DA4012-252	4/0 AWG	200 Navy 3/0 Weld 450/24 = 182 kcmil 703/.0154	1/2	2.32	1.09	1.06	1.23	0.57
5	DA4012-260	4/0 AWG	200 Navy 3/0 Weld 450/24 = 182 kcmil 703/.0154	1/2	2.28	1.08	1.02	1.20	0.56
6	DA4012-261	4/0 AWG	550/24 = 222 kcmil 4/0 Weld	1/2	2.43	1.08	1.14	1.35	0.64
7	DA4014	4/0 AWG	200 Navy 3/0 Weld 450/24 = 182 kcmil 703/.0154	1/4	1.92	0.65	1.03	1.27	0.56
8	DA4014-250	4/0 AWG	200 Navy 3/0 Weld 450/24 = 182 kcmil 703/.0154	1/4	2.29	0.78	1.06	1.51	0.57
9	DA4014-251	4/0 AWG	550/24 = 222 kcmil 4/0 Weld	1/4	2.13	0.78	1.19	1.35	0.65
10	DA4014-252	4/0 AWG	200 Navy 3/0 Weld 450/24 = 182 kcmil 703/.0154	1/4	2.01	0.78	1.06	1.23	0.57
11	DA4014-260	4/0 AWG	200 Navy 3/0 Weld 450/24 = 182 kcmil 703/.0154	1/4	1.84	0.64	1.02	1.20	0.56
12	DA4014-261	4/0 AWG	550/24 = 222 kcmil 4/0 Weld	1/4	1.99	0.64	1.14	1.35	0.64
13	DA4034	4/0 AWG	200 Navy 3/0 Weld 450/24 = 182 kcmil 703/.0154	3/4	2.83	1.56	1.03	1.27	0.56
14	DA4034-251	4/0 AWG	550/24 = 222 kcmil 4/0 Weld	3/4	2.87	1.52	1.19	1.35	0.65
15	DA4034-260	4/0 AWG	200 Navy 3/0 Weld 450/24 = 182 kcmil 703/.0154	3/4	2.72	1.52	1.05	1.20	0.56
16	DA4038	4/0 AWG	200 Navy 3/0 Weld 450/24 = 182 kcmil 703/.0154	3/8	2.20	0.93	1.03	1.27	0.56
17	DA4038-250	4/0 AWG	200 Navy 3/0 Weld 450/24 = 182 kcmil 703/.0154	3/8	2.37	0.86	1.06	1.51	0.57
18	DA4038-251	4/0 AWG	550/24 = 222 kcmil 4/0 Weld	3/8	2.36	1.01	1.19	1.35	0.65
19	DA4038-252	4/0 AWG	200 Navy 3/0 Weld 450/24 = 182 kcmil 703/.0154	3/8	2.09	0.86	1.06	1.23	0.57
20	DA4038-260	4/0 AWG	200 Navy 3/0 Weld 450/24 = 182 kcmil 703/.0154	3/8	2.03	0.83	1.02	1.20	0.56
21	DA4038-261	4/0 AWG	550/24 = 222 kcmil 4/0 Weld	3/4	2.18	0.83	1.14	1.35	0.64
22	DA4038-261	4/0 AWG	550/24 = 222 kcmil 4/0 Weld	3/8	2.18	0.83	1.14		
23	DA4038-262	4/0 AWG	200 Navy 3/0 Weld 450/24 = 182 kcmil 703/.0154	3/8	2.03	0.83	0.76	1.20	0.56
24	DA4056	4/0 AWG	200 Navy 3/0 Weld 450/24 = 182 kcmil 703/.0154	5/16	2.14	0.87	1.03	1.27	0.56
25	DA4056-250	4/0 AWG	200 Navy 3/0 Weld 450/24 = 182 kcmil 703/.0154	5/16	2.30	0.79	1.06	1.51	0.57
26	DA4056-251	4/0 AWG	550/24 = 222 kcmil 4/0 Weld	5/16	2.36	1.01	1.19	1.35	0.65
27	DA4056-252	4/0 AWG	200 Navy 3/0 Weld 450/24 = 182 kcmil 703/.0154	5/16	2.02	0.79	1.06	1.23	0.57
28	DA4056-260	4/0 AWG	200 Navy 3/0 Weld 450/24 = 182 kcmil 703/.0154	5/16	1.90	0.70	1.02	1.20	0.56
29	DA4056-261	4/0 AWG	550/24 = 222 kcmil 4/0 Weld	5/16	2.05	0.70	1.14	1.35	0.64
30	DA4058-251	4/0 AWG	550/24 = 222 kcmil 4/0 Weld	5/8	2.68	1.33	1.19	1.35	0.65

4/0 AWG

Compression Connectors / One hole 0° / 4/0 AWG



Installation Information

Manufacturer	Tools	Color	Code
T&B	TBM5 TBM8	Purple	54
Panduit	CT-720 CT-920	Purple	P54
Burndy	MY29 Y644M	Purple	15

#	Cat.No	Wire Size			Dimension (in.)				
		Code	Flex Class G,H,I,K,M	Bolt Size	A	B	C	R	ID
31	DA4058-260	4/0 AWG	200 Navy 3/0 Weld 450/24 = 182 kcmil 703/.0154	5/8	2.53	1.33	1.02	1.20	0.56
32	DA4058-261	4/0 AWG	550/24 = 222 kcmil 4/0 Weld	5/8	2.68	1.33	1.14	1.35	0.64
33	LA4012	4/0 AWG	200 Navy 3/0 Weld 450/24 = 182 kcmil 703/.0154	3/8	2.97	1.25	1.03	1.72	0.56
34	LA4012-250	4/0 AWG	200 Navy 3/0 Weld 450/24 = 182 kcmil 703/.0154	3/8	2.96	1.09	1.06	1.87	0.57
35	LA4012-260	4/0 AWG	200 Navy 3/0 Weld 450/24 = 182 kcmil 703/.0154	3/8	3.02	1.08	1.02	1.94	0.56
36	LA4012P-251	4/0 AWG	550/24 = 222 kcmil 4/0 Weld	3/8	3.68	1.12	1.19	2.56	0.65
37	LA4012P-260	4/0 AWG	200 Navy 3/0 Weld 450/24 = 182 kcmil 703/.0154	1/4	3.02	1.08	1.02	1.94	0.56
38	LA4012P-261	4/0 AWG	550/24 = 222 kcmil 4/0 Weld	5/8	3.02	1.08	1.14	1.94	0.64
39	LA4014	4/0 AWG	200 Navy 3/0 Weld 450/24 = 182 kcmil 703/.0154	3/8	2.37	0.65	1.03	1.72	0.56
40	LA4038	4/0 AWG	200 Navy 3/0 Weld 450/24 = 182 kcmil 703/.0154	1/2	2.97	1.25	1.03	1.72	0.56
41	LA4038-250	4/0 AWG	200 Navy 3/0 Weld 450/24 = 182 kcmil 703/.0154	1/2	2.77	0.90	1.06	1.87	0.57
42	LA4038-260	4/0 AWG	200 Navy 3/0 Weld 450/24 = 182 kcmil 703/.0154	1/2	2.77	0.83	1.02	1.94	0.56
43	LA4038P-251	4/0 AWG	550/24 = 222 kcmil 4/0 Weld	5/16	3.57	1.01	1.19	2.56	0.65
44	LA4038P-260	4/0 AWG	200 Navy 3/0 Weld 450/24 = 182 kcmil 703/.0154	1/2	2.77	0.83	1.02	1.94	0.56
45	LA4038P-261	4/0 AWG	550/24 = 222 kcmil 4/0 Weld	1/2	2.77	0.83	1.14	1.94	0.64
46	LA4056P-261	4/0 AWG	550/24 = 222 kcmil 4/0 Weld	5/16	2.64	0.70	0.96	1.94	0.64
47	WP2056-131	4/0 AWG	200 Navy 3/0 Weld 450/24 = 182 kcmil 703/.0154	3/8	2.97	1.25	1.03		
48	WP4012-151	4/0 AWG	200 Navy 3/0 Weld 450/24 = 182 kcmil 703/.0154	1/2	2.97	1.77	1.00	1.20	0.56
49	WP4014-155	4/0 AWG	200 Navy 3/0 Weld 450/24 = 182 kcmil 703/.0154	1/2	1.97	0.77	1.00	1.20	0.56
50	WP4034-154	4/0 AWG	200 Navy 3/0 Weld 450/24 = 182 kcmil 703/.0154	3/8	2.97	1.77	1.05	1.20	0.56
51	WP4038-058	4/0 AWG	200 Navy 3/0 Weld 450/24 = 182 kcmil 703/.0154	1/4	1.97	0.77	1.00	1.20	0.56