


350 kcmil Catalog

Compression Connectors / One hole 0°

CATEGORY EDITION

350 kcmil

Compression Connectors / One hole 0° / 350 kcmil




Installation Information

Manufacturer	Tools	Color	Code
T&B	TBM6 TBM8	Red	71
Panduit	CT-720 CT-920	Red	P71
Burndy	Y35 Y45	Red	18

#	Cat.No	Wire Size		Dimension (in.)					
		Code	Flex Class G,H,I,K,M	Bolt Size	A	B	C	R	ID
1	DA3512	350 kcmil	350 Navy	1/2	2.80	1.25	1.36	1.55	0.75
2	DA3512-241	350 kcmil	350 Weld 259/.0368 427/.0285 703/.0224 889/.0201 373.7 kcmil	1/2	3.20	1.25	1.61	1.85	0.79
3	DA3512-250	350 kcmil	350 Navy	1/2	3.06	1.12	1.28	1.94	0.70
4	DA3512-251	350 kcmil	925/24 350 kcmil	1/2	2.96	1.17	1.54	1.79	0.84
5	DA3512-260	350 kcmil	350 Navy	1/2	2.64	1.08	1.29	1.56	0.70
6	DA3512-261	350 kcmil	925/24 350 kcmil	1/2	2.85	1.08	1.55	1.77	0.83
7	DA3538	350 kcmil	350 Navy	3/8	2.80	1.25	1.36	1.55	0.75
8	DA3538-250	350 kcmil	350 Navy	3/8	2.95	1.01	1.28	1.94	0.70
9	DA3538-251	350 kcmil	925/24 350 kcmil	1/2	2.80	1.01	1.54	1.79	0.84
10	DA3538-260	350 kcmil	350 Navy	3/8	2.39	0.83	1.29	1.56	0.70
11	DA3538-261	350 kcmil	925/24 350 kcmil	3/8	2.60	0.83	1.55	1.77	0.83
12	DA3556-251	350 kcmil	925/24 350 kcmil	3/8	2.61	0.82	1.54	1.79	0.84
13	DA3556-261	350 kcmil	925/24 350 kcmil	1/2	2.47	0.70	1.55	1.77	0.83
14	DA3558	350 kcmil	350 Navy	5/8	3.13	1.58	1.36	1.55	0.75
15	DA3558-250	350 kcmil	350 Navy	5/8	3.27	1.33	1.28	1.94	0.70
16	DA3558-251	350 kcmil	925/24 350 kcmil	7/8	3.17	1.38	1.54	1.79	0.84
17	DA3558-260	350 kcmil	350 Navy	5/8	2.89	1.33	1.29	1.56	0.70
18	DA3558-261	350 kcmil	925/24 350 kcmil	1/2	3.10	1.33	1.55	1.77	0.83
19	DA3578-250	350 kcmil	350 Navy	7/8	3.71	1.77	1.28	1.94	0.70
20	DA3578-260	350 kcmil	350 Navy	7/8	3.33	1.77	1.29	1.56	0.70
21	LA3512	350 kcmil	350 Navy	1/2	3.60	1.25	1.36	2.35	0.75
22	LA3512-250	350 kcmil	350 Navy	5/8	3.86	1.12	1.28	2.74	0.70
23	LA3512-260	350 kcmil	350 Navy	3/8	3.58	1.08	1.29	2.50	0.70
24	LA3512P-251	350 kcmil	925/24 350 kcmil	1/2	4.17	1.17	1.54	3.00	0.84
25	LA3512P-260	350 kcmil	350 Navy	5/8	3.58	1.08	1.29	2.50	0.70
26	LA3512P-261	350 kcmil	925/24 350 kcmil	1/2	3.83	1.08	1.52	2.75	0.83
27	LA3538P-251	350 kcmil	925/24 350 kcmil	3/8	4.01	1.01	1.54	3.00	0.84
28	LA3538P-260	350 kcmil	350 Navy	1/2	3.33	0.83	1.29	2.50	0.70
29	LA3538P-261	350 kcmil	925/24 350 kcmil	3/8	3.58	0.83	1.52	2.75	0.83
30	LA3578-250	350 kcmil	350 Navy	5/16	4.51	1.77	1.28	2.74	0.70

350 kcmil

Compression Connectors / One hole 0° / 350 kcmil



Installation Information

Manufacturer	Tools	Color	Code
T&B	TBM6 TBM8	Red	71
Panduit	CT-720 CT-920	Red	P71
Burndy	Y35 Y45	Red	18

#	Cat.No	Wire Size			Dimension (in.)				
		Code	Flex Class G,H,I,K,M	Bolt Size	A	B	C	R	ID
31	WP3512-060	350 kcmil	350 Navy	5/16	2.83	1.12	1.29	1.56	0.71
32	WP3538-084	350 kcmil	350 Navy	3/8	2.68	1.11	1.29	1.56	0.71