

Vinyl-Insulated (VR) Catalog

Wire Terminals / Ring

CATEGORY EDITION

Vinyl-Insulated (VR)

Wire Terminals / Ring / Vinyl-Insulated (VR)



Installation Information

Manufacturer	Tools	Color	Code
-			

#	Cat.No	Stud/Tab		Dimension (Inch)				Wire Range	
		Size	A	B	C	D	A.W.G	A.W.G	
1	TR1204V	#4	1.051	0.126	0.374	0.039 (1.00)	12 - 10	12 - 10	
2	TR1206V	#6	1.051	0.146	0.374	0.039 (1.00)	12 - 10	12 - 10	
3	TR1208V	#8	1.051	0.169	0.374	0.039 (1.00)	12 - 10	12 - 10	
4	TR1208VS	#8	1.051	0.169	0.291	0.039 (1.00)	12 - 10	12 - 10	
5	TR1210V	#10	1.051	0.209	0.374	0.039 (1.00)	12 - 10	12 - 10	
6	TR1210VS	#10	1.051	0.209	0.291	0.039 (1.00)	12 - 10	12 - 10	
7	TR1212V	1/2	1.571	0.512	0.756	0.039 (1.00)	12 - 10	12 - 10	
8	TR1214V	1/4	1.287	0.252	0.472	0.039 (1.00)	12 - 10	12 - 10	
9	TR1238V	3/8	1.374	0.413	0.591	0.039 (1.00)	12 - 10	12 - 10	
10	TR1256V	5/16	1.374	0.331	0.591	0.039 (1.00)	12 - 10	12 - 10	
11	TR1604V	#4	0.906	0.126	0.335	0.031 (0.80)	16 - 14	16 - 14	
12	TR1604VM	#4	0.811	0.126	0.26	0.031 (0.80)	16 - 14	16 - 14	
13	TR1606V	#6	0.811	0.146	0.26	0.031 (0.80)	14 - 16	14 - 16	
14	TR1606VL	#6	0.906	0.146	0.335	0.031 (0.80)	16 - 14	16 - 14	
15	TR1608V	#8	0.906	0.169	0.335	0.031 (0.80)	16 - 14	16 - 14	
16	TR1608VM	#8	0.819	0.169	0.26	0.031 (0.80)	16 - 14	16 - 14	
17	TR1610V	#10	0.906	0.209	0.374	0.031 (0.80)	16 - 14	16 - 14	
18	TR1610VM	#10	0.906	0.209	0.335	0.031 (0.80)	16 - 14	16 - 14	
19	TR1612V	1/2	1.398	0.512	0.748	0.031 (0.80)	16 - 14	16 - 14	
20	TR1614V	1/4	1.106	0.252	0.472	0.031 (0.80)	16 - 14	16 - 14	
21	TR1638V	3/8	1.256	0.413	0.539	0.031 (0.80)	16 - 14	16 - 14	
22	TR1656V	5/16	1.106	0.331	0.472	0.031 (0.80)	16 - 14	16 - 14	
23	TR2204V	#4	0.689	0.126	0.217	0.030 (0.75)	22 - 16	22 - 16	
24	TR2206V	#6	0.689	0.146	0.217	0.030 (0.75)	22 - 16	22 - 16	
25	TR2206VM	#6	0.803	0.146	0.26	0.030 (0.75)	22 - 16	22 - 16	
26	TR2208V	#8	0.854	0.169	0.315	0.030 (0.75)	22 - 16	22 - 16	
27	TR2208VM	#8	0.803	0.169	0.26	0.030 (0.75)	22 - 16	22 - 16	
28	TR2210V	#10	0.854	0.209	0.315	0.030 (0.75)	22 - 16	22 - 16	
29	TR2212V	1/2	1.378	0.512	0.748	0.030 (0.75)	22 - 16	22 - 16	
30	TR2214V	1/4	1.087	0.252	0.457	0.030 (0.75)	22 - 16	22 - 16	

Vinyl-Insulated (VR)

Wire Terminals / Ring / Vinyl-Insulated (VR)



Installation Information

Manufacturer	Tools	Color	Code
-			

#	Cat.No	Stud/Tab		Dimension (Inch)				Wire Range	
		Size	A	B	C	D	A.W.G	A.W.G	
31	TR2238V	3/8	1.24	0.413	0.539	0.030 (0.75)	22 - 16	22 - 16	
32	TR2256V	5/16	1.087	0.331	0.457	0.030 (0.75)	22 - 16	22 - 16	