

4/0 AWG Catalog

Compression Connectors / One hole 45°

CATEGORY EDITION

4/0 AWG

Compression Connectors / One hole 45° / 4/0 AWG



Installation Information

Manufacturer	Tools	Color	Code
T&B	TBM5 TBM8	Purple	54
Panduit	CT-720 CT-920	Purple	P54
Burndy	MY29 Y644M	Purple	15

#	Cat.No	Wire Size			Dimension (in.)				
		Code	Flex Class G,H,I,K,M	Bolt Size	B	C	D	H	
1	DA4012F	4/0 AWG	200 Navy 3/0 Weld 450/24 = 182 kcmil 703/.0154	1/2	1.25	1.03	0.14	0.56	
2	DA4012F-250	4/0 AWG	200 Navy 3/0 Weld 450/24 = 182 kcmil 703/.0154	1/2	1.09	1.06	0.14	0.57	
3	DA4012F-251	4/0 AWG	550/24 = 222 kcmil 4/0 Weld	1/2	1.12	1.19	0.16	0.65	
4	DA4012F-252	4/0 AWG	200 Navy 3/0 Weld 450/24 = 182 kcmil 703/.0154	1/2	1.09	1.06	0.14	0.57	
5	DA4012F-260	4/0 AWG	200 Navy 3/0 Weld 450/24 = 182 kcmil 703/.0154	1/2	1.08	1.02	0.14	0.56	
6	DA4012F-261	4/0 AWG	550/24 = 222 kcmil 4/0 Weld	1/2	1.08	1.14	0.15	0.64	
7	DA4014F	4/0 AWG	200 Navy 3/0 Weld 450/24 = 182 kcmil 703/.0154	1/4	0.65	1.03	0.14	0.56	
8	DA4014F-250	4/0 AWG	200 Navy 3/0 Weld 450/24 = 182 kcmil 703/.0154	1/4	0.78	1.06	0.14	0.57	
9	DA4014F-251	4/0 AWG	550/24 = 222 kcmil 4/0 Weld	1/4	0.78	1.19	0.16	0.65	
10	DA4014F-252	4/0 AWG	200 Navy 3/0 Weld 450/24 = 182 kcmil 703/.0154	1/4	0.78	1.06	0.14	0.57	
11	DA4014F-260	4/0 AWG	200 Navy 3/0 Weld 450/24 = 182 kcmil 703/.0154	1/4	0.64	1.02	0.14	0.56	
12	DA4014F-261	4/0 AWG	550/24 = 222 kcmil 4/0 Weld	1/4	0.64	1.14	0.15	0.64	
13	DA4034F-251	4/0 AWG	550/24 = 222 kcmil 4/0 Weld	3/4	1.52	1.19	0.16	0.65	
14	DA4034F-260	4/0 AWG	200 Navy 3/0 Weld 450/24 = 182 kcmil 703/.0154	3/4	1.52	1.05	0.13	0.56	
15	DA4034F-261	4/0 AWG	550/24 = 222 kcmil 4/0 Weld	3/4	1.52	1.14	0.15	0.64	
16	DA4038F	4/0 AWG	200 Navy 3/0 Weld 450/24 = 182 kcmil 703/.0154	3/8	0.93	1.03	0.14	0.56	
17	DA4038F-250	4/0 AWG	200 Navy 3/0 Weld 450/24 = 182 kcmil 703/.0154	3/8	0.86	1.06	0.14	0.57	
18	DA4038F-251	4/0 AWG	550/24 = 222 kcmil 4/0 Weld	3/8	1.01	1.19	0.16	0.65	
19	DA4038F-252	4/0 AWG	200 Navy 3/0 Weld 450/24 = 182 kcmil 703/.0154	3/8	0.86	1.06	0.14	0.57	
20	DA4038F-260	4/0 AWG	200 Navy 3/0 Weld 450/24 = 182 kcmil 703/.0154	3/8	0.83	1.02	0.14	0.56	
21	DA4038F-261	4/0 AWG	550/24 = 222 kcmil 4/0 Weld	3/8	0.83	1.14	0.15	0.64	
22	DA4056F	4/0 AWG	200 Navy 3/0 Weld 450/24 = 182 kcmil 703/.0154	5/16	0.87	1.03	0.14	0.56	
23	DA4056F-250	4/0 AWG	200 Navy 3/0 Weld 450/24 = 182 kcmil 703/.0154	5/16	0.79	1.06	0.14	0.57	
24	DA4056F-251	4/0 AWG	550/24 = 222 kcmil 4/0 Weld	5/16	1.01	1.19	0.16	0.65	
25	DA4056F-252	4/0 AWG	200 Navy 3/0 Weld 450/24 = 182 kcmil 703/.0154	5/16	0.79	1.06	0.14	0.57	
26	DA4056F-260	4/0 AWG	200 Navy 3/0 Weld 450/24 = 182 kcmil 703/.0154	5/16	0.70	1.02	0.14	0.56	
27	DA4056F-261	4/0 AWG	550/24 = 222 kcmil 4/0 Weld	5/16	0.70	1.14	0.15	0.64	
28	DA4058F-251	4/0 AWG	550/24 = 222 kcmil 4/0 Weld	5/8	1.33	1.19	0.16	0.65	
29	DA4058F-260	4/0 AWG	200 Navy 3/0 Weld 450/24 = 182 kcmil 703/.0154	5/8	1.33	1.02	0.14	0.56	
30	DA4058F-261	4/0 AWG	550/24 = 222 kcmil 4/0 Weld	5/8	1.33	1.14	0.15	0.64	

4/0 AWG

Compression Connectors / One hole 45° / 4/0 AWG



Installation Information

Manufacturer	Tools	Color	Code
T&B	TBM5 TBM8	Purple	54
Panduit	CT-720 CT-920	Purple	P54
Burndy	MY29 Y644M	Purple	15

#	Cat.No	Wire Size			Dimension (in.)				
		Code	Flex Class G,H,I,K,M	Bolt Size	B	C	D	H	
31	LA4012F	4/0 AWG	200 Navy 3/0 Weld 450/24 = 182 kcmil 703/.0154	1/2	1.25	1.03	0.14	0.56	
32	LA4012F-250	4/0 AWG	200 Navy 3/0 Weld 450/24 = 182 kcmil 703/.0154	1/2	1.09	1.06	0.14	0.57	
33	LA4012F-260	4/0 AWG	200 Navy 3/0 Weld 450/24 = 182 kcmil 703/.0154	1/2	1.08	1.02	0.14	0.56	
34	LA4012FP-251	4/0 AWG	550/24 = 222 kcmil 4/0 Weld	1/2	1.12	1.19	0.16	0.65	
35	LA4012FP-260	4/0 AWG	200 Navy 3/0 Weld 450/24 = 182 kcmil 703/.0154	1/2	1.08	1.02	0.14	0.56	
36	LA4012FP-261	4/0 AWG	550/24 = 222 kcmil 4/0 Weld	1/2	1.08	1.14	0.14	0.64	
37	LA4014F	4/0 AWG	200 Navy 3/0 Weld 450/24 = 182 kcmil 703/.0154	1/4	1.00	1.03	0.14	0.56	
38	LA4038F	4/0 AWG	200 Navy 3/0 Weld 450/24 = 182 kcmil 703/.0154	3/8	1.13	1.03	0.14	0.56	
39	LA4038F-250	4/0 AWG	200 Navy 3/0 Weld 450/24 = 182 kcmil 703/.0154	3/8	0.90	1.06	0.14	0.57	
40	LA4038F-260	4/0 AWG	200 Navy 3/0 Weld 450/24 = 182 kcmil 703/.0154	3/8	0.93	1.02	0.14	0.56	
41	LA4038FP-251	4/0 AWG	550/24 = 222 kcmil 4/0 Weld	3/8	1.01	1.19	0.16	0.65	
42	LA4038FP-260	4/0 AWG	200 Navy 3/0 Weld 450/24 = 182 kcmil 703/.0154	3/8	0.83	1.02	0.14	0.56	
43	LA4038FP-263	4/0 AWG	550/24 = 222 kcmil 4/0 Weld	3/8	0.83	1.14	0.14	0.64	
44	WP4012F-152	4/0 AWG	200 Navy 3/0 Weld 450/24 = 182 kcmil 703/.0154	1/2	0.77	1.00	0.14	0.56	
45	WP4014F-156	4/0 AWG	200 Navy 3/0 Weld 450/24 = 182 kcmil 703/.0154	1/4	0.77	1.00	0.14	0.56	
46	WP4038F-029	4/0 AWG	200 Navy 3/0 Weld 450/24 = 182 kcmil 703/.0154	3/8	0.80	1.00	0.14	0.56	
47	WP4056F-132	4/0 AWG	200 Navy 3/0 Weld 450/24 = 182 kcmil 703/.0154	5/16	0.77	1.00	0.14	0.56	