									\perp	_								
		4 THE INFORMATION ON THIS DRAWING IS THE PROERTY OF CELE			3				2 NA WIRE SIZE				1		ı	,		
	DISCL	OSED IN CON	IFIDENCE ANI	O NOT TO BE						CELESTRA CAT.NO	CODE	: SIZE FLEX	BOLT SIZE	B MIN	C ±0.04	D ±0.015	±0.01	
D	DISLO	SED EXCEPT	FOR WHICH	FURNISHED.						LA3012F-26		150 Navy 2/0 Weld 325/24 = 131 kcmil 133/.0316 259/.0227 427/.0177	1/2	1.08	0.91	0.13	0.50	D
	N	OTE:	SPE	CIFIED.		INCHES UNLES			-							•		
	2. ALL DA,DB,LA,LB,WP,AL,AS AND J SERIES OF CAT.NO.S ARE LISTED BY "UNDERWRITERS INC." AND "CSA" FOR USE ON CODE WIRES AND FLEX/24 STRANDED CABLES. H BOLT SIZE																	
	PRE-FIX CAT.NO.WITH "L" HAS NOT PEEP HOLE UNLESS OTHERWISE SPECIFIED IN THE SUFFIX OF THE CAT.NO. WITH "P".									H BOLI SIZE								
		MATERIAL: HIGH CONDUCTIVITY WROUGHT COPPER																
С	FI	FINISH: ELECTOR-TIN PLATE UNLESS OTHERWISE SPECIFED PLATE PER MIL - T -16366. SUFFIX CAT.NO.WITH "SP" FOR SILVER.										С						
	D	INSTALLATION GUIDE DIE CODE = 50 DIE COLOR = Orange								Color coded barrel markings Wire inspection hole								
В	CUL US ROHS CONNECTORS								D Beveled wire entry									
		ZAN	√√/2/7/8.E513813															_
											HUYA www.huyaco.com	_	ncun	Rd. Zh	nongcı	un Tow		
Α										TI	WIRE CONNECTORS AND SOLDERING LUGS FOR CODE AND FLEX CABLE							
	00	00 01-Dec-25 Ruby Feng Sinia Qiu Celestra Standards Spec. Initialed.								MATERIAL HIGH-CONDUCTIVITY PRT. NO. SCALE THRID ANGLE PROJECTION WROUGHT COPPER LA3012F-260 NTS								1
	REV	DATE	DWN	CHK		DESCR	IPTION			ECN FI	NISH ELECTRO TIN PLATE	DWG. NO. 186-cp10	72 ^U	INIIT	CH -	(E] ,
			4	_			3		4	7	2				1			