		4 3 HE INFORMATION ON THIS DRAWING IS THE PROERTY OF CELESTRA, IS			2			1				,					
•					PROERTY OF (REPRODUCED,				CELESTR. CAT.NO		SIZE	BOLT SIZE	B MIN	C +0.04	D ±0.015	H +0.01	
	DISLO	SED EXCEPT	FOR WHICH	FURNISHED.					CATINO	CODE	1100/24 = 444	SIZL	IVIIIA	±0.04	±0.013	±0.01	1
									DA5158F-2	51 -	kcmil 500 Weld	5/8	1.94	1.89	0.26	1.03	
											59/.0417 427/.0325 703/.0253						
D	l			51145110101			0.51155111105			•				•			D
	N	IOTE:		DIMENSION CIFIED.	IS ARE IN INC	CHES UNLESS	OTHERWISE										
			2 ALI	DA DRIAI	B WP AL AS	AND J SERIES	S OF CAT.NO.S ARE										
		LISTED BY "UNDERWRITERS INC." AND "CSA" FOR USE ON CODE WIRES AND FLEX/24 STRANDED CABLES.															
			ON	CODE WIRE	S AND FLEX	24 STRANDEI	D CABLES.			H	BOLT SIZ	ZE					l —
							HOLE UNLESS										
				H "P".	ECIFIED IIN I	HE SUFFIX O	F THE CAT.NO.			- Julya	Č c						
	M	MATERIAL:	HIG	H CONDUCT	TIVITY WROL	IGHT COPPER	₹										
С	F	INISH:				S OTHERWIS	E				} ->						c
Ū					TE PER MIL - D.WITH "SP" F						, –						
									>		olor coded barrel	markir	nas	1			
	_{IN}	NSTALLATIO	ON GUIDE						ŝ/				J				_
	D	IE CODE =	-						45, 43,	(Die Court	Vire inspection ho	le			4		
	"	IE COLOR =	= PINK								↓						
									•								
_											Ţ			l			_
В				√						-Reveled wi	re entry						В
	C Beveled wire entry																
		L	LISTED RE CONNECTORS														
			IVV/2/7/8.E513913														
	-																<u> </u>
			1						<u> </u>		05150	TDA			DATI	261	-
									+	HUYA	R CELES						
										www.huyaco.cor							
Α									 	TITLE WIRE CON	UNIECTORS) S()	DE	SINIC		Α
		LUGS FOR CODE AND FLEX CABLE															
										SCALE THRID ANGLE PROJECTION							
		01-Dec-25			С		rds Spec. Initialed.			WROUGHT COPPER	DA5158F-251		N.	TS .	T ANGLE PE	- I	
1	REV	DATE	DWN	CHK	1	DESCRI		A	ECN F	ELECTRO TIN PLATE	186-cp13	33 0	IN	ICH	₩ L]
			4				3	4	7	2				1			
								'									