_																
		4			3		√ 2			1					_	
!	THE IN	NFORMATION	ON THIS DRA	WING IS THE	PROERTY OF CELESTRA, REPRODUCED, USED OR	IS		CELESTRA			BOLT	В	С	Н	D] '
			FOR WHICH		LE ROBGOLD, GOLD ON			CAT.NO	CODE	FLEX 23 Navy #8 Weld	SIZE	MIN	±0.04	±0.01	±0.015	<u> </u>
								LA0810AP-26	8 AWG	37/24 = 14.9 kcmil #6 SOL	#10	0.52	0.41	0.18	0.08	
D																D
J	N	IOTE:		DIMENSION CIFIED.	S ARE IN INCHES UNI	LESS OTHERWISE										
	2. ALL DA,DB,LA,LB,WP AND J SERIES OF CAT.NO.S ARE LISTED BY "UNDERWRITERS INC." AND "CSA" FOR USE ON CODE WIDES AND ELEY/24 STRANDED CARLES															
	ON CODE WIRES AND FLEX/24 STRANDED CABLES.															—
	PRE-FIX CAT.NO.WITH "L" HAS NOT PEEP HOLE UNLESS OTHERWISE SPECIFIED IN THE SUFFIX OF THE CAT.NO. WITH "P".															
	M	IATERIAL:	HIG	H CONDUCT	IVITY WROUGHT COF	PPER					oO'X					
С	FINISH: ELECTOR-TIN PLATE UNLESS OTHERWISE SPECIFED PLATE PER MIL - T -16366. SUFFIX CAT.NO.WITH "SP" FOR SILVER.													С		
C																
	Beveled wire entry— H															
	IN	NSTALLATIO	ALLATION GUIDE					∕—Wire inspection hole								
	DIE CODE = 21 DIE COLOR = Red															
	ا ا	IE COLOR :	= Kea							c						
													Die C	olor		
ь.					./								/≒			
В	BOLT SIZE — Color coded barrel markings —										В					
			IIC.		2002/95/EC											
			WIRE CON	NECTORS LE513913												
				1000												
										© CFI FS	TRA	COI	RPOI	RΔTI	ON	1
								HUYA® CELESTRA CORI						•		
								_	www.huyaco.cor							
Α	TITLE WIRE CONNECTOR					NECTORS	AND SOLDERING					Α				
								LUGS FOR CODE AND FLEX CABLE								
	00	23-Aug-25	Ruby Feng	Sinia Qiu	Celestra Sta	andards Spec. Initialed.		MATERIAL HIGH-CONDUCTIVITY PRT. NO. SCALE THRID ANGLE PROJE WROUGHT COPPER LA0810AP-261 NTS							ROJECTION	
	REV	DATE	DWN	СНК	DES	CRIPTION		ECN FI	ELECTRO TIN PLATE	DWG. NO. 186-cp14		JIT	CH -	()		
	4 3							7	2		i		1			•
					1						'					