			4				3	$\overline{}$	/	2				1			,
	DISCLO	OSED IN CON	NFIDENCE AI	AWING IS THE ND NOT TO BE F					CELESTRA CAT.NO	A WIRE CODE	SIZE	BOLT SIZE	B MIN	C ±0.04	±0.01	D ±0.015	
	DISLOS	SED EXCEPI	T FOR WHICH	H FURNISHED.					DA0238A-25		60 Navy #4 Weld 125/24 = 50.5 kcmil	3/8	0.83	0.66	0.31	0.10	
														1	ı		
D																	D
	N	OTE:		_ DIMENSION ECIFIED.	IS ARE IN IN	ICHES UNLES	S OTHERWISE						D				
	2. ALL DA,DB,LA,LB,WP,AL,AS AND J SERIES OF CAT.NO.S ARE LISTED BY "UNDERWRITERS INC." AND "CSA" FOR USE																
						K/24 STRANDE											
							OT PEEP HOLE UNLESS SHEELY OF THE CAT NO.										
				HERWISE SP TH "P".	ERWISE SPECIFIED IN THE SUFFIX OF THE CAT.NO. H "P".												
	M	IATERIAL:	HIC	H CONDUCT	IVITY WRO	UGHT COPPE	3					3)~					
С	FINISH: ELECTOR-TIN PLATE UNLESS OTHERWISE SPECIFED PLATE PER MIL - T -16366.															С	
						FOR SILVER.			Bev	veled wire entry —	H						
_	INI	INSTALLATION GUIDE							Wire inspection hole								
	DIE CODE = 33 DIE COLOR = Brown																
		ie ooloik	- Diowii							1				Die C	olor		
В									ВС	OLT SIZE—	Color coded barr	el mar	kings				В
		С		RoHS 2002/95/EC													
		WIF	LISTED														
		ZM	IVV/2/7/8.E513913														
																_	
										HUYA	® CELES						
				1						www.huyaco.com	_						
Α	TITLE WIRE CONNECTORS AND SO								Α								
	LUGS FOR CODE AND FLEX (
	00	00 01-Dec-25 Ruby Feng Sinia Qiu Celestra Standards Spec. Initialed.							MATERIAL HIGH-CONDUCTIVITY PRT. NO. SCALE THRID ANGLE PROJECTION WROUGHT COPPER DA0238A-250 NTS							ROJECTION	
	REV	DATE	DWN	СНК		DESCR			ECN FI	INISH ELECTRO TIN PLATE	DWG. NO. 186-cp15	01 UN	VIIT	iCH .	+ E		
			4	•			3	4		2				1			
								I									