			4		1		2	4	7	2		ı		1			
	THE IN	4 3 HE INFORMATION ON THIS DRAWING IS THE PROERTY OF CELESTRA, IS				CELESTRA WIRE SIZE			BOLT	В	С	Н	D				
	DISCL	OSED IN CON	NFIDENCE AND	NOT TO BE I	REPRODUCE	D, USED OR			CAT.NO	• •	FLEX	SIZE	MIN	1	1	±0.015	
Б							_		LA0110A	1 AWG	75 Navy #2 Weld 150/24 = 60.5 kcmil 175/24 = 70.6 kcmil 133/.223	#10	0.65	0.68	0.36	0.11	
D	N	OTE:		DIMENSION CIFIED.	IS ARE IN I	NCHES UNLESS	S OTHERWISE										D
	2. ALL DA,DB,LA,LB,WP AND J SERIES OF CAT.NO.S ARE LISTED BY "UNDERWRITERS INC." AND "CSA" FOR USE ON CODE WIRES AND FLEX/24 STRANDED CABLES.																
	PRE-FIX CAT.NO.WITH "L" HAS NOT PEEP HOLE UNLESS OTHERWISE SPECIFIED IN THE SUFFIX OF THE CAT.NO. WITH "P".																
	М	IATERIAL:	HIGH	H CONDUCT	TIVITY WRO	OUGHT COPPER	₹					% x/2	/				
С	FI	INISH:	SPE	CIFED PLAT	TE PER MIL	ESS OTHERWIS - T -16366. FOR SILVER.	E					90					С
		Beveled wire entry————————————————————————————————————															
$\rightarrow$		INSTALLATION GUIDE  DIF CODE = 37  — Wire inspection hole														$\leftarrow$	
В	DIE CODE = 37 DIE COLOR = Green  CULUS ROHS 2002/95/EC								BOLT SIZE Color coded barrel markings								В
			WIRE CONN ZMVV/2/7/8														
										HUYA www.huyaco.com	_	incun	Rd. Zh	nongci	ın Tow	n.	
Α									TITLE WIRE CONNECTORS AND SOLDERING								Α
										LUGS FOR CODE AND FLEX CABLE							
	00	23-Aug-25	Ruby Feng	Sinia Qiu		Celestra Standa	rds Spec. Initialed.		١	MATERIAL HIGH-CONDUCTIVITY WROUGHT COPPER	PRT. NO. LA0110A	S	cale N		<b>A</b> -	ROJECTION	
ı	REV	DATE	DWN	CHK		DESCR			ECN F	ELECTRO TIN PLATE	DWG. NO. 186-cp15	64 U	nit IN	CH -	<b>⊕</b> {		
			4		I		3	4	7	2				1			