		1		I	3	+	2		1		1			
ı	THE INFORMATI	ON ON THIS DRA	WING IS THE PROEF	TY OF CELESTRA, IS	J	CELEST		SIZE	BOLT	В	С	Н	D	1
	DISCLOSED IN C		D NOT TO BE REPRO FURNISHED.	DUCED, USED OR		CAT.NO	CODE	FLEX	SIZE	MIN	±0.04	±0.01	±0.015	l
D					-	DA4056A-	241 -	4/0 Weld 550/24 = 222 kcmil 133/.0399 259/.0286 637/.0183	5/16	0.88	1.25	0.64	0.15	D
	NOTE:			E IN INCHES UNLESS	OTHERWISE		<u> </u>			•		'		
	SPECIFIED. 2. ALL DA,DB,LA,LB,WP,AL,AS AND J SERIES OF CAT.NO.S ARE LISTED BY "UNDERWRITERS INC." AND "CSA" FOR USE ON CODE WIRES AND FLEX/24 STRANDED CABLES. D													
		PRE-FIX CAT.NO.WITH "L" HAS NOT PEEP HOLE UNLESS OTHERWISE SPECIFIED IN THE SUFFIX OF THE CAT.NO. WITH "P".												
_	MATERIAL: HIGH CONDUCTIVITY WROUGHT COPPER													
С	FINISH:	SPE	CIFED PLATE PEI		E				30					С
	Beveled wire entry————————————————————————————————————													
INSTALLATION GUIDE														4
	DIE CODE = 62 DIE COLOR = Yellow Wire inspection hole													
В	BOLT SIZE Color coded barrel markings BOLT SIZE Color coded barrel markings												В	
														l
		1						0=1=0		005				
							HUYA www.huyaco.cor		ncun R	d. Zho	ongcu	n Towi		
Α							WIRE CONNECTORS AND SOLDERING							Α
							LUGS FOR CODE AND FLEX CABLE							
							MATERIAL HIGH-CONDUCTIVITY PRT. NO. WROUGHT COPPER DA4056A-241 NTS THRID ANGLE PRO						OJECTION	
ı	rev date		CHK	DESCRI		ECN	ELECTRO TIN PLATE	DWG. NO. 186-cp19	74 UNI	T INC	CH '	+ E		I_{-1}
		4			3	4	2				1			