		_	I	_	4		_			ı					
	THE INFORMATION	ON THIS DRAWING IS THE F	DROEDTY OF CELESTRA I	3	CELESTRA WIRE SIZE			DOL T	۸	<u> </u>		1			,
	DISCLOSED IN CON	FIDENCE AND NOT TO BE FOR WHICH FURNISHED.		5	CELESTRA CAT.NO	CODE	FLEX	BOLT SIZE	A ±0.06	B MIN	±0.04	D ±0.015	±0.02	H ±0.01	
	DISCOSED EXCELLE	TON WITHOUT ONNIONED.			LB061401	#6 AWG	#6 Weld 61/24 = 24.6 kcmil	1/4	2.63	1.63	0.43	0.08	1.00	0.26	
							24.0 KOITIII				<u> </u>	1	1		
D															D
	NOTE:	<ol> <li>ALL DIMENSION SPECIFIED.</li> </ol>													
			B.WP.AL.AS AND J SER	RIES OF CAT.NO.S ARE	RE										
		LISTED BY "UND ON CODE WIRES	Color coded barrel markings												
-	1	/	BOLT SIZE												
		OTHERWISE SPI	O.WITH "L" HAS NOT PE ECIFIED IN THE SUFFI												
	===	WITH "P".													
	MATERIAL:		IVITY WROUGHT COP				-		L						
С	FINISH:	SPECIFED PLAT	LATE UNLESS OTHER E PER MIL - T -16366.				<	G⊸∽							С
		SUFFIX CAT.NO.	WITH "SP" FOR SILVE	K.		<b>→</b>	——A——		_ ⇔						
	INSTALLATIO	-Wire inspection hole													
	DIE CODE = 2 DIE COLOR =			H B											
	J. 2020.	2.00				· .				<u></u>	$\in$	<del>                                     </del>	$\Rightarrow$		
						\			[	)		ı			
В		_ ,				\B€	eveled wire entr	y	•	,					В
	c <b>(</b>	UL)US ROHS													
		ISTED 2002/95/EC													
	WIRE ZMV	E CONNECTORS V/2/7/8, E513813													
															<u> </u>
									EI EC	TDA	CO	DDO	RATIO	)N	
							JYA®	7	6. Hua	ncun	Rd. Zh	nongcı	ın Tow	_	
					www.huyaco.com Panyu Dist. Guangzhou 511495.									_	
Α			TITLE WIRE CONNECTORS AND S						SOL	SOLDERING /					
		LUGS FOR CODE AND F					) FL	EX C							
	00 01-Dec-25	Ruby Feng Sinia Qiu	Celestra Sta	ndards Spec. Initialed.	MATERIAL HIGH-CONDUCTIVITY PRT. NO. SCALE THI WROUGHT COPPER LB061401 NTS								RID ANGLE PE	ROJECTION	
1	REV DATE	DWN CHK	DES	CRIPTION	ECN		CTRO TIN PLATE	9. NO. <b>1</b>	86-cp25	44 U	nit IN	CH -	₩ L	$\exists$	
		4		3	$\triangle$		2					1			
					ı										