	,		4				3	<b>+</b>		2					1			
ı	DISCL	OSED IN CON	NFIDENCE AND	NOT TO BE		OF CELESTRA, IS ED, USED OR		CELESTRA	ELESTRA WIRE SIZE CAT.NO CODE FLEX		BOLT SIZE	A ±0.06	B MIN	C +0.04	D ±0.015	G +0.02	H ±0.01	] '
D	DISLO	SED EXCEPT	FOR WHICH I	FURNISHED.				WP013801-176		75 Navy #2 Weld 150/24 = 60.5 kcmil 175/24 = 70.6 kcmil 133/.0223	<b></b>	2.71	1.82	0.68	0.11	1.00	0.41	D
	N	NOTE: 1. ALL DIMENSIONS ARE IN INCHES UNLESS OTHERWISE SPECIFIED. 2. ALL DA,DB,LA,LB,WP AND J SERIES OF CAT.NO.S ARE																
		LISTED BY "UNDERWRITERS INC." AND "CSA" FOR USE ON CODE WIRES AND FLEX/24 STRANDED CABLES.																
	PRE-FIX CAT.NO.WITH "L" HAS NOT PEEP HOLE UNLESS OTHERWISE SPECIFIED IN THE SUFFIX OF THE CAT.NO. WITH "P".  Color coded barrel markings —BOLT SIZE																	
		IATERIAL:				OUGHT COPPE			olo lo		σ	1						
С	F	FINISH:  ELECTOR-TIN PLATE UNLESS OTHERWISE SPECIFED PLATE PER MIL - T -16366. SUFFIX CAT.NO.WITH "SP" FOR SILVER.												С				
$\rightarrow$		NSTALLATIO								——A——		<u> </u>						$\leftarrow$
		IE CODE = IE COLOR :	DDE = 37 DLOR = Green							/-Wire inspection hole								
В		CULUS BOHS  LISTED  WIRE CONNECTORS  ZMAVVQ7/78 E513913													В			
		<u> </u>								A -			TDA	001		) ATI	211	
								HUYA® CELESTRA CORPORATION 76. Huancun Rd. Zhongcun Town. Panyu Dist. Guangzhou 511495.										
Α						_		TITLE WIRE CONNECTORS AND SOLDERING									Α	
									LUGS FOR CODE AND FLEX CABLE									
	00	23-Aug-25	Ruby Feng	Sinia Qiu		Celestra Standa	ards Spec. Initialed.	MATERIAL HIGH-CONDUCTIVITY PRT. NO. SCALE THRID ANGLE PRO WROUGHT COPPER WP013801-176 NTS								ROJECTION		
ı	REV	DATE	DWN	СНК		DESCR	IPTION	ECN		CTRO TIN PLATE	<sup>G. NO.</sup> 1	86-cp277	73 UN	NIT IN	CH	<b>⊕</b> €	$\exists$	] ,
			4				3	$\triangle$		2					1			