			4				3	\downarrow		2					1			
ı			I ON THIS DRA			F CELESTRA, IS ED, USED OR		CELESTRA CAT.NO	WIRE SIZE CODE FLEX		BOLT SIZE	A ±0.06	B MIN	C +0.04	D ±0.015	G +0.02	H ±0.01	
D	DISLO	SED EXCEPT	FOR WHICH	FURNISHED.				LB011434	#1 AWG	75 Navy #2 Weld 150/24 = 60.5 kcmil 175/24 = 70.6 kcmil 133/.0223			1.40	0.67	0.11	0.75	0.41	D
	N	NOTE: 1. ALL DIMENSIONS ARE IN INCHES UNLESS OTHERWISE SPECIFIED. 2. ALL DA,DB,LA,LB,WP AND J SERIES OF CAT.NO.S ARE																
_		LISTED BY "UNDERWRITERS INC." AND "CSA" FOR USE ON CODE WIRES AND FLEX/24 STRANDED CABLES. —														_		
	PRE-FIX CAT.NO.WITH "L" HAS NOT PEEP HOLE UNLESS OTHERWISE SPECIFIED IN THE SUFFIX OF THE CAT.NO. WITH "P". MATERIAL: WATERIAL: WICH CONDUCTIVITY WE CONDED																	
С	SPECIFED PLATE PER MIL - 1 -16366. SUFFIX CAT.NO.WITH "SP" FOR SILVER.												С					
→	D	INSTALLATION GUIDE DIE CODE = 37 DIE COLOR = Green Wire inspection hole																
В			C U		Rol-	HS.			H ý	eveled wire entr	В)					В
			Linviaria															_
									HUYA® Www.huyaco.com CELESTRA CORPORATION 76. Huancun Rd. Zhongcun Town. Panyu Dist. Guangzhou 511495.									
Α								WIRE CONNECTORS AND SOLDERING LUGS FOR CODE AND FLEX CABLE										
	00	23-Aug-25	Ruby Feng	Sinia Qiu		Celestra Standa	ards Spec. Initialed.		WROUGHT COPPER LB011434 NTS			RID ANGLE PF	OJECTION					
1	REV	DATE	DWN	CHK		DESCR		ECN		CTRO TIN PLATE	9. NO. 1	86-cp277	75 UN	IN:	CH	⊕ Ł	\supset	
			4				3	4		2					1			