	-	4				3		\downarrow	2					1						
I	DISCL	OSED IN CON	IFIDENCE AND	D NOT TO BE R		OF CELESTRA, IS CED, USED OR	S		CELESTRA CAT.NO	W CODE	RE SIZE FLEX	BOLT SIZE	A ±0.06	B MIN	C ±0.04	D ±0.015	G ±0.02	H ±0.01		
D	DISLO	SED EXCEPT	FOR WHICH I	FURNISHED.					LB011434P-250	#1 AWG	75 Navy #2 Weld 150/24 = 60.5 kcmil 175/24 = 70.6 kcmil 133/.0223		2.99	1.38	0.70	0.11	0.75	0.42	D	
	N	OTE:		1. ALL DIMENSIONS ARE IN INCHES UNLESS OTHERWISE SPECIFIED.																
_			LIST	 ALL DA,DB,LA,LB,WP AND J SERIES OF CAT.NO.S ARE LISTED BY "UNDERWRITERS INC." AND "CSA" FOR USE ON CODE WIRES AND FLEX/24 STRANDED CABLES. 																
		PRE-FIX CAT.NO.WITH "L" HAS NOT PEEP HOLE UNLESS OTHERWISE SPECIFIED IN THE SUFFIX OF THE CAT.NO. WITH "P".								Color coded barrel markings										
	М	IATERIAL:	HIGI	H CONDUCT	IVITY WR	ROUGHT COPI														
С	F	INISH:	SPE	CIFED PLATI	E PER M	LESS OTHER\ IL - T -16366. P" FOR SILVEI														
										AA										
\rightarrow	INSTALLATION GUIDE DIE CODE = 37 DIE COLOR = Green								∠−Wire inspection hole											
			Gicch							<u>1 </u>		.p.				\rightarrow				
_			6			/														
В								Beveled wire entry												
										De		у								
_																				
															0.01					
A											JYA® nuyaco.com	76	6. Hua	LESTRA CORPORATION Huancun Rd. Zhongcun Town. nyu Dist. Guangzhou 511495.						
																	A			
										LUGS FOR CODE AND FLEX CABLE										
	00	23-Aug-25	Ruby Feng	Sinia Qiu		Celestra Sta	ndards Spec.	Initialed.		MATERIAL HIGH-CONDUCTIVITY PRT. NO. WROUGHT COPPER LB011434P-250						SCALE THRID ANGLE PROJECTION				
I	REV	DATE	DWN	СНК		DES	CRIPTION		ECN	FINISH		^{G. NO.} 18	86-cp278	36 UN	NIT INC		Œ			
		4 3						Φ		2		_		_	1	_	_			