			4		I.			0			0			1		4									
	4 THE INFORMATION ON THIS DRAWING IS THE						V	2			1		1	1	1		1								
			I ON THIS DRA NFIDENCE ANI						CELESTRA CAT.NO			BOLT SIZE	A ±0.06	B MIN		D ±0.015	G	H ±0.01							
			FOR WHICH						LB101243	CODE 1/0 AWG	FLEX 100 Navy #1 Weld 225/24 = 90.8 kcmil 133/.0254	1/2	4.30	3.00	0.75	0.13	1.75	0.46							
D	NOTE: 1. ALL DIMENSIONS ARE IN INCHES UNLESS OTHERWISE SPECIFIED.															-		D							
			 ALL DA,DB,LA,LB,WP AND J SERIES OF CAT.NO.S ARE LISTED BY "UNDERWRITERS INC." AND "CSA" FOR USE ON CODE WIRES AND FLEX/24 STRANDED CABLES. Color coded barrel markings 																						
			OTH					DLE UNLESS THE CAT.NO.																	
	M	ATERIAL:	HIGH	H CONDUC	TIVITY W	ROUGHT CO	OPPER																		
С	MATERIAL: HIGH CONDUCTIVITY WROUGHT COPPER FINISH: ELECTOR-TIN PLATE UNLESS OTHERWISE SPECIFED PLATE PER MIL - T -16366. SUFFIX CAT.NO.WITH "SP" FOR SILVER.													С											
		ISTALLATIO	ON GUIDE																						
	DI	IE CODE =	42						-Wire inspection hole																
В						HS			H Beveled wire entry																
A										HUYA® www.huyaco.com CELESTRA CORPORA 76. Huancun Rd. Zhongcun Panyu Dist. Guangzhou 5114							in Tow	own.							
										TITLE WIRE CONNECTORS AND SOLDERING A LUGS FOR CODE AND FLEX CABLE															
	00	23-Aug-25	Ruby Feng	Sinia Qiu		Celestra S	Standards	Spec. Initialed.		MATERIAL HIG	H-CONDUCTIVITY PRT OUGHT COPPER	. NO. LB1	01243	S	CALE N	TS	\leftarrow	IGLE PROJECTION							
I	REV	DATE	DWN	СНК		DE	SCRIPT	ION	ECN	FINISH		^{G. NO.} 1	86-cp28	52 ^{UI}	^{NIT} IN	СН	⊕ E								
			4				3	3	\triangle		2					1									
									I																