			4				3	$\downarrow$		2					1			
ı	THE IN	NFORMATION	I ON THIS DRA	WING IS THE	PROERTY (	OF CELESTRA, IS		CELESTRA		RE SIZE	BOLT	A	В	С	D	G	Н	
			FOR WHICH		NEI NOBOO	EB, GOED ON		CAT.NO	CODE	FLEX 100 Navy #1	SIZE	±0.06	MIN	±0.04	±0.015	±0.02	±0.01	
_								LB101401P-250	1/0 AWG	Weld 225/24 = 90.8 kcmil 133/.0254	1/4	3.39	1.70	0.76	0.12	1.00	0.46	
D	N	NOTE: 1. ALL DIMENSIONS ARE IN INCHES UNLESS OTHERWISE SPECIFIED.													D			
		2. ALL DA,DB,LA,LB,WP AND J SERIES OF CAT.NO.S ARE LISTED BY "UNDERWRITERS INC." AND "CSA" FOR USE ON CODE WIRES AND FLEX/24 STRANDED CABLES.																
	PRE-FIX CAT.NO.WITH "L" HAS NOT PEEP HOLE UNLESS OTHERWISE SPECIFIED IN THE SUFFIX OF THE CAT.NO. WITH "P".  Color coded barrel markings  BOLT SIZE															_		
	М	MATERIAL:	HIGI	H CONDUCT	TIVITY WR	OUGHT COPPE	R		Solor		<b>e</b>							
С	F	FINISH: ELECTOR-TIN PLATE UNLESS OTHERWISE SPECIFED PLATE PER MIL - T -16366. SUFFIX CAT.NO.WITH "SP" FOR SILVER.												С				
$\rightarrow$	INSTALLATION GUIDE DIE CODE = 42  —Wire inspection hole													$\leftarrow$				
В	D	DIE COLOR = Pink  CULUS  LISTED  WIEC CONTROL BEIGHS  ANNOVATIVE RESIDES  ANNOVATIVE R													В			
_																		_
							_			JYA®	7	ELES' '6. Huar	ncun F	Rd. Zh	nongci	ın Tow		
Α																	Α	
								WIRE CONNECTORS AND SOLDERING LUGS FOR CODE AND FLEX CABLE										
	00	23-Aug-25	Ruby Feng	Sinia Qiu			ards Spec. Initialed.		MATERIAL HIGH-CONDUCTIVITY PRT. NO.  LB101401P-250 SCALE THRID ANGLE PROJECT  NTS						ROJECTION			
ı	REV	DATE	DWN	СНК		DESCR		ECN		TRO TIN PLATE	G. NO. 1	86-cp286	2 UN	IN	CH -	(H) L		
			4				3	$\Phi$		2					1			