			4		1		3	47		2					1			
ı						OF CELESTRA, IS	<u> </u>	CELESTRA	W	IRE SIZE	BOLT	А	I В	С	D	G	Н]
			NFIDENCE ANI FOR WHICH		REPRODUCI	ED, USED OR		CAT.NO	CODE	FLEX	SIZE	±0.06	MIN	±0.04	±0.015	±0.02	±0.01	
5							-	LB101401P-260	1/0 AWG	100 Navy #1 Weld 225/24 = 90.8 kcmil 133/.0254	?1/4	3.27	1.64	0.75	0.12	1.00	0.45	
D	N	OTE:		DIMENSION CIFIED.	IS ARE IN	INCHES UNLESS	OTHERWISE											D
	 ALL DA,DB,LA,LB,WP,AL,AS AND J SERIES OF CAT.NO.S ARE LISTED BY "UNDERWRITERS INC." AND "CSA" FOR USE ON CODE WIRES AND FLEX/24 STRANDED CABLES. 																	
	1	Color coded barrel markings																
			OTH			N THE SUFFIX O		BOLT SIZE										
	М	IATERIAL:	HIG	H CONDUCT	TIVITY WR	OUGHT COPPER	1											
С	F	INISH:				ESS OTHERWIS L - T -16366.												
			SUF	FIX CAT.NC	.WITH "SP	" FOR SILVER.				∇-	G							
									Δ	——A——		_>						
	l IN	NSTALLATIO	ON GUIDE															
		IE CODE = -								-Wire ins	spectio	n hole			1			
									H		В	—⇒		<i>f</i>		\		
									<u> </u>					\in		\Rightarrow		
В		Beveled wire entry										В						
			ISTED RE CONNECTORS		l													
		225	VV/2/7/8.E513913															
										JYA®		ELES						
A								76. Huancun Rd. Zhongcun Town. www.huyaco.com Panyu Dist. Guangzhou 511495.							n.			
						_		TITLE WIRE CONNECTORS AND SOLDERING								Α		
								LUGS FOR CODE AND FLEX CABLE										
	00	00 16-Dec-25 Ruby Feng Sinia Qiu Celestra Standards Spec. Initialed.							MATERIAL HIGH-CONDUCTIVITY PRT. NO SCALE THRID ANGLE PROJECTION									
	00 REV	DATE	DWN	Sinia Qiu CHK		DESCRI		ECN	WR	OUGHT COPPER	0.10	101P-260 86-cp287	-	NI IAI	CH -	\(\)	\exists	
		1	4			3200111	3	<u> </u>		2		00 0p201		IIN	1	Т		'
					1			T					ı					