		_	ı	_			_			1					
	THE INFORMATION	4 - ON THE DRAWING IS THE	DDOEDTY OF OFFICER	3	<u></u>	1 10/1	2	I · -	. 1	<u> </u>	T _ T	1			
	DISCLOSED IN CON	ON THIS DRAWING IS THE			CELESTRA CAT.NO	CODE	RE SIZE FLEX	BOLT SIZE	A ±0.06	B MIN	±0.04	D ±0.015	G ±0.02	H ±0.01	
	DISLOSED EXCEPT	FOR WHICH FURNISHED.			DB251243-251	250 kcmil	262.6 kcmil	1/2	4.39	3.17	1.28	0.17		0.79	
D															D
D	NOTE: 1. ALL DIMENSIONS ARE IN INCHES UNLESS OTHERWISE SPECIFIED.												D		
			B,WP AND J SERIES (Color coded barrel markings											
		LISTED BY "UN ON CODE WIRE	/_BOLT SIZE												
	PRE-FIX CAT.NO.WITH "L" HAS NOT PEEP HOLE UNLESS														
			PECIFIED IN THE SUFF		lo.										
	MATERIAL:	HIGH CONDUC	TIVITY WROUGHT CO	PPER											
С	FINISH: ELECTOR-TIN PLATE UNLESS OTHERWISE												С		
			TE PER MIL - T -16366 D.WITH "SP" FOR SILV		A										
						/-Wire ins	pection	n hole							
\rightarrow	INSTALLATIO					Ţ \		В	— ⊳						4
	DIE CODE = (DIE COLOR =					H	2;-/-					Y**\	\		7
													3		
						\	eveled wire entr		Ľ)					
В						De	eveled wife end	у							В
Ь	.														Ь
	C	ROHS 2002/95/EC	1												
	WIRI ZMN	ISTED E CONNECTORS VV/2/7/8,E513913	•												
								С	ELES	TRA	COR	RPOR	ATIC	N	
							JYA®				Rd. Zho			١.	
						www.h	iuyaco.com	l P	anyu D)ıst. G	Suangzh	10u 51	1495.		
Α					TITLE WIRE CONNECTORS AND SOLDER							ING		Α	
				-	LUGS FOR CODE AND FLEX CA					ABLE					
	00 03-Nov-25	Ruby Feng Sinia Qiu	Celestra St	tandards Spec. Initialed.	MATERIAL HIGH-CONDUCTIVITY PRT. NO. SCALE THRID WROUGHT COPPER DB251243-251 NTS								ANGLE PRO	DJECTION	
1	REV DATE	DWN CHK	DES	SCRIPTION	ECN	FINISH ELEC	CTRO TIN PLATE	G. NO. 1	86-cp307	79	init INC	CH (ı
		4		3	\triangle		2					1			
	•		•		I					•					