		_	1	_	4					ı					
	THE INFORMATION	4	- DDOEDTY OF OU FOIDA	3	<u></u>	1 100	2	T		<u> </u>	T - T	1			
	DISCLOSED IN CON	I ON THIS DRAWING IS TH NFIDENCE AND NOT TO BE		, 15	CELESTRA CAT.NO	CODE	RE SIZE FLEX	BOLT	A ±0.06	B MIN	C ±0.04	D ±0.015	G ±0.02	H ±0.01	Į
	DISLOSED EXCEPT	FOR WHICH FURNISHED.			LB511243-250	500 kcmil	500 Navy	1/2	6.10	3.01	1.54	0.22		0.95	Į
<b>D</b>															<b>D</b>
D	NOTE: 1. ALL DIMENSIONS ARE IN INCHES UNLESS OTHERWISE SPECIFIED.												D		
			LB,WP AND J SERIES (		Color coded barrel markings										
		LISTED BY "UN ON CODE WIR	/—BOLT SIZE												
	PRE-FIX CAT.NO.WITH "L" HAS NOT PEEP HOLE UNLESS												<del></del>		
			PECIFIED IN THE SUFF		NO.										
	MATERIAL:		TIVITY WROUGHT CO	PPER											
С	FINISH: ELECTOR-TIN PLATE UNLESS OTHERWISE								⊸-G-⊸						
C			TE PER MIL - T -16366 D.WITH "SP" FOR SILV			A									C
		<b>3 3 3 3 3 3 3 3 3 3</b>													
	/-Wire inspection hole														
	. INSTALLATIO	ON GUIDE				1 1777	<b>—</b> /	D	~-l						
	DIE CODE = 87 DIE COLOR = Brown						Ь								
	DIE COLOR :	= BIOWII								-			3		
						\ _		,		)					
_						⊢B€	eveled wire entr	У							5
В			•												В
	c(	US ROHS													
	L	LISTED RECONNECTORS	•												
	ZMF	VV/2/7/8_E513913													
	1														<del></del>
									FI FQ	TP	A COR	POP	ΔΤΙΛ	ואו	
						H	JYA®	7			Rd. Zh				
							nuyaco.com				angzh				
Α					TITLE WIRE CONNECTORS AND SOL							.DERI	ING		Α
					LUGS FOR CODE AND FLEX CAB										
	00 04-Nov-25	Ruby Feng Sinia Qiu	Celestra St	tandards Spec. Initialed.	MATERIAL LUCIU COMPUNTATA DEL NO								ANGLE PRO	DJECTION	
1	REV DATE	DWN CHK	DES	SCRIPTION	ECN	FINISH		G. NO. <b>1</b>	86-cp323	36	INC	$-$ 1 $_{\ell}$	$\Rightarrow \vdash$	$\exists$	1
		4		3	Δ		2			i		1			
			ı		I					1					