

4

3

2

1

THE INFORMATION ON THIS DRAWING IS THE PROPERTY OF CELESTRA, IS DISCLOSED IN CONFIDENCE AND NOT TO BE REPRODUCED, USED OR DISCLOSED EXCEPT FOR WHICH FURNISHED.

| CELESTRA CAT.NO | WIRE SIZE | | BOLT SIZE | B MIN | C ±0.04 | D ±0.015 | G ±0.02 | H ±0.01 |
|--------------------|-----------|---|--------------|----------|------------|-------------|------------|------------|
| | CODE | FLEX | | | | | | |
| DB011434F-250 | #1 AWG | 75 Navy #2 Weld 150/24 = 60.5 kcmil 175/24 = 70.6 kcmil 133/.0223 | 1/4 | 1.38 | 0.70 | 0.11 | 0.75 | 0.42 |




- NOTE:
1. ALL DIMENSIONS ARE IN INCHES UNLESS OTHERWISE SPECIFIED.
 2. ALL DA,DB,LA,LB,WP AND J SERIES OF CAT.NO.S ARE LISTED BY "UNDERWRITERS INC." AND "CSA" FOR USE ON CODE WIRES AND FLEX/24 STRANDED CABLES.

PRE-FIX CAT.NO.WITH "L" HAS NOT PEEP HOLE UNLESS OTHERWISE SPECIFIED IN THE SUFFIX OF THE CAT.NO. WITH "P".

MATERIAL: HIGH CONDUCTIVITY WROUGHT COPPER


FINISH: ELECTOR-TIN PLATE UNLESS OTHERWISE SPECIFIED PLATE PER MIL - T -16366.
SUFFIX CAT.NO.WITH "SP" FOR SILVER.

INSTALLATION GUIDE
DIE CODE = 37
DIE COLOR = Green



A

A

| | | | | | | | | | |
|-----|-----------|-----------|-----------|-------------------------------------|-----|--|------------------------|-----------|--|
| | | | | | | <div><div><div>HUYA®</div><div>www.huyaco.com</div></div><div><div>CELESTRA CORPORATION</div><div>76. Huancun Rd. Zhongcun Town. Panyu Dist. Guangzhou 511495.</div></div></div> | | | |
| | | | | | | TITLE WIRE CONNECTORS AND SOLDERING LUGS FOR CODE AND FLEX CABLE | | | |
| 00 | 23-Aug-25 | Ruby Feng | Sinia Qiu | Celestra Standards Spec. Initialed. | | MATERIAL HIGH-CONDUCTIVITY WROUGHT COPPER | PRT. NO. DB011434F-250 | SCALE NTS | <div>THRID ANGLE PROJECTION</div> <div></div> |
| REV | DATE | DWN | CHK | DESCRIPTION | ECN | FINISH ELECTRO TIN PLATE | DWG. NO. 186-cp3659 | UNIT INCH | |

4

3

2

1