

THE INFORMATION ON THIS DRAWING IS THE PROPERTY OF CELESTRA, IS  
DISCLOSED IN CONFIDENCE AND NOT TO BE REPRODUCED, USED OR  
DISCLOSED EXCEPT FOR WHICH FURNISHED.

CELESTRA CAT.NO	WIRE SIZE		BOLT SIZE	B MIN	C ±0.04	D ±0.015	G ±0.02	H ±0.01
	CODE	FLEX						
LB351243F-260	350 kcmil	350 Navy	1/2	2.83	1.29	0.18	1.75	0.79

NOTE:            1. ALL DIMENSIONS ARE IN INCHES UNLESS OTHERWISE SPECIFIED.

                  2. ALL DA,DB,LA,LB,WP,AL,AS AND J SERIES OF CAT.NO.S ARE LISTED BY "UNDERWRITERS INC." AND "CSA" FOR USE ON CODE WIRES AND FLEX/24 STRANDED CABLES.

PRE-FIX CAT.NO. WITH "L" HAS NOT PEEP HOLE UNLESS  
OTHERWISE SPECIFIED IN THE SUFFIX OF THE CAT.NO.  
WITH "P".

MATERIAL: HIGH CONDUCTIVITY WROUGHT COPPER

FINISH: ELECTRO-TIN PLATE UNLESS OTHERWISE  
SPECIFIED PLATE PER MIL - T -16366.  
SUFFIX CAT.NO. WITH "SP" FOR SILVER.

INSTALLATION GUIDE  
DIE CODE = 71  
DIE COLOR = Red



**CELESTRA CORPORATION**  
76. Huancun Rd. Zhongcun Town.  
Panyu Dist. Guangzhou 511495.

# TITLE WIRE CONNECTORS AND SOLDERING LUGS FOR CODE AND FLEX CABLE

00	14-Feb-26	Ruby Feng	Sinia Qiu	Celestra Standards Spec. Initialed.
REV	DATE	DWN	CHK	DESCRIPTION

	<b>HUYA®</b> <a href="http://www.huyaco.com">www.huyaco.com</a>	<b>CELESTRA CORPORATION</b> 76. Huancun Rd. Zhongcun Town. Panyu Dist. Guangzhou 511495.
TITLE	<b>WIRE CONNECTORS AND SOLDERING LUGS FOR CODE AND FLEX CABLE</b>	
MATERIAL	HIGH-CONDUCTIVITY WROUGHT COPPER	PRT. NO. <b>LB351243F-260</b>
ECN	FINISH ELECTRO TIN PLATE	SCALE NTS THIRD ANGLE PROJECTION DWG. NO. <b>186-cp4031</b> UNIT INCH 