

THE INFORMATION ON THIS DRAWING IS THE PROPERTY OF CELESTRA, IS
DISCLOSED IN CONFIDENCE AND NOT TO BE REPRODUCED, USED OR
DISCLOSED EXCEPT FOR WHICH FURNISHED.

CELESTRA CAT.NO	WIRE SIZE		BOLT SIZE	B	C	D	G	H
	CODE	FLEX		MIN	±0.04	±0.015	±0.02	±0.01
LB141458AP-250	#14-#10 AWG	—	1/4	1.25	0.42	0.05	0.63	0.18

NOTE:



1. ALL DIMENSIONS ARE IN INCHES UNLESS OTHERWISE SPECIFIED.
2. ALL DA,DB,LA,LB,WP,AL,AS AND J SERIES OF CAT.NO.S ARE LISTED BY "UNDERWRITERS INC." AND "CSA" FOR USE ON CODE WIRES AND FLEX/24 STRANDED CABLES.

PRE-FIX CAT.NO.WITH "L" HAS NOT PEEP HOLE UNLESS
OTHERWISE SPECIFIED IN THE SUFFIX OF THE CAT.NO.
WITH "P".


MATERIAL: HIGH CONDUCTIVITY WROUGHT COPPER

FINISH: ELECTRO-TIN PLATE UNLESS OTHERWISE
SPECIFIED PLATE PER MIL - T - 16366.
SUFFIX CAT.NO. WITH "SP" FOR SILVER.

INSTALLATION GUIDE
DIE CODE = -
DIE COLOR = -



Beveled wire entry



Color coded barrel markings