			4		I		3	7	7		2		1		1			
I					PROERTY OF CE				CELESTRA	W	IRE SIZE	BOLT	B	C	D	G	H	
			FOR WHICH						CAT.NO WP061434A	CODE #6 AWG	FLEX #6 Weld 61/24 =	SIZE	MIN 1.56	±0.04	±0.015	±0.02	±0.01	
									137	#0 AVIG	24.6 kcmil	1/4	1.50	0.44	0.09	0.75	0.20	
D																		D
	N	OTE:		DIMENSION CIFIED.	IS ARE IN INC	HES UNLESS	OTHERWISE											
			LIST	ED BY "UND	B,WP AND J S DERWRITERS S AND FLEX/2	INC." AND "C	SA" FOR USE											
			OTH		D.WITH "L" HA PECIFIED IN TH			D D										
	M	ATERIAL:	HIGH	H CONDUCT		GHT COPPER	R											
С	FI	INISH:	SPE	CIFED PLAT	LATE UNLESS TE PER MIL - T WITH "SP" FO	-16366.	E		Beveled wire entry									С
									/Wire inspection hole									
\rightarrow	> INSTALLATION GUIDE																\leftarrow	
	DIE CODE = 24 DIE COLOR = Blue																	
В			c	Dus	RoHS	1		Color coded barrel markings									В	
				ED														
			ZM///2/7/8	E513913														
																		—
										HU۱						RATIO		
										www.huyad		76. Hua Panyu I				un Tow 11495.	n.	
А											CONNECTORS AND SOLDERING						А	
							LUGS FOR CODE AND FLEX CABLE											
	00	0 23-Aug-25 Ruby Feng Sinia Qiu Celestra Standards Spec. Initialed.							MATERIAL HIGH-CONDUCTIVITY WROUGHT COPPER WP061434A-137 NTS									
1	REV	DATE	DWN	СНК		DESCRI			ECN FI	ELECTRO TIN	N PLATE DWG. NO.	186-cp43	07 ^L	nit IN	ICH -	O L		
			4				3	L		2					1			