		4 3			∇	2						1						
'				WING IS THE D NOT TO BE I		F CELESTRA, IS			LESTRA		RE SIZE	BOLT	В	С	D	G	Н	'
			FOR WHICH		NEI NOBOOL	.b, oolb on			CAT.NO	CODE	FLEX	SIZE	MIN	±0.04	±0.015	±0.02	±0.01	
D								DB01	1458A-250	#1 AWG	75 Navy #2 Weld 150/24 = 60.5 kcmil 175/24 = 70.6 kcmil 133/.0223	1/4	1.26	0.70	0.11	0.63	0.42	D
J	N	IOTE:		DIMENSION CIFIED.	IS ARE IN I	NCHES UNLESS	OTHERWISE		<u>'</u>									
	2. ALL DA,DB,LA,LB,WP AND J SERIES OF CAT.NO.S ARE LISTED BY "UNDERWRITERS INC." AND "CSA" FOR USE ON CODE WIRES AND FLEX/24 STRANDED CABLES.																	
			OTH			HAS NOT PEEP NTHE SUFFIX O	HOLE UNLESS F THE CAT.NO.											
	М	MATERIAL: HIGH CONDUCTIVITY WROUGHT COPPER										D						
С	F	INISH:	SPE	CIFED PLAT	TE PER MIL	ESS OTHERWIS T -16366. ' FOR SILVER.												
		Beveled wire entry————————————————————————————————————																
	D	NSTALLATIONE CODE =	37						Wire inspection hole									
В		DIE COLOR = Green CULUS LISTED WIRE COMBETORS ZANYOZYA ERISBAS							BOLT SIZE Color coded barrel markings									
	1																	
		I	I					I			. 1							
									HUYA® Www.huyaco.com CELESTRA CORPORATION 76. Huancun Rd. Zhongcun Town. Panyu Dist. Guangzhou 511495.									
Α									WIRE CONNECTORS AND SOLDERING									Α
									LUGS FOR CODE AND FLEX CABLE									
	00	28-Oct-25 Ruby Feng Sinia Qiu Celestra Standards Spec. Initialed.						MATERIAL HIGH-CONDUCTIVITY PRT. NO. SCALE THRID ANGLE PROJECT DB011458A-250 NTS							OJECTION			
ı	REV	DATE	DWN	CHK		DESCR		E	CN FINISH	ELECTRO TIN	PLATE DWG. NO.	186-cp449	9 4	vit IN	CH	⊕ £	\rightarrow	
			4				3	\triangle		2					1			
								'										