			1		+				ı					
	THE INFORMATIO	N ON THIS DRAWING IS THE	$egin{array}{c c} & & & & & & & & & & & & & & & & & & &$			BOLT	<u> </u>	В	1 C	Г	ID	1		
	DISCLOSED IN CO	ONFIDENCE AND NOT TO BE PT FOR WHICH FURNISHED.			CAT.NO	CODE	FLEX	SIZE	±0.06	MIN	±0.04	R	±0.01	
	5.020025 2.021				DA8158	800 kcmil	800 Navy	5/8	3.98	1.58	2.01	2.54	1.11	
D	NOTE:	1. ALL DIMENSIO SPECIFIED.	NS ARE IN INCHES UN	Color coded marking Bolt Size									D	
		2. ALL DA,DB,LA,I LISTED BY "UN ON CODE WIRI PRE-FIX CAT.N OTHERWISE S WITH "P".	DIE CODE DIE COLOR C C									_		
	MATERIAL: HIGH CONDUCTIVITY WROUGHT COPPER						В							
С	FINISH:	ELECTOR-TIN I SPECIFED PLA	PLATE UNLESS OTHER TE PER MIL - T -16366. D.WITH "SP" FOR SILVI	_ 									С	
\rightarrow	DIE CODE	INSTALLATION GUIDE DIE CODE = 107 DIE COLOR = Orange				R Inspection Hole								
В	Beveled entry Beveled entry										В			
	L v	ISTED RE CONNECTOR												
]													
			I											
А						HUY www.huyaco	A	ELES 76. Hua Panyu [incun	Rd. Zh	nongci	ın Tow	/n.	
				WIRE CONNECTORS AND SOLDERING LUGS FOR CODE AND FLEX CABLE										
	00 14-Dec-25	Ruby Feng Sinia Qiu	Feng Sinia Qiu Celestra Standards Spec. Initialed.			MATERIAL HIGH-CONDUC WROUGHT CO		.8158	S	CALE N		ID ANGLE P	ROJECTION	1
	REV DATE	DWN CHK	DES	SCRIPTION	ECN	FINISH ELECTRO TIN F	81118 118	86-cp06	77 U	NIIT	CH -	D £		
		4		3	4	2	'		İ		1			'
					'									