			1		I		3	_	<u> </u>	2		ı		1							
ı	THE IN	NFORMATION	ON THIS DRA	WING IS THE	PROERTY O	F CELESTRA, IS			CELESTR	A WIRE	SIZE	BOLT	В	С	D	Н] '				
			FOR WHICH		NEI NODOGE				CAT.NO	CODE	FLEX 75 Navy #2 Weld	SIZE	MIN	±0.04	±0.015	±0.01					
									LA0138FP-2	260 1 AWG	150/24 = 60.5 kcmil 175/24 = 70.6 kcmil 133/.0223	3/8	0.83	0.67	0.10	0.36					
D	N	NOTE: 1. ALL DIMENSIONS ARE IN INCHES UNLESS OTHERWISE SPECIFIED.													D						
			LIST	ED BY "UNI	DERWRITE	J SERIES OF C RS INC." AND " X/24 STRANDE	CSA" FOR USE		H BOLT SIZE												
			PRE OTH	-FIX CAT.NO	O.WITH "L"	HAS NOT PEE	P HOLE UNLESS OF THE CAT.NO														
	М	IATERIAL:	HIGI	H CONDUCT	ΓΙVITY WR	OUGHT COPPE	R														
С	FI	FINISH: ELECTOR-TIN PLATE UNLESS OTHERWISE SPECIFED PLATE PER MIL - T -16366. SUFFIX CAT.NO.WITH "SP" FOR SILVER.										С									
	D	INSTALLATION GUIDE DIE CODE = 37 DIE COLOR = Green							Color coded barrel markings Wire inspection hole								\leftarrow				
В		CULUS ROHS							,	Beveled wi	D re entry						В				
			ZMVV/2/7/8	.E513913													_				
							_			HUYA www.huyaco.co		ncun	Rd. Zh	nongci	un Tow	'n.					
Α									www.huyaco.com Panyu Dist. Guangzhou 511495.								Α				
										LUGS FOR CODE AND FLEX CABLE											
	00	23-Aug-25	Ruby Feng	Sinia Qiu Celestra Standards Spec. Initialed.					N	MATERIAL HIGH-CONDUCTIVITY WROUGHT COPPER	PRT. NO. LA0138FP-260	S	CALE N		RID ANGLE P	IGLE PROJECTION					
	REV	DATE	DWN	СНК		DESCF	IPTION		ECN F	ELECTRO TIN PLATE	DWG. NO. 186-cp09		nit IN	ICH .	(] ,				
			4		I		3	_		2				1							